




Product Datasheet

19 Wall Recessed & Inground>Indoor Square Wall Recessed

68007/B/W



1,5 W Wall recessed LED light, ideal for step and corridor illumination.

Supplied complete with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads










Dimensions



Gallery





Physical Specification

Item Group	19 Wall Recessed & Inground
Family	Indoor Square Wall Recessed
Order Code	68007/B/W
Colour	Black
Material	Plastic
Shape	Rectangular
Length	94mm

Height	35mm
Cutout Hole Width	86mm
Cutout Hole Length	86mm
Recessed wall	Yes
Depth Required	40mm
Indoor	Yes
Adjustable	No
Electrical Characteristics	
Gear	External-Included
Filling , Driver	
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	1,5W
IP Rating	IP20
Light Source	LED built in
F Mark	F
Fitting	
Input Type	Constant Current
Power(Watts)	1,5W
IP Rating	IP20
Light Source	LED built in
LED Brand	Epistar
Gear	
Gear Type	Led Driver

94mm

Width

Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	1,5W
Power Factor	0,5
Constant Current	Yes
IP Rating	IP20
Safety Class	
Housing Material	Plastic
Brand	One Light
Illumination Data	
Colour Temperature	3000K
Lumen Output	70lm
Light Efficiency	46,67lm/W
Illumination Diagram	
Dark Light	Yes
Packing Info	
Box Length	9,7cm
Box Width	5,4cm
Box Height	9,7cm
Box Weight	0,14Kg
Pcs/Carton	50
Barcode	5291889070603
HS Code	9405104090

Certification & Warranty

Warranty	2 Years
Weee Directive	Yes



