


19 Wall Recessed & Inground > Indoor/Outdoor Decorative Wall Recessed
Aluminium

68004/AL/W



3W 350mA LED wall recessed light, IP54, ideal for both indoor and outdoor installation.

Requires 350mA driver.

Supplied with box for concrete installation


Complies with standard EN60598-1 and any other specific standards.




Downloads



Dimensions



Gallery



Must be ordered separately





89004

Physical Specification

Item Group	19 Wall Recessed & Inground
Family	Indoor/Outdoor Decorative Wall Recessed Aluminium
Order Code	68004/AL/W
Colour	Aluminium
Material	Aluminium
Shape	Rectangular
Length	56mm
Width	56mm
Height	54mm
Cutout Hole Diameter	49mm for Concrete & Gypsum nstallation
Recessed wall	Yes
Depth Required	110mm for Concrete Installation 70mm for Gyprum Installaiton
Indoor	Yes
Outdoor	Yes

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	3W
IP Rating	IP54
Light Source	LED built in
LED Type	COB
LED Brand	Luminus
Cable Length	100cm
F Mark	


Illumination Data

Colour Temperature	3000K
Lumen Output	120lm
Light Efficiency	40lm/W
CRI	90
Beam Angle	24°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Weight	0,330Kg
Pcs/Carton	36
Barcode	5291889049258
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

