



19 Garden & Underwater>LED Garden Path Lights CCT V

67470A/B/V



10W CCT Variable LED Bollard, IP65 for Garden illumination.

Supplied with non-dimmable driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

|            |                              |
|------------|------------------------------|
| Item Group | 19 Garden & Underwater       |
| Family     | LED Garden Path Lights CCT V |
| Order Code | 67470A/B/V                   |
| Colour     | Black                        |
| Material   | Aluminium                    |
| Shape      | Rectangular                  |
| Length     | 120mm                        |

|                      |       |
|----------------------|-------|
| Width                | 80mm  |
| Height               | 800mm |
| Surface Ceiling      | Yes   |
| Surface Wall         | Yes   |
| Surface Floor/Ground | Yes   |
| Outdoor              | Yes   |
| Adjustable           | No    |
| IK Rating            | 10    |

Electrical Characteristics

|                  |                                                                                       |
|------------------|---------------------------------------------------------------------------------------|
| Gear             | Built In                                                                              |
| Fitting + Driver |                                                                                       |
| Input Voltage    | 220-240V                                                                              |
| 50 Hz            | Yes                                                                                   |
| 60 Hz            | Yes                                                                                   |
| Safety Class     |  |
| Power(Watts)     | 10W                                                                                   |
| IP Rating        | IP65                                                                                  |
| Light Source     | LED built in                                                                          |
| Dimmable         | No                                                                                    |
| F Mark           |  |

|               |                  |
|---------------|------------------|
| Fitting       |                  |
| Input Type    | Constant Current |
| Input Current | 250mA            |
| Light Source  | LED built in     |

|               |            |
|---------------|------------|
| Gear          |            |
| Gear Type     | Led Driver |
| Input Voltage | 220-240V   |

|                  |
|------------------|
| 50 Hz            |
| 60 Hz            |
| Constant Current |
| Dimmable         |

|     |
|-----|
| Yes |
| Yes |
| Yes |
| No  |

Illumination Data

Colour Temperature

3000K-3500K-4000K

Lumen Output

500lm

Light Efficiency

50lm/W

CRI

80

Illumination Diagram



Packing Info

Box Weight

2.750kg

Pcs/Carton

6

Barcode

5291889085584

HS Code

9405413990

Certification & Warranty

Warranty

2 years

switch to  
one light!

