

OUTDOOR



F A R O
BARCELONA



Edition

A2026OUT

Art direction and design

Faro Art

All Rights Reserved

Reproduction without written permission from the publisher is strictly prohibited.



Outdoor Collection

Portable	26
Floor	48
Spike & Projector	188
Suspended	258
Downlight	302
Wall	316
Recessed	414
Bulbs	468
Drivers	478



Portable



Muna
30



Nara
32



Akane
34



Cage
36



Saigon
36



Cairo
38



Task
38

Post



Glint
104



Naya
120



Block
126



Shelby
132



Twist
136



Datna
139



Giza
145



Surat
152



Noboru
154




Rush
172



Screen
180

Beacon



Brot
60



Iglu
64



Cadaques
66



Gaia
68



Cuca
70



Lily
74



Grot
76



Luma
90



Klamp
92



Soleil
92



Cast
94



Brot
96



Clap
100



Spy
102



Naya
120



Bu-Oh
122



Espot
124



Block
126



Tura
128



Beret
130



Shelby
132



Giza
145



Mistu
146




Blubs
147



Moon
147



Loth
156




Keenan
158



Rush
174

Floor



Nara
50



Saigon
52



Kasp
40



Candela
42



Mavis
44




Argus
46



Toc
46



Voila
46



Brot
62



Saigon
286



Mistu
148



Muffin
148



Blubs
149



Moon
149



Mila
150



Nala
150



Mauren
152



Sete
152



Cerler
78



Til
78



Balic
80



Bast
80



Bezel
80



Lotus
82



Chandra
84



Gina
84



Glint
104



Totem
106



Alp
108



Das
110



Nanda
112



Sticker
112



Pilo
114



Saura
118



Shadow
134



Twist
136



Onze
138



Tram
138



Datna
139



Kila
140



Plim
142










Logar
144










Screen
182


Pole

						
Tura 128	Tram 160	Tura 160	Beret 162	Bu-Oh 162	Plaza 162	Blubs 164













Suspended

 N	 N	 N		 N		
Toba 260	Narita 262	Saga 264	Nara 274	Saigon 276	Blubs 290	Muffin 290















System

 N	 N	 N
Toba 268	Narita 270	Saga 272

Spike

	 N				 N	
Slot 208	Clap 213	Brot 214	Lily 216	Toni 218	Luca 218	Bezel 220
						
Tono 242	Cuca 244	Bambou 248	Saigon 250	Piccola 256		

Recessed

			 N			
Falls 416	Geiser 418	Suria 426	Grund 430	Tras 438	Kane 440	Crosby 442
	 N					
Mani 452	Poma 452	Nat 454	Spark 454	Nase 455	Carter 456	Racing 456



Mistu
166



Muffin
167



Nautica
168



Rush
176




Screen
184



Mistu
291



Moon
291



Nautica
292




Clap
297



Scuba
298




Scuba
300




Spy
220



Seth
234




Foc
236




Balder
238



Sobek
238



Andy
240



Plom
240



Garten
242



Led 18
443



Taro
444



Tecno
444




Curtis
446



Salt
446



Edel
448



Nok
448



Dart
450



Soun
458



Til
458



Sedna
460



Dang
462



Uve
462



Frol
464













































Gron
464







Stripe 2
466








Surface

						
Grot 318	Clap 323	Lime 326	Scuba 328	Scuba 330	Kov 333	Thon 338
						
Tinia 348	Doro 350	Lako 352	Tacana 352	Toluca 352	Aday 354	Kaula 354
						
Axel 364	Takua 364	West 366	Bruc 368	Lace 368	Ling 368	Canon 370
						
Ele 378	Kela 378	Kerala 378	Nala 380	Tamashi 380	Pivot 381	Pomo 381
						
Tejo 389	Fred 390	Mol 391	Pol 391	Kila 392	Orwell 392	Tram 392
						
Nahir 400	Noray 402	Timon 402	Brow 404	Drak 404	Pill 404	Dune 406

Ceiling

						
Puk 305	Goz 308	Tami 308	Kila 310	Olot 310	Tasa 310	Scuba 312

Projector

						
Puk 192	Clap 199	Alfa 200	Muur 200	Foc 202	Lit 202	Flow 204



Tond
339



Estela
340



Bronx
342



Pals
342



Steps
344



Klamp
346



Proa
346




Gina
348



Balic
356



Bu-Oh
358



Future
358



Lotus
360



View
360




Ancora
362



Sticker
362



Alp
364



Lacre
370



Tane
370



Blind
372



Log
372



Olan
372



Nairobi
374



Sunset
374



Luma
376



Half
384



Mask
384



Tom
386



Hikari
387



Kubick
387



Bonn
388



Negus
388



Natron
389



Blubs
394



Muffin
394




Mistu
396




Moon
396



Nautica
398



Wally
399



Borda
400



Cabo
400



Grant
408



Path
408



Grada
410



Must
412



Anga
314



Dakron
315



Yen
315




Okó
204



Plom
204



Slot
206



Sau
224

Collections

Agra



Post *H.200*
P. 116



Beacon *H.650*
P. 116

Alp



Beacon *H.500*
P. 108



Beacon *H.800*
P. 108



Wall
P. 364

Balic Yembarastudio



Beacon *H.580*
P. 80



Wall
P. 356

Beret



Beacon *H.500*
P. 130



Beacon *H.900*
P. 130



Pole *H.1800*
P. 162

Bezel



Beacon *H.600*
P. 80



Spike *H.600*
P. 220

Block Àlex & Manel Llusçà



Post *H.350*
P. 126



Beacon *H.700*
P. 126



Wall
P. 382

Blubs
Estudi Ribaudí



Beacon H.540
P. 147



Post H.240
P. 149



Pole 2L H.2140
P. 164



Pole 3L H.2140
P. 164



Suspended
P. 290



Wall
P. 394

Brot
Yembarastudio



Beacon H.900
P. 60



Beacon H.1800
P. 60



Portable H.900
P. 62




Portable H1800
P. 62



Beacon H.200
P. 96



Beacon H.600
P. 96



Spike H.200
P. 214



Spike H.600
P. 214

Bu-Oh
Estudi Ribaudí



Beacon H.565
P. 122



Post H.265
P. 122




Pole H.2500
P. 162




Wall
P. 358

Clap
Faro Lab




Beacon H.512
P. 100



Beacon H.1266
P. 100




Projector
P. 199



Spike H.630
P. 213




Spike H.1030
P. 213



Suspended
P. 297




Wall
P. 322



Lineal Wall/Ceiling
P. 324


Cuca
Faro Lab



Beacon *H.500*
P. 70




Beacon *H.1000*
P. 70




Spike *H.500*
P. 244



Spike *H.1000*
P. 244



Beacon *H.300*
P. 72



Beacon *H.650*
P. 72



Beacon *H.1193*
P. 72



Spike *H.300*
P. 246



Spike *H.650*
P. 246




Spike *H.1193*
P. 246


Foc



Spike *H.460*
P. 236



Spike *H.780*
P. 236



Wall *H.580*
P. 202



Wall
P. 202

Gina



Beacon *H.700*
P. 84



Wall
P. 348

Glint
Faro Lab



Post *H.157*
P. 104



Beacon *H.400*
P. 104



Beacon *H.700*
P. 104

Grot
Faro Lab



Beacon *H.400*
P. 76



Beacon *H.700*
P. 76



Wall
P. 318

Kila



Beacon *H.400*
P. 140



Beacon *H.700*
P. 140



Ceiling
P. 310



Wall
P. 392

Klamp

Àlex & Manel Llusçà




Beacon *H.660*
P. 92



Wall 2L
P. 346

Lily

Faro Lab



Beacon *H.300*
P. 74



Beacon *H.650*
P. 74



Beacon *H.1190*
P. 74



Spike *H.300*
P. 216



Spike *H.650*
P. 216



Spike *H.1190*
P. 216

Lotus

Estudi Ribaudí



Beacon *H.350*
P. 82



Beacon *H.650*
P. 82



Wall
P. 360

Luma

Faro Lab



Beacon *H.300*
P. 90



Beacon *H.600*
P. 90



Wall
P. 376

Mistu

Faro Lab



Beacon *H.600*
P. 146



Post *H.310*
P. 148



Pole 2L *H.2150*
P. 166



Pole 3L *H.2150*
P. 166



Suspended
P. 291




Wall
P. 396

Moon
Faro Lab



Beacon *H.610*
P. 147



Post *H.300*
P. 149



Suspended
P. 291



Wall
P. 396

Muffin
Àlex & Manel Llusçà



Beacon *H.559*
P. 146



Post *H.259*
P. 148



Pole 2L *H.2115*
P. 167



Pole 3L *H.2115*
P. 167



Suspended
P. 290



Wall
P. 394

Nala



Post *H.220*
P. 150



Wall
P. 380

Nara
Carrasquet



Portable
P. 32



Floor *H.1200*
P. 32



Suspended
P. 274

Nautica



Pole *H.2200*
P. 168



Pole 2L *H.2250*
P. 168



Pole 3L *H.2250*
P. 168



Suspended *W.260*
P. 292



Suspended W. 345
P. 292



Wall W. 260
P. 398



Wall W. 280
P. 398



Wall W. 350
P. 398

Plom



Spike H.332
P. 240



Wall
P. 204

Puk



Projector
P. 194



Ceiling
P. 280

Rush
Estudi Ribaudí



Post H.250
P. 172



Beacon H.800
P. 174




Pole H.3100
P. 176



Pole H.3700
P. 178

Sau XS

NEW




Beacon H.300
P. 224



Beacon H.600
P. 224

Sau S

NEW



Beacon H.300
P. 226



Beacon H.600
P. 226

Sau M

NEW



Beacon H.300
P. 228



Beacon H.600
P. 231



Wall
P. 230

Saigon
Nahtrang



Portable
P. 36



Floor H.1950
P. 56



Table H.1200
P. 56



Spike H.1370
P. 250



Suspended
P. 282



Portable
P. 288

Screen
Estudi Ribaudí



Post H.250
P. 180



Beacon H.800
P. 182



Pole H.3100
P. 184



Pole H.3700
P. 186

Scuba



Suspended
P. 300



Wall
P. 330

Scuba Louver



Suspended
P. 298



Ceiling
P. 312



Wall
P. 328

Slot
Lucid Product Design




Projector H.350
P. 206



Projector H.500
P. 206



Spike H.380
P. 208



Spike H.692
P. 208

Spy



Post H.145
P. 102



Beacon H.435
P. 102



Spike H.395
P. 220

Sticker
Lucid Product Design



Beacon H.720
P. 112



Wall
P. 362

Tram
Estudi Ribaudí



Beacon H.630
P. 138



Pole H.2500
P. 160



Wall
P. 392

Til

NEW



Beacon H.300
P. 78



Recessed
P. 458

Twist
Estudi Ribaudí



Post H.300
P. 136



Beacon H.500
P. 136



Wall
P. 382

Tura



Beacon H.650
P. 128



Beacon H.1050
P. 128



Pole H.2050
P. 160

Our purpose is to contribute to the wellbeing and happiness of people through design and the relationship we establish with the objects that surround us in our daily lives. We believe in honest and accessible design. Nuestra razón de ser es contribuir al bienestar y la felicidad de las personas a través del diseño y la relación que establecemos con los objetos que nos acompañan en nuestro día a día. Creemos en un diseño honesto, accesible y cercano.

DESIGN FOR
EVERYONE

BRAND
WITH SOUL







Our sustainability journey focuses on minimizing our environmental footprint and maximizing our positive impact on society.

Nuestro camino hacia la sostenibilidad se centra en reducir nuestro impacto negativo en el planeta y maximizar nuestro impacto social positivo.

SUSTAINABILITY

TURN OFF
THE LIGHT



Our impact report
Nuestro impacto




The expertise and knowledge of our professionals are dedicated to bringing your ideas to life, creating unique and functional spaces.

La experiencia y el conocimiento de nuestros profesionales se ponen al servicio de tus ideas para crear espacios únicos y funcionales.

SERVICES

YOUR IDEA, OUR EXPERTISE



Lighting & Fan projects / Proyectos de iluminación y ventilación
Control and connectivity / Control y conectividad
Customization and bespoke products / Personalización y productos a medida



Our commitment to quality is at the heart of everything we design. We rigorously control the quality of our products and services from conception to functionality and reliability testing. Nuestro compromiso con la calidad está presente en todo lo que diseñamos. Controlamos rigurosamente la calidad de nuestros productos y servicios desde la concepción hasta los ensayos de funcionalidad y fiabilidad.

Q-LAB

QUALITY
COMMITMENT



Quality management system based on ISO9001.

Compliance with electrical safety regulations under EN60598 (lighting) & EN60335 (fans), as well as ERP energy-efficiency requirements.

Sistema de gestión de calidad basado en la ISO9001.

Cumplimiento legislativo de las normativas de seguridad bajo la EN60598 (iluminación) y EN60335 (ventiladores de techo), así como la normativa de eficiencia energética ERP.

Parametrical Lab

Specification Compliance
Electrical Safety Tests
Integrating Sphere
Climatic Chamber
IK Tests
Endurance Test Room
Thermal Test Room

Environmental Testing Lab

Water IP Tests
Powder IP Tests
Salt Spray Chamber

Technical Assistance Service (TAS)

Customer Returns Analysis
Customer Returns Repairs
TAS Spare Parts


Quality inspections Lab

Batch inspections
Functional Tests
Product Assembly Control
Product Finish Control

Specification Compliance

Life Test
Customizations
Airflow measurements
Noise measurements

Goniophotometer Room





OUTDOOR

LIGHTING

PORTABLE



Its diffuser is covered with a removable, washable fabric sleeve that's also durable enough for outdoor use.



Muna dresses light in texture and color—a piece that unites materiality, presence, and emotion, thoughtfully designed to accompany every moment with serenity and intimacy. Muna casts a soft, enveloping glow that invites you to experience it. Light filters gently through the fabric, softly blurring edges and creating a serene, intimate atmosphere—perfect for spaces devoted to rest and well-being.



MUNA Carrasquet

Muna


Carrasquet

IP54



72150	● Structure White ● Diffuser Opal	142,60€
72151	● Structure White + Orange ● Diffuser Opal	142,60€

Material	Structure Textile Diffuser PEMD
Light Source	1 E27 LED A60 max. 12W
Bulb incl.	No
Recom. Bulb	17070
Class	II
Cable	5m



outdoor

Portable



Nara Portable
Carrasquet

IP65



72102-155	<ul style="list-style-type: none"> ● Structure Beige ● Diffuser Opal 	445,70€
72102-156	<ul style="list-style-type: none"> ● Structure Matt Black ● Diffuser Opal 	445,70€
72102-157	<ul style="list-style-type: none"> ● Structure Rust Brown ● Diffuser Opal 	445,70€




Material	Structure Steel
	Diffuser PEMD
Light Source	1 E27 LED A60 max. 12W
Bulb incl.	No
Recom. Bulb	17070
Class	II
Cable	2.5m



Floor
50



Suspended
274



outdoor

Portable



Akane
Pepe Llaudet


IP44



71262	● Structure Matt Black ● Shade Green	602,90€
71263	● Structure Matt Black ● Shade Beige	602,90€

Material	Structure Steel Shade PP
Light Source	E27 LED G125 max. 12W
Bulb incl.	No
Recom. Bulb	17425
Class	II
Cable	5m

*Only compatible with models A60, ST64, G95 and G125



outdoor

Portable



outdoor

Portable



Task

IP54 IK08 DIM



70914 Structure Matt White
 Diffuser Opal 161,90€

Material	Structure Aluminium Diffuser PC
Power	2W
Lumen Output	190lm
Light Source	SMD LED 3000K
Dimmable W/m	0,5/16-1/103-2/263
Class	III
CRI	≥80
Voltage	5VDC
Battery	5 Charge Max. 6 Worktime



Cairo


IP44 DIM USB solar



74500 Structure Black
 Diffuser Transparent 50,30€

74501 Structure Sand
 Diffuser Transparent 50,30€

Material	Structure PC Diffuser PC
Power	2W
Lumen Output	120lm
Light Source	SMD LED 2700K
Class	III
CRI	≥80
Voltage	5VDC
Battery	4,5 Charge Max. 6 Worktime



Solar lamp


outdoor

Portable



Kasp 300

IP65 IK04 DIM solar



2700K



3000K

71912

● Structure Black
● Diffuser Transparent

209,20€

Kasp 500

IP65 IK04 DIM solar



2700K



3000K

71913

● Structure Black
● Diffuser Transparent

213,30€

Material	Structure Aluminium
	Diffuser PC
Power	2,2W
Lumen Output	107lm
Light Source	SMD LED 2700/3000K
Class	III
CRI	>80
Voltage	5VDC
Battery	6 Charge Max. 10 Worktime

Material	Structure Aluminium
	Diffuser PC
Power	2,2W
Lumen Output	128lm
Light Source	SMD LED 2700/3000K
Class	III
CRI	>80
Voltage	5VDC
Battery	6 Charge Max. 10 Worktime






Kasp Wall Accessory

71914

● Black

29,50€

Material Structure Aluminium



USB-C Charger



Solar lamp

outdoor

Portable




Candela
Estudi Ribaudí

IP66  DIM



70790 ● **Structure** Terracotta 265,50€
● **Diffuser** Opal

Material	Structure Polystone Diffuser PC
Power	3W
Lumen Output	172lm
Light Source	SMD LED 3000K
Class	III
CRI	≥80
Voltage	5VDC/50/60Hz
Battery	10 Charge Max. 6 Worktime



outdoor

Portable





Mavis 200



71920	● Structure Matt Black ● Diffuser Transparent	72,40€
71921	● Structure Matt White ● Diffuser Transparent	72,40€
71923	● Structure Matt Yellow ● Diffuser Transparent	72,40€

Material	Structure Aluminium Diffuser PC
Power	2W
Lumen Output	150lm
Light Source	SMD LED 2700K
Class	III
CRI	≥80
Voltage	5VDC
Beam angle	180°
Battery	4 Charge Max. 10 Worktime





Touch lamp

Mavis 360



71928	● Structure Matt Black ● Diffuser Transparent	94,50€
71929	● Structure Matt White ● Diffuser Transparent	94,50€
71931	● Structure Matt Yellow ● Diffuser Transparent	94,50€

Material	Structure Aluminium Diffuser PC
Power	3W
Lumen Output	225lm
Light Source	SMD LED 2700K
Class	III
CRI	≥80
Voltage	5VDC
Beam angle	180°
Battery	4 Charge Max. 10 Worktime



Touch lamp

outdoor

Portable




Toc 380




- 70775 ● Structure Matt White ● Diffuser Opal 157,40€
- 70776 ● Structure Matt Black ● Diffuser Opal 157,40€
- 70777 ● Structure Matt Grey ● Diffuser Opal 157,40€

Material	Structure Aluminium Diffuser PC
Power	2W
Lumen Output	180lm
Light Source	SMD LED 3000K
Class	III
Voltage	5VDC
Battery	5 Charge Max. 9 Worktime




Touch lamp

Argus




- 70784 ● Structure Dark Grey ● Diffuser Transparent 200,10€

Material	Structure Aluminium Diffuser PMMA
Power	2W
Lumen Output	220lm
Light Source	SMD LED 3000K
Class	III
CRI	>80
Voltage	5VDC
Battery	5 Charge Max. 9 Worktime



Voila



- 71565 ● Structure Matt Black ● Diffuser Opal 64,70€

Material	Structure ABS Diffuser PEMD
Power	2W
Lumen Output	50lm
Light Source	RGB LED 3000K
Class	III
Voltage	5VDC
Battery	4 Charge Max. 7 Worktime



outdoor

Portable





OUTDOOR



LIGHTING

FLOOR



Nara Floor
Carrasquet

IP65



72103-155	<ul style="list-style-type: none"> ● Structure Beige ● Diffuser Opal 	640,00€
72103-156	<ul style="list-style-type: none"> ● Structure Matt Black ● Diffuser Opal 	640,00€
72103-157	<ul style="list-style-type: none"> ● Structure Rust Brown ● Diffuser Opal 	640,00€

Material	Structure Steel
	Diffuser PEMD
Light Source	1 E27 LED A60 max. 12W
Bulb incl.	No
Recom. Bulb	17070
Class	II
Cable	2.5m



Portable 32 Suspended 274





Saigon 1950 C100
Nahtrang

IP65



71569-10	● Structure Dark Grey ● Shade Beige ● Diffuser Opal	1.084,20€
71569-12	● Structure Dark Grey ● Shade Green ● Diffuser Opal	1.084,20€
71569-14	● Structure Dark Grey ● Shade Ochre ● Diffuser Opal	1.084,20€

Material	Structure Aluminium + Concrete Shade PP Diffuser PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m

Saigon 1950 C70
Nahtrang

IP65



71569-09	● Structure Dark Grey ● Shade Beige ● Diffuser Opal	821,30€
71569-11	● Structure Dark Grey ● Shade Green ● Diffuser Opal	821,30€
71569-13	● Structure Dark Grey ● Shade Ochre ● Diffuser Opal	821,30€

Material	Structure Aluminium Shade PP Diffuser PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m




Saigon 1200 C70
Nahtrang

IP65



71575-09	● Structure Dark Grey ● Shade Beige ● Diffuser Opal	803,90€
71575-11	● Structure Dark Grey ● Shade Green ● Diffuser Opal	803,90€
71575-13	● Structure Dark Grey ● Shade Ochre ● Diffuser Opal	803,90€

Material	Structure Aluminium Shade PP Diffuser PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m





Saigon 1950 W100
Nahtrang

IP65



71569-08 ● **Structure** Dark Grey
● **Shade** Brown
● **Diffuser** Opal 1.132,10€

Saigon 1950 W70
Nahtrang


IP65



71569-07 ● **Structure** Dark Grey
● **Shade** Brown
● **Diffuser** Opal 838,90€

Saigon 1200 W70
Nahtrang

IP65






71575-07 ● **Structure** Dark Grey
● **Shade** Brown
● **Diffuser** Opal 821,50€

Material	Structure Aluminium + Concrete
	Shade Synthetic Wicker
	Diffuser PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m

Material	Structure Aluminium
	Shade Synthetic Wicker
	Diffuser PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m

Material	Structure Aluminium
	Shade Synthetic Wicker
	Diffuser PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m





Saigon 1950 T70
Nahtrang

IP65



71569-05	<ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Cream ● Diffuser Opal 	715,90€
71569-06	<ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Brown ● Diffuser Opal 	715,90€

Saigon 1200 T70
Nahtrang




IP65



71575-05	<ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Cream ● Diffuser Opal 	698,50€
71575-06	<ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Brown ● Diffuser Opal 	698,50€

Material	Structure Aluminium
	Shade Textilene
	Diffuser PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m

Material	Structure Aluminium
	Shade Textilene
	Diffuser PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m



outdoor

Floor



Saigon 2000 R55
Nahtrang

IP65



71569-01 ● Structure Dark Grey
● Shade White 464,20€

Saigon 1150 R55
Nahtrang

IP65



71575-01 ● Structure Dark Grey
● Shade White 446,80€

Saigon 500 R55
Nahtrang

IP65







71576-01 ● Structure Dark Grey
● Shade White 414,60€

Material	Structure Aluminium Shade PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m

Material	Structure Aluminium Shade PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m

Material	Structure Aluminium Shade PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m



Saigon 2100 R45
Nahrang


IP65



71569-04 ● Structure Dark Grey
● Shade White 417,00€

Saigon 1300 R45
Nahrang


IP65



71575-04 ● Structure Dark Grey
● Shade White 399,60€

Saigon 670 R45
Nahrang

IP65







71576-04 ● Structure Dark Grey
● Shade White 367,40€

Material	Structure Aluminium
	Shade PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m


Material	Structure Aluminium
	Shade PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m

Material	Structure Aluminium
	Shade PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m



Brot 900 Pole
Yembarastudio

IP65  incl.



71253 Structure Black
 Diffuser Opal

281,70€

Brot 1800 Pole
Yembarastudio

IP65  incl.



71254 Structure Black
 Diffuser Opal

453,70€

Material	Structure Aluminium
	Diffuser Glass
Power	2x6W
Lumen Output	2x290lm
Light Source	SMD LED 2700K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	80°



Material	Structure Aluminium
	Diffuser Glass
Power	3x6W
Lumen Output	3x290lm
Light Source	SMD LED 2700K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	80°



reddot winner 2021




reddot winner 2021





Brot 900 Portable
Yembarastudio

IP65/44  incl.



71256  Structure Black  Diffuser Opal 346,00€

Brot 1800 Portable
Yembarastudio

IP65/44  incl.



71257  Structure Black  Diffuser Opal 535,60€

Material	Structure Aluminium
	Diffuser Glass
Power	2x6W
Lumen Output	2x290lm
Light Source	SMD LED 2700K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Cable	1.8m



Material	Structure Aluminium
	Diffuser Glass
Power	3x6W
Lumen Output	3x290lm
Light Source	SMD LED 2700K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Cable	1.8m



reddot winner 2021



reddot winner 2021



Spike included

outdoor


Floor





75650 **Structure** Grey 184,00€
 Diffuser Translucent

Material	Structure Concrete
	Diffuser Glass
Power	3W
Lumen Output	214,7lm
Light Source	LED MODULE 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz




outdoor

Floor



Cadaques
Faro Lab

IP44  incl.




71242	<ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Beige ● Diffuser Opal 	281,30€
71243	<ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Blue ● Diffuser Opal 	281,30€

Material	Structure Aluminium
	Shade Textilene
	Diffuser PC
Power	18W
Lumen Output	286lm
Light Source	SMD LED 2700K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz
Cable	3m



Cadaques 2.5m Cable Accessory		
71244	● Black	18,50€
Material	Structure PVC	



Floor fixing accessory included

outdoor



Floor



Gaia
Yembarastudio


IP55 IK06  SEA SIDE SUITABLE IP68 CONNECTOR



75564	 Structure Beige	314,10€
75563	 Structure Grey	314,10€



Material	Structure Concrete
Power	6W
Lumen Output	214lm
Light Source	SMD LED 2700K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz



outdoor

Floor



Cuca 500 Beacon
Faro Lab


IP65 IK05  no incl.



75584 Structure Black
 Diffuser Opal 131,30€

Material	Structure Stainless Steel
	Diffuser Glass
Power	3W
Lumen Output	154lm
Light Source	COB LED 2700K
Class	III
CRI	>90
Voltage	24VDC
Cable	0.5m

*Drivers info pag. 478



Cuca 1000 Beacon
Faro Lab

IP65 IK06  no incl.



75588 Structure Black
 Diffuser Opal 169,30€

Material	Structure Stainless Steel
	Diffuser Glass
Power	3W
Lumen Output	154lm
Light Source	COB LED 2700K
Class	III
CRI	>90
Voltage	24VDC
Cable	0.5m


*Drivers info pag. 478





Cuca 300 24V
Faro Lab


IP65 IK06 no incl.



75580 ● Structure Black
● Diffuser Opal 127,50€

Cuca 650 24V
Faro Lab

IP65 IK06 no incl.



75558 ● Structure Black
● Diffuser Opal 170,30€

Cuca 1193 24V
Faro Lab

IP65 IK06 no incl.



75559 ● Structure Black
● Diffuser Opal 190,90€

Material	Structure Stainless Steel
	Diffuser Glass
Power	3W
Lumen Output	154lm
Light Source	COB LED 2700K
Class	III
CRI	>90
Voltage	24VDC
Cable	0.5m




*Drivers info pag. 478

Material	Structure Stainless Steel
	Diffuser Glass
Power	3W
Lumen Output	154lm
Light Source	COB LED 2700K
Class	III
CRI	>90
Voltage	24VDC
Voltage	24V
Cable	0.5m

*Drivers info pag. 478

Material	Structure Stainless Steel
	Diffuser Glass
Power	3W
Lumen Output	154lm
Light Source	COB LED 2700K
Class	III
CRI	>90
Voltage	24VDC
Voltage	24V
Cable	0.5m

*Drivers info pag. 478




outdoor

Floor



Lily 300 24V
Faro Lab


IP65 IK06  no incl.



75620 ● Structure Black
● Diffuser Transparent 128,80€

Lily 650 24V
Faro Lab

IP65 IK06  no incl.



75621 ● Structure Black
● Diffuser Transparent 173,00€

Lily 1190 24V
Faro Lab

IP65 IK06  no incl.



75622 ● Structure Black
● Diffuser Transparent 202,40€

Material	Structure Stainless Steel
	Diffuser Glass
Power	3W
Lumen Output	154lm
Light Source	COB LED 2700K
Class	III
CRI	>90
Voltage	24VDC
Cable	0.5m




Material	Structure Stainless Steel
	Diffuser Glass
Power	3W
Lumen Output	154lm
Light Source	COB LED 2700K
Class	III
CRI	>90
Voltage	24VDC
Cable	0.5m

Material	Structure Stainless Steel
	Diffuser Glass
Power	3W
Lumen Output	154lm
Light Source	COB LED 2700K
Class	III
CRI	>90
Voltage	24VDC
Cable	0.5m

*Drivers info pag. 478

*Drivers info pag. 478

*Drivers info pag. 478



outdoor

Floor



Grot 400
Faro Lab

IP55 IK06 incl. SEA SIDE SUITABLE IP68 CONNECTOR



75631 2700K 77lm	● Structure Grey	300,20€
75634 3000K 110lm	● Structure Grey	300,20€

Grot 700
Faro Lab



IP55 IK06 incl. SEA SIDE SUITABLE IP68 CONNECTOR



75632 2700K 77lm	● Structure Grey	376,20€
75635 3000K 110lm	● Structure Grey	376,20€

Material	Structure Concrete
	Diffuser Glass
Power	6,5W
Light Source	SMD LED
Class	II
CRI	≥80
Voltage	100V-277V/50/60Hz

Material	Structure Concrete
	Diffuser Glass
Power	6,5W
Light Source	SMD LED
Class	II
CRI	≥80
Voltage	100V-277V/50/60Hz



outdoor

Floor



Cerler 350

IP65

IK07



incl.



DIM



71940	● Structure Dark Grey ● Diffuser Transparent	174,10€
71941	● Structure Rust Brown ● Diffuser Transparent	174,10€

Cerler 600

IP65

IK07



incl.



DIM



71942	● Structure Dark Grey ● Diffuser Transparent	221,40€
71943	● Structure Rust Brown ● Diffuser Transparent	221,40€


Til

IP65

IK08



no incl.





70938	● Structure Black ● Diffuser Transparent	154,40€
70939	● Structure Rust Brown ● Diffuser Transparent	154,40€


Material	Structure Aluminium
	Diffuser PC
Power	9W
Lumen Output	427lm
Light Source	SMD LED 2200/ 2700/ 3200/ 4000K
Class	I
CRI	≥80
Voltage	220V-240V

Material	Structure Aluminium
	Diffuser PC
Power	9W
Lumen Output	427lm
Light Source	SMD LED 2200/ 2700/ 3200/ 4000K
Class	I
CRI	≥80
Voltage	220V-240V

Material	Structure Aluminium
	Diffuser Glass
Power	3W
Lumen Output	77lm
Light Source	COB LED 2700K
Class	III
CRI	>90
Voltage	24VDC



Wall
458





Balic Yembarastudio

IP65

IK06



incl.



DIM



70295 ● Structure Black
● Diffuser Prism 219,60€

Bezel

IP65

IK06



incl.

IP68
CONNECTOR



70247 ● Structure Matt Black
● Diffuser Transparent 173,00€

Bast

IP65

IK10



incl.



70292 ● Structure Black
● Diffuser Transparent 436,80€

Material	Structure Aluminium
	Diffuser Glass
Power	8W
Lumen Output	813/870/896lm
Light Source	SMD LED 2700/ 3000/ 4000K
Class	I
CRI	≥80
Voltage	220V-240V/50/60Hz

Material	Structure Aluminium
	Diffuser Glass
Power	8W
Lumen Output	349lm
Light Source	COB LED 2700K
Class	I
CRI	90
Voltage	220V-240V/50/60Hz
Beam angle	118,3°

Material	Structure Aluminium + PC
	Diffuser PC
Power	25W
Lumen Output	756lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	120°

*Choose its color temperature by pressing CCT changeable button during the installation.




Bast 180° Accessory

70293 ● Black 31,00€

Material Structure Aluminium



Wall
356



Spike
220





Lotus 350
Estudi Ribaudí

IP65 IK08 incl.



71224 ● Structure Dark Grey
● Diffuser Opal 232,90€

Lotus 650
Estudi Ribaudí



IP65 IK08 incl.



71225 ● Structure Dark Grey
● Diffuser Opal 287,80€

Material	Structure Aluminium
	Diffuser PC
Power	18W
Lumen Output	1120lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz

Material	Structure Aluminium
	Diffuser PC
Power	18W
Lumen Output	1120lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz





Gina

IP44



71352 ● Structure Dark Grey
 ● Diffuser Transparent 127,70€

Chandra

IP54

IK06




72298 ● Structure Dark Grey
 ● Diffuser Opal 166,10€

Material	Structure Aluminium
	Diffuser Glass
Light Source	1 GU10 LED max. 5W
Bulb incl.	No
Recom. Bulb	17334
Class	I

Material	Structure Aluminium
	Diffuser Glass
Power	7W
Lumen Output	304lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz



Wall
348




outdoor

Floor



Hybrid energy for maximum efficiency

Luma features a hybrid system that seamlessly integrates solar energy with mains electricity. During the day, it recharges via its solar panel; when the battery runs low, the electrical grid takes over—without any interruption. It can also be configured to operate in solar-only mode, completely cable-free, making it ideal for reducing energy consumption and simplifying installation.



HYBRID
SOLAR+CABLE

outdoor

Floor



LUMA Faro Lab



Smart motion sensor

Luma's motion sensor offers three modes: permanent on, total off, or 20% light that ramps up to 100% when motion is detected. An intelligent system that enhances comfort, reduces consumption, and extends battery life.



A sustainable savings option
Luma optimizes every resource: solar energy to reduce consumption, advanced optics to maximize performance, and a wireless operation that simplifies installation. Technology, design, and sustainability—all in service of efficiency.



Every detail matters
The top features a subtle tilt that prevents water from pooling on the solar panel, ensuring better performance and a longer lifespan. This thoughtful detail also optimizes the solar capture angle, boosting charging efficiency and supporting more sustainable operation.

Luma 300
Faro Lab

IP65 IK06 SEA SIDE SUITABLE PIR solar



74457 ● Structure Dark Grey
● Diffuser Transparent 259,00€

Luma 600
Faro Lab



IP65 IK06 SEA SIDE SUITABLE PIR solar



74458 ● Structure Dark Grey
● Diffuser Transparent 301,50€

Material	Structure Aluminium
	Diffuser PC
Power	5W
Lumen Output	525,5lm
Light Source	LED MODULE 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	120°
Battery	4/6 Charge

Material	Structure Aluminium
	Diffuser PC
Power	5W
Lumen Output	525,5lm
Light Source	LED MODULE 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	120°
Battery	4/6 Charge



outdoor

Floor



Klamp
Àlex & Manel Llusçà

IP44



74411 ● Structure Dark Grey
● Diffuser Opal 200,90€

Soleil

IP54

IK07

PIR

☰




solar



70785 ● Structure Dark Grey
● Diffuser Opal 204,90€

Material	Structure Aluminium
	Diffuser PC
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I

Material	Structure Aluminium
	Diffuser PMMA
Power	2W
Lumen Output	157lm
Light Source	SMD LED 3000K
Class	III
CRI	>80
Battery	7 Charge Max. 3 Worktime



Solar lamp

outdoor

Floor



Cast 300

IP65 IK06  incl.



74155  Structure Grey 281,50€
 Diffuser Opal

Cast 500



IP65 IK06  incl.



74156  Structure Grey 375,50€
 Diffuser Opal

Material	Structure Concrete
	Diffuser PC
Power	10W
Lumen Output	550lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz


Material	Structure Concrete
	Diffuser PC
Power	10W
Lumen Output	550lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz





Brot 200
Yembarastudio

IP65 incl. IP68 CONNECTOR



75572 ● Structure Black
● Diffuser Opal 110,80€

Brot 600
Yembarastudio

IP65 incl. IP68 CONNECTOR



75573 ● Structure Black
● Diffuser Opal 118,80€

Material	Structure Aluminium
	Diffuser Glass
Power	7W
Lumen Output	290lm
Light Source	SMD LED 2700K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	80°
Cable	2m

Material	Structure Aluminium
	Diffuser Glass
Power	7W
Lumen Output	290lm
Light Source	SMD LED 2700K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	80°
Cable	2m



reddot winner 2021





Spike
214



reddot winner 2021



Spike
214




outdoor

Floor



Clap
6W



FINISH

White

● Black

● Rust
Brown

COLOR TEMPERATURE

2700K CRI80

3000K CRI80

BEAM ANGLE



15°



24°



38°

ACCESSORIES




Beacon 512



Beacon 1266




Indirect Light Plate
ø310



Indirect Light Plate
ø400



Visor



24V Power Supply

With pure design and minimal structures, this family offers both direct and indirect lighting in its various versions, transforming every corner of the outdoor spaces. This lighting system offers great flexibility for project design thanks to its diverse categories: from stakes to beacons, pendant lights, or wall sconces, all with a distinctive and refined aesthetic. The indirect lighting of some versions provides high visual comfort and prevents glare, while eliminating light pollution and highlighting the surrounding vegetation.




CLAP
Faro Lab

CLAP

Projector


IP65 no incl. DIM 360° 360°

Material	Structure Aluminium
Power	6W
Light Source	COB LED 2700K
Class	III
CRI	>80
Voltage	24VDC
Cable	2m




Family	Finish	Color T	Beam Angle
75702- Clap Projector	2 Black	2 2700K	1 15°
	3 White	3 3000K	2 24°
	4 Rust Brown		3 38°


15° COB LED 6W CRI>80 481lm 2700K
COB LED 6W CRI>80 496lm 3000K



24° COB LED 6W CRI>80 553lm 2700K
COB LED 6W CRI>80 570lm 3000K



38° COB LED 6W CRI>80 508lm 2700K
COB LED 6W CRI>80 524lm 3000K




Visor Accessory



75714-2	● Structure Black	5,50€
75714-4	● Structure Rust Brown	5,50€

Optional drivers *Remote drivers

24VDC 6W 220/240V	1-5 units on/off IP67	98324026
	1-15 units on/off IP67	98324099



CLAP

Beacon accessories 512 / 1266



Example: 75702-223 + 75704-2
Clap projector black 2700K 38° + beacon 630

Beacon 512 *use with x2 projectors max.



Example: 75702-223 x2 + 75705-2
Clap projector black 2700K 38° + beacon 1266

Beacon 1266 *use with x3 projectors max.



75704-2 ● Black

139,40€

Beacon 630



75707-2 ● Black

88,70€

Shade 310



75705-2 ● Black

157,20€





Beacon 1266



75706-2 ● Black

91,10€

Shade 400



Spy 145

IP65 incl.  355°



70782 **Structure** Dark Grey
 Diffuser Opal 109,90€

Spy 435



IP65 incl.  355°



70783 **Structure** Dark Grey
 Diffuser Opal 142,80€

Material	Structure Aluminium
	Diffuser Glass
Power	6W
Lumen Output	470lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	30°

Material	Structure Aluminium
	Diffuser Glass
Power	6W
Lumen Output	470lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	30°





Glint 157
Faro Lab

IP55

IK06



SEA SIDE
SUITABLE

IP68
CONNECTOR



75636 2700K 68lm	● Structure Grey	193,70€
75639 3000K 97lm	● Structure Grey	193,70€

Glint 400
Faro Lab

IP55

IK06



SEA SIDE
SUITABLE

IP68
CONNECTOR



75637 2700K 68lm	● Structure Grey	300,20€
75640 3000K 97lm	● Structure Grey	300,20€

Glint 700
Faro Lab

IP55

IK06



SEA SIDE
SUITABLE

IP68
CONNECTOR






75638 2700K 68lm	● Structure Grey	376,20€
75641 3000K 97lm	● Structure Grey	376,20€

Material	Structure Concrete
	Diffuser Glass
Power	6,5W
Light Source	SMD LED
Class	II
CRI	≥80
Voltage	100V-277V/50/60Hz

Material	Structure Concrete
	Diffuser Glass
Power	6,5W
Light Source	SMD LED
Class	II
CRI	≥80
Voltage	100V-277V/50/60Hz

Material	Structure Concrete
	Diffuser Glass
Power	6,5W
Light Source	SMD LED
Class	II
CRI	≥80
Voltage	100V-277V/50/60Hz





Totem 285
Roger Vancells

IP55 IK06 incl. SEA SIDE SUITABLE IP68 CONNECTOR




75550 2700K 254lm	● Structure Grey	297,50€
75551 3000K 370lm	● Structure Grey	297,50€

Material	Structure Concrete
Power	6,5W
Light Source	SMD LED
Class	II
CRI	≥80
Voltage	220V-240V/50/60Hz



reddot winner 2023



Totem 611
Roger Vancells

IP55 IK06 incl. SEA SIDE SUITABLE IP68 CONNECTOR




75552 2700K 307lm	● Structure Grey	385,80€
75553 3000K 370lm	● Structure Grey	385,80€

Material	Structure Concrete
Power	6,5W
Light Source	SMD LED
Class	II
CRI	≥80
Voltage	220V-240V/50/60Hz



reddot winner 2023



outdoor

Floor



Alp 500

IP54  incl.



74451 **Structure** Dark Grey
 Diffuser Opal 184,00€

Alp 800

IP54  incl.





74452 **Structure** Dark Grey
 Diffuser Opal 218,40€

Material	Structure Aluminium
	Diffuser PC
Power	7W
Lumen Output	502lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	180°

Material	Structure Aluminium
	Diffuser PC
Power	8W
Lumen Output	520lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	180°



Wall
364







Das 300

IP54 IK09  incl.



75519  **Structure** Dark Grey
 **Diffuser** Transparent 172,20€

Das 650



IP54 IK09  incl.



75520  **Structure** Dark Grey
 **Diffuser** Transparent 201,30€

Material	Structure Aluminium
	Diffuser Glass
Power	8W
Lumen Output	480lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	180°

Material	Structure Aluminium
	Diffuser Glass
Power	8W
Lumen Output	480lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	180°





Sticker
Lucid Product Design

IP55

IK10



Nanda 500

IP54



Nanda 800

IP54



75541 ● Structure Dark Grey
● Diffuser Opal 256,10€



71216 ● Structure Dark Grey
● Diffuser Opal 159,40€



71217 ● Structure Dark Grey
● Diffuser Opal 208,70€




Material	Structure Aluminium
	Diffuser PMMA
Power	10W
Lumen Output	889lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz

Material	Structure Aluminium
	Diffuser PC
Power	12W
Lumen Output	962lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz

Material	Structure Aluminium
	Diffuser PC
Power	12W
Lumen Output	962lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz



Wall
362



outdoor

Floor




Pilo

IP65 IK06 incl. SEA SIDE SUITABLE



75595 2700K 242lm	● Structure Grey	262,30€
75596 3000K 370lm	● Structure Grey	262,30€

Material	Structure Concrete
Power	6W
Light Source	SMD LED
Class	II
CRI	≥80
Voltage	220V-240V/50/60Hz



outdoor

Floor




Agra 200

IP65 IK08 incl.



70755 3000K 499lm	● Structure Dark Grey ● Diffuser Transparent	180,80€
70756 3000K 499lm	● Structure Brown ● Diffuser Transparent	180,80€
70840 2700K 350lm	● Structure Dark Grey ● Diffuser Transparent	180,80€
70841 2700K 350lm	● Structure Brown ● Diffuser Transparent	180,80€

Material	Structure Aluminium Diffuser Glass
Power	9W
Light Source	COB LED
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz




Agra 650

IP65 IK08 incl.



70753 3000K 710lm	● Structure Dark Grey ● Diffuser Transparent	248,30€
70754 3000K 710lm	● Structure Brown ● Diffuser Transparent	248,30€
70842 2700K 503lm	● Structure Dark Grey ● Diffuser Transparent	248,30€
70843 2700K 503lm	● Structure Brown ● Diffuser Transparent	248,30€

Material	Structure Aluminium Diffuser Glass
Power	9W
Light Source	COB LED
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz



outdoor


Floor




Saura

IP54  incl.  PIR   solar



70774  **Structure** Dark Grey 177,60€
 **Diffuser** Opal

Material	Structure Aluminium
	Diffuser PC
Power	2W
Lumen Output	225lm
Light Source	SMD LED 3000K
Class	III
CRI	>80
Beam angle	180°
Battery	8 Charge Max. 2,5 Worktime



Spike accessory included



Solar lamp

outdoor

Floor



Naya 200

IP54  incl.



71198 **Structure** Dark Grey
 Diffuser Transparent 118,20€

Material	Structure Aluminium
	Diffuser PC
Power	8W
Lumen Output	160lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	120°




Naya 500

IP54  incl.



71199 **Structure** Dark Grey
 Diffuser Transparent 156,00€

Material	Structure Aluminium
	Diffuser PC
Power	8W
Lumen Output	160lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	120°



outdoor

Floor




Bu-Oh 265
Estudi Ribaudí

IP65  incl.



71213  **Structure** Dark Grey
 **Diffuser** Opal 217,30€

Material	Structure Aluminium
	Diffuser PC
Power	12W
Lumen Output	622lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz




Bu-Oh 560
Estudi Ribaudí

IP65  incl.



71214  **Structure** Dark Grey
 **Diffuser** Opal 282,30€

Material	Structure Aluminium
	Diffuser PC
Power	12W
Lumen Output	622lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz




outdoor

Floor



Espot 350



71946	<ul style="list-style-type: none"> ● Structure Dark Grey ● Diffuser Transparent 	178,60€
71947	<ul style="list-style-type: none"> ● Structure Rust Brown ● Diffuser Transparent 	178,60€


Espot 600



71948	<ul style="list-style-type: none"> ● Structure Dark Grey ● Diffuser Transparent 	205,50€
71949	<ul style="list-style-type: none"> ● Structure Rust Brown ● Diffuser Transparent 	205,50€

Material	Structure Aluminium
	Diffuser PC
Power	9W
Lumen Output	1036lm
Light Source	SMD LED 2200/ 2700/ 3200/ 4000K
Class	I
CRI	≥80
Voltage	220V-240V
Beam angle	180°

Material	Structure Aluminium
	Diffuser PC
Power	9W
Lumen Output	1036lm
Light Source	SMD LED 2200/ 2700/ 3200/ 4000K
Class	I
CRI	≥80
Voltage	220V-240V
Beam angle	180°



outdoor

Floor



Block 350

Àlex & Manel Llusçà

IP65

IK06

SEA SIDE
SUITABLE



74141	● Structure Grey ● Diffuser Opal	306,90€
74144 NEW	● Structure Sand ● Diffuser Opal	306,90€

Material	Structure Concrete
	Diffuser Glass
Light Source	1 E27 LED G45 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I

Block 700

Àlex & Manel Llusçà

IP65

IK06

SEA SIDE
SUITABLE





74142	● Structure Grey ● Diffuser Opal	418,70€
74146 NEW	● Structure Sand ● Diffuser Opal	418,70€

Material	Structure Concrete
	Diffuser Glass
Light Source	1 E27 LED G45 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I



Wall
382





Tura 650

IP65 IK06  incl.



75545 **Structure** Dark Grey
 Diffuser Translucent 237,40€

Material	Structure Aluminium
	Diffuser PC
Power	20W
Lumen Output	1745lm
Light Source	SMD LED 3000K
Class	I
CRI	90
Voltage	220V-240V/50/60Hz
Beam angle	280°




Tura 1050

IP65 IK06  incl.



75546 **Structure** Dark Grey
 Diffuser Translucent 310,80€

Material	Structure Aluminium
	Diffuser PC
Power	28W
Lumen Output	3036lm
Light Source	SMD LED 3000K
Class	I
CRI	90
Voltage	220V-240V/50/60Hz
Beam angle	280°





Beret 500

IP54 IK04  incl.



75522  **Structure** Dark Grey
 **Diffuser** Opal 152,80€

Beret 900

IP54 IK04  incl.





75523  **Structure** Dark Grey
 **Diffuser** Opal 177,20€

Material	Structure Aluminium
	Diffuser PMMA
Power	8W
Lumen Output	526lm
Light Source	SMD LED 4000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz

Material	Structure Aluminium
	Diffuser PMMA
Power	8W
Lumen Output	526lm
Light Source	SMD LED 4000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz



Pole
162





Shelby 330
Conillas

IP65  incl.



75537 **Structure** Dark Grey
 Diffuser Transparent 210,00€

Shelby 630
Conillas



IP65  incl.



75538 **Structure** Dark Grey
 Diffuser Transparent 237,80€

Material	Structure Aluminium
	Diffuser PC
Power	10W
Lumen Output	758lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz

Material	Structure Aluminium
	Diffuser PC
Power	10W
Lumen Output	758lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz



outdoor

Floor



Shadow 250
Àlex & Manel Llusçà

IP65 IK08 incl.



72311 ● Structure Dark Grey
● Diffuser Opal 299,10€

Shadow 450
Àlex & Manel Llusçà



IP65 IK08 incl.



72312 ● Structure Dark Grey
● Diffuser Opal 347,80€

Material	Structure Aluminium
	Diffuser Glass
Power	11W
Lumen Output	301lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz

Material	Structure Aluminium
	Diffuser Glass
Power	11W
Lumen Output	516lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz





Twist 300
Estudi Ribaudí

IP65  incl.



71286 **Structure** Dark Grey
 Diffuser Opal 177,10€

Twist 500
Estudi Ribaudí



IP65  incl.



71287 **Structure** Dark Grey
 Diffuser Opal 214,30€

Material	Structure Aluminium
	Diffuser PC
Power	10W
Lumen Output	527lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz

Material	Structure Aluminium
	Diffuser PC
Power	10W
Lumen Output	527lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz





Tram 630
Estudi Ribaudí

IP65



75531 ● Structure Dark Grey
 ● Diffuser Opal 153,60€

Material	Structure Aluminium
	Diffuser PMMA
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I




Onze

IP54 IK05



70761 ● Structure Dark Grey
 ● Diffuser Opal 159,50€

Material	Structure Aluminium
	Diffuser PC
Light Source	1 E27 LED T45 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I



Datna 300
Àlex & Manel Llusçà

IP44 IK08



74441 ● **Structure** Dark Grey
● **Diffuser** Opal 131,80€

Datna 600
Àlex & Manel Llusçà



IP44 IK08



74442 ● **Structure** Dark Grey
● **Diffuser** Opal 179,80€


Material	Structure Aluminium Diffuser PC
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I

Material	Structure Aluminium Diffuser PC
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I




Kila 400

IP65



71746	● Structure Dark Grey ● Diffuser Transparent	230,00€
71747	● Structure Dark Grey ● Diffuser Smoked	248,50€
71748	● Structure Dark Grey ● Diffuser Amber	248,50€


Material	Structure Aluminium Diffuser Glass
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I



Ceiling
310



Wall
392




Kila 700

IP65



71749	● Structure Dark Grey ● Diffuser Transparent	294,00€
71750	● Structure Dark Grey ● Diffuser Smoked	312,50€
71751	● Structure Dark Grey ● Diffuser Amber	312,50€

Material	Structure Aluminium Diffuser Glass
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I






Plim 1


IP65  incl.



71299 ● Structure Dark Grey
● Diffuser Transparent 152,50€

Plim 2

IP65  incl.



71300 ● Structure Dark Grey
● Diffuser Opal 152,50€

Plim 3

IP65  incl.






71301 ● Structure Dark Grey
● Diffuser Transparent 152,50€

Material	Structure Aluminium
	Diffuser PC
Power	10W
Lumen Output	508lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz

Material	Structure Aluminium
	Diffuser PC
Power	10W
Lumen Output	400lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz

Material	Structure Aluminium
	Diffuser PC
Power	10W
Lumen Output	478lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz



outdoor

Floor



Logar 650

IP54 IK10  incl.



75605 **Structure** Dark Grey
 Diffuser Opal 188,20€

Logar 900



IP54 IK10  incl.



75606 **Structure** Dark Grey
 Diffuser Opal 282,70€


Material	Structure Aluminium
	Diffuser PMMA
Power	12W
Lumen Output	515lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz

Material	Structure Aluminium
	Diffuser PMMA
Power	23W
Lumen Output	1340lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz



Giza 265

IP54 IK05 incl.



70767 ● Structure Dark Grey
● Diffuser Opal 192,90€

Giza 650



IP54 IK05 incl.



70768 ● Structure Dark Grey
● Diffuser Opal 243,70€

Material	Structure Aluminium
	Diffuser PC
Power	15W
Lumen Output	645lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz

Material	Structure Aluminium
	Diffuser PC
Power	15W
Lumen Output	645lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz





Muffin 559
Àlex & Manel Lluscà

IP44



74434B-04 ● **Structure** Dark Grey
● **Diffuser** Opal 133,10€

Material	Structure Aluminium Diffuser PMMA
Light Source	1 E27 LED T45 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I





Mistu 600
Faro Lab

IP44



74434B-02 ● **Structure** Dark Grey
● **Diffuser** Opal 119,40€

Material	Structure Aluminium Diffuser PMMA
Light Source	1 E27 LED T45 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I



Blubs 540
Estudi Ribaudí

IP44



74434B-03 ● Structure Dark Grey
● Diffuser Opal 142,00€

Moon 610
Faro Lab





IP44



74434B-01 ● Structure Dark Grey
● Diffuser Opal 134,00€

Material	Structure Aluminium Diffuser PMMA
Light Source	1 E27 LED T45 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I

Material	Structure Aluminium Diffuser PMMA
Light Source	1 E27 LED T45 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I



Muffin 259

Àlex & Manel Llusçà

IP44



74433S-04

● Structure Dark Grey
● Diffuser Opal

106,90€

Mistu 310

Faro Lab

IP44



74433S-02

● Structure Dark Grey
● Diffuser Opal

93,20€

Material	Structure Aluminium
	Diffuser PMMA
Light Source	1 E27 LED T45 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I

Material	Structure Aluminium
	Diffuser PMMA
Light Source	1 E27 LED T45 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I



Beacon
146



Pole
167



Suspended
290



Wall
394



Beacon
146





Pole
166



Suspended
291



Wall
396





Blubs 240
Estudi Ribaudí

IP44



74433S-03 ● Structure Dark Grey
 ● Diffuser Opal 115,80€

Material	Structure Aluminium
	Diffuser PMMA
Light Source	1 E27 LED T45 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I





Moon 300
Faro Lab

IP44



74433S-01 ● Structure Dark Grey
 ● Diffuser Opal 107,80€

Material	Structure Aluminium
	Diffuser PMMA
Light Source	1 E27 LED T45 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I



Mila

IP65  incl.



70771 **Structure** Dark Grey
 Diffuser Opal 306,30€

Material	Structure Aluminium
	Diffuser PC
Power	13W
Lumen Output	962lm
Light Source	SMD LED 4000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz




Nala

IP54



70772 **Structure** Dark Grey
 Diffuser Transparent 192,90€

Material	Structure Aluminium
	Diffuser Glass
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I





Sete

IP54

IK04



Surat

IP54

Mauren

IP44

SEA SIDE
SUITABLE



75521 ● Structure Dark Grey
● Diffuser Opal 225,80€



72310 ● Structure Dark Grey
● Diffuser Translucent 100,70€





70993 ● Structure Brass
● Diffuser Translucent 160,20€

Material	Structure Aluminium Diffuser PC
Power	6W
Lumen Output	220lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz

Material	Structure Aluminium Diffuser Glass
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I

Material	Structure Brass Diffuser Glass
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I



outdoor

Floor



Noboru

IP65 IK08  incl.



70576 **Structure** Dark Grey
 Diffuser Transparent 204,80€

Noboru Slim



IP67 IK08  45°



70837 **Structure** Dark Grey
 Diffuser Transparent 99,50€

Material	Structure Aluminium
	Diffuser Glass
Power	16W
Lumen Output	690lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50Hz
Beam angle	36°

Material	Structure Aluminium
	Diffuser Glass
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17334
Class	I



outdoor

Floor



Loth 1L

IP67

IK10




70285 ● Structure Matt Black
● Diffuser Opal 122,80€

Loth 2L

IP67

IK10




70286 ● Structure Matt Black
● Diffuser Opal 134,00€

Loth 4L

IP67

IK10





70287 ● Structure Matt Black
● Diffuser Opal 150,80€

Material	Structure Aluminium
	Diffuser PC
Power	6W
Lumen Output	210lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz
Resistance	2000Kg

Material	Structure Aluminium
	Diffuser PC
Power	11,5W
Lumen Output	406lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz
Resistance	2000Kg

Material	Structure Aluminium
	Diffuser PC
Power	13,5W
Lumen Output	472lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz
Resistance	2000Kg



outdoor

Floor


Keenan 1

IP67

IK08



SEA SIDE
SUITABLE



70546	● Structure Matt Nickel ● Diffuser Transparent	43,40€
70564	● Structure Matt Nickel ● Diffuser Transparent	43,40€

Material	Structure Aluminium Diffuser PC
Power	0,5W
Lumen Output	9,3lm
Light Source	SMD LED 6500K
Class	III
CRI	>80
Voltage	12VDC

Keenan 1

IP67

IK08





SEA SIDE
SUITABLE



70546	● Structure Matt Nickel ● Diffuser Transparent	43,40€
70564	● Structure Matt Nickel ● Diffuser Transparent	43,40€

Material	Structure Aluminium Diffuser PC
Power	0,5W
Lumen Output	9,3lm
Light Source	SMD LED 6500K
Class	III
CRI	>80
Voltage	12VDC



outdoor

Floor



Tura 2050

IP65 IK06 incl.




75547 ● Structure Dark Grey
● Diffuser Translucent 759,90€

Material	Structure Aluminium
	Diffuser PC
Power	48W
Lumen Output	4784lm
Light Source	SMD LED 3000K
Class	I
CRI	90
Voltage	220V-240V/50/60Hz
Beam angle	280°



Beacon
128



Tram 2500 Estudi Ribaudí

IP55 IK05 incl.



75532 ● Structure Dark Grey
● Diffuser Opal 798,80€


Material	Structure Aluminium
	Diffuser PMMA
Power	40W
Lumen Output	3000lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz



Beacon
138



Wall
392





Bu-Oh 2500
Estudi Ribaudí


IP65  incl.



71209 ● Structure Dark Grey
● Diffuser Opal 919,60€

Beret 1800

IP54 IK04  incl.



75524 ● Structure Dark Grey
● Diffuser Opal 336,40€

Plaza

IP54 IK10  incl.



75607 ● Structure Dark Grey
● Diffuser Transparent 603,20€

Material	Structure Aluminium
	Diffuser PC
Power	42W
Lumen Output	3200lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz

Material	Structure Aluminium
	Diffuser PMMA
Power	12W
Lumen Output	1054lm
Light Source	SMD LED 4000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz


Material	Structure Aluminium
	Diffuser PC
Power	24W
Lumen Output	1120lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz




Beacon
122



Wall
358



Beacon
130




outdoor

Floor



Blubs 2L
Estudi Ribaudí

IP44



74435F2-03 ● Structure Dark Grey
● Diffuser Opal 556,40€

Blubs 3L
Estudi Ribaudí



IP44



74436F3-03 ● Structure Dark Grey
● Diffuser Opal 650,40€

Material	Structure Aluminium
	Diffuser PMMA
Light Source	2 E27 LED T45 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I

Material	Structure Aluminium
	Diffuser PMMA
Light Source	3 E27 LED T45 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I



outdoor

Floor



Mistu 2L
Faro Lab

IP44



74435F2-02 ● **Structure** Dark Grey
● **Diffuser** Opal 511,20€

Mistu 3L
Faro Lab





IP44




74436F3-02 ● **Structure** Dark Grey
● **Diffuser** Opal 582,60€

Material	Structure Aluminium
	Diffuser PMMA
Light Source	2 E27 LED T45 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I

Material	Structure Aluminium
	Diffuser PMMA
Light Source	3 E27 LED T45 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I

-  **Post**
148
-  **Floor**
146
-  **Suspended**
291
-  **Wall**
396



Muffin 2L

Àlex & Manel Llusçà

IP44



74435F2-04 ● Structure Dark Grey
● Diffuser Opal 538,60€

Muffin 3L

Àlex & Manel Llusçà



IP44



74436F3-04 ● Structure Dark Grey
● Diffuser Opal 623,70€

Material	Structure Aluminium
	Diffuser PMMA
Light Source	2 E27 LED T45 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I

Material	Structure Aluminium
	Diffuser PMMA
Light Source	3 E27 LED T45 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I



Nautica 1L

IP33



71116 ● Structure Rust Brown 591,80€
● Diffuser Transparent

Nautica 2L

IP33



71117 ● Structure Rust Brown 750,50€
● Diffuser Transparent

Nautica 3L

IP33



71118 ● Structure Rust Brown 869,90€
● Diffuser Transparent

Material	Structure Steel
	Diffuser Glass
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I

Material	Structure Steel
	Diffuser Glass
Light Source	2 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I




Material	Structure Steel
	Diffuser Glass
Light Source	3 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I



Suspended
292




Wall
398



outdoor

Floor





FINISH

● Dark Grey

COLOR TEMPERATURE

2700K CRI90

3000K CRI90

4000K CRI90

BEAM ANGLE

180°

360°

360° WIDE



Rush 250



Estudi Ribaudí

IP65  CRI90 IK10  Driver incl. optional  CASAMBI optional

Structure Aluminium + PC
Diffuser Transparent PC
Light Source COB LED
Power 14W

COB LED VOSSLOH-SCHWABE
MacAdam Steps 2
Risk Group 1
Lumen maintenance L90 B10 up to 89.000h
Heat dissipation Tested at high ambient temperature

	Power	Light Source	CCT	Lumen Output	Voltage (V/Hz)	Lens	
750000	14W	868lm	COB LED	2700K	100V-240V/50/60Hz	360°	393,30€
750000C	14W	868lm	COB LED	2700K	220V-240V/50/60Hz	360°	511,90€
750000D	14W	868lm	COB LED	2700K	220V-240V/50/60Hz	360°	442,10€
750001	14W	1016lm	COB LED	2700K	100V-240V/50/60Hz	360 WIDE°	393,30€
750001C	14W	1016lm	COB LED	2700K	220V-240V/50/60Hz	360 WIDE°	511,90€
750001D	14W	1016lm	COB LED	2700K	220V-240V/50/60Hz	360 WIDE°	442,10€
750002	14W	961lm	COB LED	2700K	100V-240V/50/60Hz	180°	403,00€
750002C	14W	961lm	COB LED	2700K	220V-240V/50/60Hz	180°	521,50€
750002D	14W	961lm	COB LED	2700K	220V-240V/50/60Hz	180°	451,70€
750010	14W	895lm	COB LED	3000K	100V-240V/50/60Hz	360°	393,30€
750010C	14W	895lm	COB LED	3000K	220V-240V/50/60Hz	360°	511,90€
750010D	14W	895lm	COB LED	3000K	220V-240V/50/60Hz	360°	442,10€
750011	14W	1191lm	COB LED	3000K	100V-240V/50/60Hz	360 WIDE°	393,30€
750011C	14W	1047lm	COB LED	3000K	220V-240V/50/60Hz	360 WIDE°	511,90€
750011D	14W	1047lm	COB LED	3000K	220V-240V/50/60Hz	360 WIDE°	442,10€
750012	14W	1004lm	COB LED	3000K	100V-240V/50/60Hz	180°	403,00€
750012C	14W	991lm	COB LED	3000K	220V-240V/50/60Hz	180°	521,50€
750012D	14W	991lm	COB LED	3000K	220V-240V/50/60Hz	180°	451,70€
750020	14W	922lm	COB LED	4000K	100V-240V/50/60Hz	360°	393,30€
750020C	14W	922lm	COB LED	4000K	220V-240V/50/60Hz	360°	511,90€
750020D	14W	922lm	COB LED	4000K	220V-240V/50/60Hz	360°	442,10€
750021	14W	1078lm	COB LED	4000K	100V-240V/50/60Hz	360 WIDE°	393,30€
750021C	14W	1078lm	COB LED	4000K	220V-240V/50/60Hz	360 WIDE°	511,90€
750021D	14W	1078lm	COB LED	4000K	220V-240V/50/60Hz	360 WIDE°	442,10€
750022	14W	1021lm	COB LED	4000K	100V-240V/50/60Hz	180°	403,00€
750022C	14W	1021lm	COB LED	4000K	220V-240V/50/60Hz	180°	521,50€
750022D	14W	1021lm	COB LED	4000K	220V-240V/50/60Hz	180°	451,70€






outdoor

Floor



Rush 800



Estudi Ribaudí

IP65  CRI90 IK10  Driver incl. optional  CASAMBI optional

Structure Aluminium + PC
Diffuser Transparent PC
Light Source COB LED
Power 20W

COB LED VOSSLOH-SCHWABE
MacAdam Steps 2
Risk Group 1
Lumen maintenance L90 B10 up to 89.000h
Heat dissipation Tested at high ambient temperature

	Power	Light Source	CCT	Lumen Output	Voltage (V/Hz)	Lens	
750100	20W	1185lm	COB LED	2700K	100V-240V/50/60Hz	360°	542,10€
750100C	20W	1185lm	COB LED	2700K	220V-240V/50/60Hz	360°	661,60€
750100D	20W	1185lm	COB LED	2700K	220V-240V/50/60Hz	360°	591,60€
750101	20W	1476lm	COB LED	2700K	100V-240V/50/60Hz	360 WIDE°	542,10€
750101C	20W	1476lm	COB LED	2700K	220V-240V/50/60Hz	360 WIDE°	661,60€
750101D	20W	1476lm	COB LED	2700K	220V-240V/50/60Hz	360 WIDE°	591,60€
750102	20W	1343lm	COB LED	2700K	100V-240V/50/60Hz	180°	551,70€
750102C	20W	1343lm	COB LED	2700K	220V-240V/50/60Hz	180°	670,90€
750102D	20W	1343lm	COB LED	2700K	220V-240V/50/60Hz	180°	601,40€
750110	20W	1222lm	COB LED	3000K	100V-240V/50/60Hz	360°	542,10€
750110C	20W	1222lm	COB LED	3000K	220V-240V/50/60Hz	360°	661,60€
750110D	20W	1222lm	COB LED	3000K	220V-240V/50/60Hz	360°	591,60€
750111	20W	1647lm	COB LED	3000K	100V-240V/50/60Hz	360 WIDE°	542,10€
750111C	20W	1522lm	COB LED	3000K	220V-240V/50/60Hz	360 WIDE°	661,60€
750111D	20W	1522lm	COB LED	3000K	220V-240V/50/60Hz	360 WIDE°	591,60€
750112	20W	1422lm	COB LED	3000K	100V-240V/50/60Hz	180°	551,70€
750112C	20W	1385lm	COB LED	3000K	220V-240V/50/60Hz	180°	670,90€
750112D	20W	1385lm	COB LED	3000K	220V-240V/50/60Hz	180°	601,40€
750120	20W	1259lm	COB LED	4000K	100V-240V/50/60Hz	360°	542,10€
750120C	20W	1259lm	COB LED	4000K	220V-240V/50/60Hz	360°	661,60€
750120D	20W	1259lm	COB LED	4000K	220V-240V/50/60Hz	360°	591,60€
750121	20W	1568lm	COB LED	4000K	100V-240V/50/60Hz	360 WIDE°	542,10€
750121C	20W	1568lm	COB LED	4000K	220V-240V/50/60Hz	360 WIDE°	661,60€
750121D	20W	1568lm	COB LED	4000K	220V-240V/50/60Hz	360 WIDE°	591,60€
750122	20W	1427lm	COB LED	4000K	100V-240V/50/60Hz	180°	551,70€
750122C	20W	1427lm	COB LED	4000K	220V-240V/50/60Hz	180°	670,90€
750122D	20W	1427lm	COB LED	4000K	220V-240V/50/60Hz	180°	601,40€



outdoor

Floor



Rush 3100



Estudi Ribaudí

IP65  CRI90 IK10  Driver incl. optional  CASAMBI optional

Structure Aluminium + PC
Diffuser Transparent PC
Light Source COB LED
Power 38W

COB LED VOSSLOH-SCHWABE
MacAdam Steps 2
Risk Group 1
Lumen maintenance L90 B10 up to 89.000h
Heat dissipation Tested at high ambient temperature

	Power	Light Source	CCT	Lumen Output	Voltage (V/Hz)	Lens	
750200	38W	3738lm	COB LED	2700K	100V-240V/50/60Hz	360°	1.487,50€
750200C	38W	3738lm	COB LED	2700K	220V-240V/50/60Hz	360°	1.600,90€
750200D	38W	3738lm	COB LED	2700K	220V-240V/50/60Hz	360°	1.531,00€
750201	38W	3748lm	COB LED	2700K	100V-240V/50/60Hz	360 WIDE°	1.487,40€
750201C	38W	3748lm	COB LED	2700K	220V-240V/50/60Hz	360 WIDE°	1.600,90€
750201D	38W	3748lm	COB LED	2700K	220V-240V/50/60Hz	360 WIDE°	1.531,00€
750202	38W	3664lm	COB LED	2700K	100V-240V/50/60Hz	180°	1.496,90€
750202C	38W	3664lm	COB LED	2700K	220V-240V/50/60Hz	180°	1.610,50€
750202D	38W	3664lm	COB LED	2700K	220V-240V/50/60Hz	180°	1.540,70€
750210	38W	3500lm	COB LED	3000K	100V-240V/50/60Hz	360°	1.487,40€
750210C	38W	3854lm	COB LED	3000K	220V-240V/50/60Hz	360°	1.600,90€
750210D	38W	3854lm	COB LED	3000K	220V-240V/50/60Hz	360°	1.531,00€
750211	38W	4022lm	COB LED	3000K	100V-240V/50/60Hz	360 WIDE°	1.487,40€
750211C	38W	3864lm	COB LED	3000K	220V-240V/50/60Hz	360 WIDE°	1.600,90€
750211D	38W	3864lm	COB LED	3000K	220V-240V/50/60Hz	360 WIDE°	1.531,00€
750212	38W	3579lm	COB LED	3000K	100V-240V/50/60Hz	180°	1.496,90€
750212C	38W	3777lm	COB LED	3000K	220V-240V/50/60Hz	180°	1.610,50€
750212D	38W	3777lm	COB LED	3000K	220V-240V/50/60Hz	180°	1.540,70€
750220	38W	3970lm	COB LED	4000K	100V-240V/50/60Hz	360°	1.487,40€
750220C	38W	3970lm	COB LED	4000K	220V-240V/50/60Hz	360°	1.600,90€
750220D	38W	3970lm	COB LED	4000K	220V-240V/50/60Hz	360°	1.531,00€
750221	38W	3980lm	COB LED	4000K	100V-240V/50/60Hz	360 WIDE°	1.487,40€
750221C	38W	3980lm	COB LED	4000K	220V-240V/50/60Hz	360 WIDE°	1.600,90€
750221D	38W	3980lm	COB LED	4000K	220V-240V/50/60Hz	360 WIDE°	1.531,00€
750222	38W	3890lm	COB LED	4000K	100V-240V/50/60Hz	180°	1.496,90€
750222C	38W	3890lm	COB LED	4000K	220V-240V/50/60Hz	180°	1.610,50€
750222D	38W	3890lm	COB LED	4000K	220V-240V/50/60Hz	180°	1.540,70€



outdoor

Floor



Rush 3700



Estudi Ribaudí

IP65  CRI90 IK10  Driver incl. optional  CASAMBI optional 

Structure Aluminium + PC
Diffuser Transparent PC
Light Source COB LED
Power 38W

COB LED VOSSLOH-SCHWABE
MacAdam Steps 2
Risk Group 1
Lumen maintenance L90 B10 up to 89.000h
Heat dissipation Tested at high ambient temperature

	Power	Light Source	CCT	Lumen Output	Voltage (V/Hz)	Lens	
750300	38W	3943lm	COB LED	2700K	100V-240V/50/60Hz	360°	1.565,80€
750300C	38W	3943lm	COB LED	2700K	220V-240V/50/60Hz	360°	1.679,30€
750300D	38W	3943lm	COB LED	2700K	220V-240V/50/60Hz	360°	1.609,50€
750301	38W	3997lm	COB LED	2700K	100V-240V/50/60Hz	360 WIDE°	1.565,80€
750301C	38W	3997lm	COB LED	2700K	220V-240V/50/60Hz	360 WIDE°	1.679,30€
750301D	38W	3997lm	COB LED	2700K	220V-240V/50/60Hz	360 WIDE°	1.609,50€
750302	38W	3726lm	COB LED	2700K	100V-240V/50/60Hz	180°	1.575,40€
750302C	38W	3726lm	COB LED	2700K	220V-240V/50/60Hz	180°	1.688,90€
750302D	38W	3726lm	COB LED	2700K	220V-240V/50/60Hz	180°	1.619,10€
750310	38W	3893lm	COB LED	3000K	100V-240V/50/60Hz	360°	1.565,80€
750310C	38W	4065lm	COB LED	3000K	220V-240V/50/60Hz	360°	1.679,30€
750310D	38W	4065lm	COB LED	3000K	220V-240V/50/60Hz	360°	1.609,50€
750311	38W	4258lm	COB LED	3000K	100V-240V/50/60Hz	360 WIDE°	1.565,80€
750311C	38W	4121lm	COB LED	3000K	220V-240V/50/60Hz	360 WIDE°	1.679,30€
750311D	38W	4121lm	COB LED	3000K	220V-240V/50/60Hz	360 WIDE°	1.609,50€
750312	38W	3724lm	COB LED	3000K	100V-240V/50/60Hz	180°	1.575,40€
750312C	38W	3841lm	COB LED	3000K	220V-240V/50/60Hz	180°	1.688,90€
750312D	38W	3841lm	COB LED	3000K	220V-240V/50/60Hz	180°	1.619,10€
750320	38W	4187lm	COB LED	4000K	100V-240V/50/60Hz	360°	1.565,80€
750320C	38W	4187lm	COB LED	4000K	220V-240V/50/60Hz	360°	1.679,30€
750320D	38W	4187lm	COB LED	4000K	220V-240V/50/60Hz	360°	1.609,50€
750321	38W	4245lm	COB LED	4000K	100V-240V/50/60Hz	360 WIDE°	1.565,80€
750321C	38W	4245lm	COB LED	4000K	220V-240V/50/60Hz	360 WIDE°	1.679,30€
750321D	38W	4245lm	COB LED	4000K	220V-240V/50/60Hz	360 WIDE°	1.609,50€
750322	38W	3956lm	COB LED	4000K	100V-240V/50/60Hz	180°	1.575,70€
750322C	38W	3956lm	COB LED	4000K	220V-240V/50/60Hz	180°	1.688,90€
750322D	38W	3956lm	COB LED	4000K	220V-240V/50/60Hz	180°	1.619,10€



outdoor

Floor



Screen 250



Estudi Ribaudí

IP65  CRI90 IK10  Driver incl. optional  CASAMBI 

Structure Aluminium + PC
Diffuser Transparent PC
Light Source COB LED
Power 14W

COB LED VOSSLOH-SCHWABE
MacAdam Steps 2
Risk Group 1
Lumen maintenance L90 B10 up to 89.000h
Heat dissipation Tested at high ambient temperature

	Power	Light Source	CCT	Lumen Output	Voltage (V/Hz)	Lens	
751000	14W	623lm	COB LED	2700K	100V-240V/50/60Hz	360°	432,00€
751000C	14W	623lm	COB LED	2700K	220V-240V/50/60Hz	360°	550,50€
751000D	14W	623lm	COB LED	2700K	220V-240V/50/60Hz	360°	480,70€
751001	14W	778lm	COB LED	2700K	100V-240V/50/60Hz	360 WIDE°	432,00€
751001C	14W	778lm	COB LED	2700K	220V-240V/50/60Hz	360 WIDE°	550,50€
751001D	14W	778lm	COB LED	2700K	220V-240V/50/60Hz	360 WIDE°	480,70€
751002	14W	601lm	COB LED	2700K	100V-240V/50/60Hz	180°	441,60€
751002C	14W	601lm	COB LED	2700K	220V-240V/50/60Hz	180°	560,20€
751002D	14W	601lm	COB LED	2700K	220V-240V/50/60Hz	180°	490,30€
751010	14W	533lm	COB LED	3000K	100V-240V/50/60Hz	360°	432,00€
751010C	14W	642lm	COB LED	3000K	220V-240V/50/60Hz	360°	550,50€
751010D	14W	642lm	COB LED	3000K	220V-240V/50/60Hz	360°	480,70€
751011	14W	1243lm	COB LED	3000K	100V-240V/50/60Hz	360 WIDE°	432,00€
751011C	14W	802lm	COB LED	3000K	220V-240V/50/60Hz	360 WIDE°	550,50€
751011D	14W	802lm	COB LED	3000K	220V-240V/50/60Hz	360 WIDE°	480,70€
751012	14W	696lm	COB LED	3000K	100V-240V/50/60Hz	180°	441,60€
751012C	14W	620lm	COB LED	3000K	220V-240V/50/60Hz	180°	560,20€
751012D	14W	620lm	COB LED	3000K	220V-240V/50/60Hz	180°	490,30€
751020	14W	661lm	COB LED	4000K	100V-240V/50/60Hz	360°	432,00€
751020C	14W	661lm	COB LED	4000K	220V-240V/50/60Hz	360°	550,50€
751020D	14W	661lm	COB LED	4000K	220V-240V/50/60Hz	360°	480,70€
751021	14W	826lm	COB LED	4000K	100V-240V/50/60Hz	360 WIDE°	432,00€
751021C	14W	826lm	COB LED	4000K	220V-240V/50/60Hz	360 WIDE°	550,50€
751021D	14W	826lm	COB LED	4000K	220V-240V/50/60Hz	360 WIDE°	480,70€
751022	14W	639lm	COB LED	4000K	100V-240V/50/60Hz	180°	441,70€
751022C	14W	639lm	COB LED	4000K	220V-240V/50/60Hz	180°	560,10€
751022D	14W	639lm	COB LED	4000K	220V-240V/50/60Hz	180°	490,30€



outdoor

Floor



Screen 800



Estudi Ribaudí

IP65  CRI90 IK10  Driver incl. optional  CASAMBI optional

Structure Aluminium + PC
Diffuser Transparent PC
Light Source COB LED
Power 20W

COB LED VOSSLOH-SCHWABE
MacAdam Steps 2
Risk Group 1
Lumen maintenance L90 B10 up to 89.000h
Heat dissipation Tested at high ambient temperature






	Power	Light Source	CCT	Lumen Output	Voltage (V/Hz)	Lens	
751100	20W	873lm	COB LED	2700K	100V-240V/50/60Hz	360°	580,90€
751100C	20W	873lm	COB LED	2700K	220V-240V/50/60Hz	360°	700,10€
751100D	20W	873lm	COB LED	2700K	220V-240V/50/60Hz	360°	630,20€
751101	20W	1098lm	COB LED	2700K	100V-240V/50/60Hz	360 WIDE°	580,90€
751101C	20W	1098lm	COB LED	2700K	220V-240V/50/60Hz	360 WIDE°	700,10€
751101D	20W	1098lm	COB LED	2700K	220V-240V/50/60Hz	360 WIDE°	630,20€
751102	20W	855lm	COB LED	2700K	100V-240V/50/60Hz	180°	590,50€
751102C	20W	855lm	COB LED	2700K	220V-240V/50/60Hz	180°	709,60€
751102D	20W	855lm	COB LED	2700K	220V-240V/50/60Hz	180°	639,70€
751110	20W	900lm	COB LED	3000K	100V-240V/50/60Hz	360°	580,80€
751110C	20W	900lm	COB LED	3000K	220V-240V/50/60Hz	360°	700,10€
751110D	20W	900lm	COB LED	3000K	220V-240V/50/60Hz	360°	630,20€
751111	20W	1680lm	COB LED	3000K	100V-240V/50/60Hz	360 WIDE°	580,90€
751111C	20W	1132lm	COB LED	3000K	220V-240V/50/60Hz	360 WIDE°	700,10€
751111D	20W	1132lm	COB LED	3000K	220V-240V/50/60Hz	360 WIDE°	630,20€
751112	20W	963lm	COB LED	3000K	100V-240V/50/60Hz	180°	590,50€
751112C	20W	881lm	COB LED	3000K	220V-240V/50/60Hz	180°	709,60€
751112D	20W	881lm	COB LED	3000K	220V-240V/50/60Hz	180°	639,70€
751120	20W	927lm	COB LED	4000K	100V-240V/50/60Hz	360°	580,90€
751120C	20W	927lm	COB LED	4000K	220V-240V/50/60Hz	360°	700,10€
751120D	20W	927lm	COB LED	4000K	220V-240V/50/60Hz	360°	630,20€
751121	20W	1166lm	COB LED	4000K	100V-240V/50/60Hz	360 WIDE°	580,90€
751121C	20W	1166lm	COB LED	4000K	220V-240V/50/60Hz	360 WIDE°	700,10€
751121D	20W	1166lm	COB LED	4000K	220V-240V/50/60Hz	360 WIDE°	630,20€
751122	20W	907lm	COB LED	4000K	100V-240V/50/60Hz	180°	590,50€
751122C	20W	907lm	COB LED	4000K	220V-240V/50/60Hz	180°	709,60€
751122D	20W	907lm	COB LED	4000K	220V-240V/50/60Hz	180°	639,70€





Screen 3100


Estudi Ribaudí

IP65  CRI90  IK10  Driver incl. optional   CASAMBI  optional

Structure Aluminium + PC
Diffuser Transparent PC
Light Source COB LED
Power 38W

COB LED VOSSLOH-SCHWABE
MacAdam Steps 2
Risk Group 1
Lumen maintenance L90 B10 up to 89.000h
Heat dissipation Tested at high ambient temperature

	Power	Light Source	CCT	Lumen Output	Voltage (V/Hz)	Lens	
751200	38W	2641lm	COB LED	2700K	100V-240V/50/60Hz	360°	1.577,80€
751200C	38W	2641lm	COB LED	2700K	220V-240V/50/60Hz	360°	1.691,30€
751200D	38W	2641lm	COB LED	2700K	220V-240V/50/60Hz	360°	1.621,40€
751201	38W	2581lm	COB LED	2700K	100V-240V/50/60Hz	360 WIDE°	1.577,80€
751201C	38W	2581lm	COB LED	2700K	220V-240V/50/60Hz	360 WIDE°	1.691,30€
751201D	38W	2581lm	COB LED	2700K	220V-240V/50/60Hz	360 WIDE°	1.621,40€
751202	38W	2304lm	COB LED	2700K	100V-240V/50/60Hz	180°	1.587,40€
751202C	38W	2304lm	COB LED	2700K	220V-240V/50/60Hz	180°	1.700,80€
751202D	38W	2304lm	COB LED	2700K	220V-240V/50/60Hz	180°	1.632,10€
751210	38W	2349lm	COB LED	3000K	100V-240V/50/60Hz	360°	1.577,80€
751210C	38W	2723lm	COB LED	3000K	220V-240V/50/60Hz	360°	1.691,30€
751210D	38W	2723lm	COB LED	3000K	220V-240V/50/60Hz	360°	1.621,40€
751211	38W	3668lm	COB LED	3000K	100V-240V/50/60Hz	360 WIDE°	1.577,80€
751211C	38W	2661lm	COB LED	3000K	220V-240V/50/60Hz	360 WIDE°	1.691,30€
751211D	38W	2661lm	COB LED	3000K	220V-240V/50/60Hz	360 WIDE°	1.621,40€
751212	38W	2367lm	COB LED	3000K	100V-240V/50/60Hz	180°	1.587,40€
751212C	38W	2375lm	COB LED	3000K	220V-240V/50/60Hz	180°	1.700,80€
751212D	38W	2375lm	COB LED	3000K	220V-240V/50/60Hz	180°	1.631,10€
751220	38W	2805lm	COB LED	4000K	100V-240V/50/60Hz	360°	1.577,80€
751220C	38W	2805lm	COB LED	4000K	220V-240V/50/60Hz	360°	1.691,30€
751220D	38W	2805lm	COB LED	4000K	220V-240V/50/60Hz	360°	1.621,40€
751221	38W	2741lm	COB LED	4000K	100V-240V/50/60Hz	360 WIDE°	1.577,80€
751221C	38W	2741lm	COB LED	4000K	220V-240V/50/60Hz	360 WIDE°	1.691,30€
751221D	38W	2741lm	COB LED	4000K	220V-240V/50/60Hz	360 WIDE°	1.621,40€
751222	38W	2446lm	COB LED	4000K	100V-240V/50/60Hz	180°	1.587,40€
751222C	38W	2446lm	COB LED	4000K	220V-240V/50/60Hz	180°	1.700,80€
751222D	38W	2446lm	COB LED	4000K	220V-240V/50/60Hz	180°	1.631,10€





Screen 3700



Estudi Ribaudí

IP65  CRI90 IK10  Driver incl. optional  **BALI** CASAMBI  optional

Structure Aluminium + PC
Diffuser Transparent PC
Light Source COB LED
Power 38W

COB LED VOSSLOH-SCHWABE
MacAdam Steps 2
Risk Group 1
Lumen maintenance L90 B10 up to 89.000h
Heat dissipation Tested at high ambient temperature

	Power	Light Source	CCT	Lumen Output	Voltage (V/Hz)	Lens	
751300	38W	2578lm	COB LED	2700K	100V-240V/50/60Hz	360°	1.704,40€
751300C	38W	2578lm	COB LED	2700K	220V-240V/50/60Hz	360°	1.817,80€
751300D	38W	2578lm	COB LED	2700K	220V-240V/50/60Hz	360°	1.748,10€
751301	38W	2560lm	COB LED	2700K	100V-240V/50/60Hz	360 WIDE°	1.704,40€
751301C	38W	2560lm	COB LED	2700K	220V-240V/50/60Hz	360 WIDE°	1.817,80€
751301D	38W	2560lm	COB LED	2700K	220V-240V/50/60Hz	360 WIDE°	1.748,10€
751302	38W	2429lm	COB LED	2700K	100V-240V/50/60Hz	180°	1.713,90€
751302C	38W	2429lm	COB LED	2700K	220V-240V/50/60Hz	180°	1.827,50€
751302D	38W	2429lm	COB LED	2700K	220V-240V/50/60Hz	180°	1.757,70€
751310	38W	2230lm	COB LED	3000K	100V-240V/50/60Hz	360°	1.704,40€
751310C	38W	2658lm	COB LED	3000K	220V-240V/50/60Hz	360°	1.817,80€
751310D	38W	2658lm	COB LED	3000K	220V-240V/50/60Hz	360°	1.748,10€
751311	38W	3010lm	COB LED	3000K	100V-240V/50/60Hz	360 WIDE°	1.704,40€
751311C	38W	2639lm	COB LED	3000K	220V-240V/50/60Hz	360 WIDE°	1.817,80€
751311D	38W	2639lm	COB LED	3000K	220V-240V/50/60Hz	360 WIDE°	1.748,10€
751312	38W	2371lm	COB LED	3000K	100V-240V/50/60Hz	180°	1.713,90€
751312C	38W	2504lm	COB LED	3000K	220V-240V/50/60Hz	180°	1.827,50€
751312D	38W	2504lm	COB LED	3000K	220V-240V/50/60Hz	180°	1.757,70€
751320	38W	2738lm	COB LED	4000K	100V-240V/50/60Hz	360°	1.704,40€
751320C	38W	2738lm	COB LED	4000K	220V-240V/50/60Hz	360°	1.817,80€
751320D	38W	2738lm	COB LED	4000K	220V-240V/50/60Hz	360°	1.748,10€
751321	38W	2718lm	COB LED	4000K	100V-240V/50/60Hz	360 WIDE°	1.704,40€
751321C	38W	2718lm	COB LED	4000K	220V-240V/50/60Hz	360 WIDE°	1.817,80€
751321D	38W	2718lm	COB LED	4000K	220V-240V/50/60Hz	360 WIDE°	1.748,10€
751322	38W	2579lm	COB LED	4000K	100V-240V/50/60Hz	180°	1.713,90€
751322C	38W	2579lm	COB LED	4000K	220V-240V/50/60Hz	180°	1.827,50€
751322D	38W	2579lm	COB LED	4000K	220V-240V/50/60Hz	180°	1.757,70€







OUTDOOR

LIGHTING

PROJECTORS & SPIKES

Puk 4W Puk 12.5W Puk 25W



ø36



ø59



ø85

FINISH

● Black

COLOR TEMPERATURE

2700K CRI80

3000K CRI80

BEAM ANGLE

8°

15°

20°

30°

40°

50°

ACCESSORIES



Honeycomb



Visor



Spike



Tree Fixing





Concrete Fixing



Puk 36

IP65 IK06 no incl. SEA SIDE SUITABLE 90°

Material	Structure Aluminium
	Diffuser Glass
Power	4W
Light Source	COB LED
Class	III
CRI	>80
Voltage	24VDC
Cable	2m



Family	Finish	Color T	Beam Angle
75300- Puk Projector ø36	2 Black	2 2700K 3 3000K	1 8° 2 20° 3 40°

<p>8°</p> <p>COB LED 4W CRI>80 281lm 2700K</p> <p>COB LED 4W CRI>80 290lm 3000K</p>	<p>20°</p> <p>COB LED 4W CRI>80 302lm 2700K</p> <p>COB LED 4W CRI>80 312lm 3000K</p>	<p>40°</p> <p>COB LED 4W CRI>80 292lm 2700K</p> <p>COB LED 4W CRI>80 302lm 3000K</p>
---	--	--

Optional drivers

24V DC 4W	220/240V	1-22 units	on/off	IP20	98324099
	220/240V	1-22 units	on/off	IP67	98324100

Optional accessories

	Puk 36 Honeycomb Accessory		
	75300H	● Black	2,50€
	Material	Structure Aluminium	

	Puk 36 Visor Accessory		
	75300V	● Black	24,80€
	Material	Structure Aluminium	

	Puk 36/59 Tree Accessory		
	75300F	● Black	47,50€
	Material	Structure Aluminium	


	Puk 36 Spike Accessory		
	75300S	● Black	8,00€
	Material	Structure Polyamide	



Puk 59


IP65 IK06 incl. SEA SIDE SUITABLE 90°

Material	Structure Aluminium
	Diffuser Glass
Power	12,5W
Lumen Output	339lm
Light Source	COB LED
Class	I
CRI	>80




Family	Finish	Color T	Beam Angle
75302- Puk Projector ø59	2 Black	2 2700K 3 3000K	1 15° 2 30° 3 50°


15° COB LED 12,5W
CRI>80 339lm 2700K
COB LED 12,5W
CRI>80 349lm 3000K



30° COB LED 12,5W
CRI>80 482lm 2700K
COB LED 12,5W
CRI>80 496lm 3000K



50° COB LED 12,5W
CRI>80 539lm 2700K
COB LED 12,5W
CRI>80 555lm 3000K



Optional accessories

Puk 59 Honeycomb Accessory
75302H ● Black 4,10€
Material Structure Aluminium

Puk 59 Visor Accessory
75302V ● Black 41,40€
Material Structure Aluminium

Puk 36/59 Tree Accessory
75300F ● Black 47,50€
Material Structure Aluminium


Puk 59/85 Spike Accessory
75302S ● Black 10,40€
Material Structure Polyamide

Puk 59/85 Ground Fixing Accessory
75302F ● Satin Stainless 25,80€
Material Structure Stainless Steel

Puk 85


IP65 IK08 incl. SEA SIDE SUITABLE 90°

Material	Structure Aluminium
	Diffuser Glass
Power	25W
Lumen Output	1827lm
Light Source	COB LED
Class	I
CRI	>80




Family	Finish	Color T	Beam Angle
75303- Puk Projector ø85	2 Black	2 2700K 3 3000K	1 15° 2 30° 3 50°


15° COB LED 25W CRI>80 1827lm 2700K
COB LED 25W CRI>80 1884lm 3000K



30° COB LED 25W CRI>80 1888lm 2700K
COB LED 25W CRI>80 1947lm 3000K



50° COB LED 25W CRI>80 1690lm 2700K
COB LED 25W CRI>80 1743lm 3000K



Optional accessories

	Puk 85 Honeycomb Accessory	
	75303H ● Black	5,30€
	Material	Structure Aluminium

	Puk 85 Visor Accessory	
	75303V ● Black	42,00€
	Material	Structure Aluminium

	Puk 85 Tree Accessory	
	75303F ● Black	67,10€
	Material	Structure Aluminium

	Puk 59/85 Spike Accessory	
	75302S ● Black	10,40€
	Material	Structure Polyamide

	Puk 59/85 Ground Fixing Accessory	
	75302F ● Satin Stainless	25,80€
	Material	Structure Stainless Steel

Clap
6W



FINISH

White

● Black

● Rust
Brown

COLOR TEMPERATURE

2700K CRI80

3000K CRI80


BEAM ANGLE

15°

24°

38°


ACCESSORIES



Tree Fixing



Visor



24V Power Supply

With pure design and minimal structures, this family offers both direct and indirect lighting in its various versions, transforming every corner of the outdoor spaces. This lighting system offers great flexibility for project design thanks to its diverse categories: from stakes to beacons, pendant lights, or wall sconces, all with a distinctive and refined aesthetic. The indirect lighting of some versions provides high visual comfort and prevents glare, while eliminating light pollution and highlighting the surrounding vegetation.


CLAP
Faro Lab

CLAP


Projector

IP65 no incl. DIM 360° 360°

Material	Structure Aluminium
Power	6W
Light Source	COB LED 2700K
Class	III
CRI	>80
Voltage	24VDC
Cable	2m



Family	Finish	Color T	Beam Angle
75702- Clap Projector	2 Black	2 2700K	1 15°
	3 White	3 3000K	2 24°
	4 Rust Brown		3 38°




Visor Accessory



75714-2	● Structure Black	5,50€
75714-4	● Structure Rust Brown	5,50€

Optional drivers *Remote drivers

24VDC	6W	220/240V	1-5 units	on/off	IP67	98324026
			1-15 units	on/off	IP67	98324099



CLAP

Tree fixing accessory



Example: 75702-223 + 75703-2
Clap projector black 2700K 38° + tree fixing




Example: 75702-223 + 75703-2 + 75714-2
Clap projector black 2700K 38° + tree fixing + visor

Tree fixing *use with 1 projector max.



75703-2 ● Black 42,50€



Muur 250

IP65 IK06 incl. SEA SIDE SUITABLE 45°



71771 ● Structure Dark Grey
● Diffuser Transparent 389,60€

Alfa Àlex & Manel Llusçà

IP65 incl. 135°







70025 ● Structure Dark Grey
● Diffuser Transparent 179,10€

Material	Structure Aluminium
	Diffuser Glass
Power	28,5W
Lumen Output	1877lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	36°

Material	Structure Aluminium
	Diffuser Glass
Power	13W
Lumen Output	845lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	80°



Muur 250 Visor Accessory
71771V ● Dark Grey 37,00€
Material Structure Aluminium





Lit

IP54 IK06 $\angle 270^\circ$



70260 ● Structure Dark Grey 79,10€
 ● Diffuser Transparent

Foc 150

IP65 incl. $\angle 135^\circ$



70156 ● Structure Dark Grey 170,30€
 ● Diffuser Transparent

Foc 580

IP65 incl. $\angle 135^\circ$



70157 ● Structure Dark Grey 181,40€
 ● Diffuser Transparent






Material	Structure Aluminium
	Diffuser Glass
Light Source	1 GU10 LED PAR16 max. 8W
Bulb incl.	No
Recom. Bulb	17333
Class	I

Material	Structure Aluminium
	Diffuser Glass
Power	16W
Lumen Output	1105lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	36°

Material	Structure Aluminium
	Diffuser Glass
Power	16W
Lumen Output	1105lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	36°



Spike 236



outdoor

Projectors & Spikes



Flow
Alegre Design

IP65 IK07 360°
360°



71546 ● Structure Matt Black
● Diffuser Opal 81,80€

Oko

IP65 IK08 incl. 90°



70161 ● Structure Dark Grey
● Diffuser Transparent 195,90€

Plom

IP64 IK06 incl.








70912 ● Structure Dark Grey
● Diffuser Transparent 145,30€

Material	Structure PC + Aluminium Diffuser PC
Light Source	1 GU10 LED PAR16 max. 5W
Bulb incl.	No
Recom. Bulb	17334
Class	II
Cable	2.5m

Material	Structure Aluminium Diffuser Glass
Power	20W
Lumen Output	1400lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	30°

Material	Structure Aluminium Diffuser PMMA
Power	8,5W
Lumen Output	635lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	18-45°

Flow Accessory
71548 ● Matt Black 13,60€
Material Structure Aluminium




outdoor

Projectors & Spikes



Slot 200
Lucid Product Design

IP65 IK08 incl. $\leftarrow 220^{\circ}$
 $\leftarrow 360^{\circ}$



70035 ● Structure Black
● Diffuser Transparent 169,20€

Slot 500
Lucid Product Design

IP65 IK08 incl. $\leftarrow 220^{\circ}$
 $\leftarrow 360^{\circ}$







70036 ● Structure Black
● Diffuser Transparent 185,00€

Material	Structure Aluminium
	Diffuser Glass
Power	13W
Lumen Output	944lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	28°

Material	Structure Aluminium
	Diffuser Glass
Power	13W
Lumen Output	944lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	28°



Slot Visor Accessory
70039 ● Black 17,30€
Material Structure Aluminium




outdoor

Projectors & Spikes

13

Slot 200 Spike
Lucid Product Design

IP65 IK08 incl. $\leftarrow 220^{\circ}$
 $\leftarrow 360^{\circ}$



70037 ● Structure Black
● Diffuser Transparent 168,70€

Slot 500 Spike
Lucid Product Design

IP65 IK08 incl. $\leftarrow 220^{\circ}$
 $\leftarrow 360^{\circ}$





70038 ● Structure Black
● Diffuser Transparent 185,60€

Material	Structure Aluminium
	Diffuser Glass
Power	13W
Lumen Output	944lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	28°
Cable	1.5m

Material	Structure Aluminium
	Diffuser Glass
Power	13W
Lumen Output	944lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	28°
Cable	1.5m




Slot Visor Accessory
70039 ● Black 17,30€
Material Structure Aluminium





Clap
6W



FINISH

White

● Black

● Rust
Brown

COLOR TEMPERATURE


2700K CRI80

3000K CRI80

BEAM ANGLE



15°



24°



38°

ACCESSORIES



Spike 630



Spike 1030




Indirect Light Plate
ø310



Indirect Light Plate
ø400



Visor



24V Power Supply

With pure design and minimal structures, this family offers both direct and indirect lighting in its various versions, transforming every corner of the outdoor spaces. This lighting system offers great flexibility for project design thanks to its diverse categories: from stakes to beacons, pendant lights, or wall sconces, all with a distinctive and refined aesthetic. The indirect lighting of some versions provides high visual comfort and prevents glare, while eliminating light pollution and highlighting the surrounding vegetation.




CLAP
Faro Lab

CLAP

Projector


IP65 no incl. DIM 360° 360°

Material	Structure Aluminium
Power	6W
Light Source	COB LED 2700K
Class	III
CRI	>80
Voltage	24VDC
Cable	2m




Family	Finish	Color T	Beam Angle
75702- Clap Projector	2 Black	2 2700K	1 15° 2 24° 3 38°
	3 White	3 3000K	
	4 Rust Brown		


15° COB LED 6W CRI>80 481lm 2700K
COB LED 6W CRI>80 496lm 3000K



24° COB LED 6W CRI>80 553lm 2700K
COB LED 6W CRI>80 570lm 3000K



38° COB LED 6W CRI>80 508lm 2700K
COB LED 6W CRI>80 524lm 3000K




Visor Accessory



75714-2	● Structure Black	5,50€
75714-4	● Structure Rust Brown	5,50€

Optional drivers *Remote drivers

24VDC 6W 220/240V	1-5 units on/off IP67	98324026
	1-15 units on/off IP67	98324099




CLAP

Spike accessory 630 / 1030




Example: 75702-423 + 75708-4
Clap projector rust brown 2700K 38° + spike 630

Spike 630 *use with x2 projectors max.




Example: 75702-223 x2 + 75709-2 + 75706-2
Clap projector black 2700K 38° + spike 1030 + shade 400

Spike 1030 *use with x3 projectors max.




75708-2 ● Black 32,10€
75708-4 ● Rust Brown 32,10€

Spike 630




75707-2 ● Black 88,70€
75707-4 ● Rust Brown 88,70€

Shade 310




75709-2 ● Black 40,20€
75709-4 ● Rust Brown 40,20€

Spike 1030




75706-2 ● Black 91,10€
75706-4 ● Rust Brown 91,10€

Shade 400



Brot 200
Yembarastudio

IP65 incl. IP68 CONNECTOR





75570 ● Structure Black 98,50€

Material	Structure Aluminium
Power	7W
Lumen Output	290lm
Light Source	SMD LED 2700K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	80°
Cable	2m



reddot winner 2021



Brot 600
Yembarastudio

IP65 incl. IP68 CONNECTOR




75571 ● Structure Black 108,80€

Material	Structure Aluminium
Power	7W
Lumen Output	290lm
Light Source	SMD LED 2700K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	80°
Cable	2m




reddot winner 2021





Lily 300
Faro Lab

IP65 IK06




75620-2 Driver incl.	● Structure Black ● Diffuser Transparent	205,40€
Class	II	
Voltage	24VDC/50/60Hz	

75620-1 Driver not incl.*	● Structure Black ● Diffuser Transparent	160,40€
Class	III	
Voltage	24VDC	

Material	Structure Stainless Steel Diffuser Glass
Power	3W
Lumen Output	154lm
Light Source	COB LED 2700K
CRI	>90
Cable	0.5m

*Drivers info pag. 478



Lily 650
Faro Lab

IP65 IK06




75621-2 Driver incl.	● Structure Black ● Diffuser Transparent	248,70€
Class	II	
Voltage	24VDC/50/60Hz	

75621-1 Driver not incl.*	● Structure Black ● Diffuser Transparent	204,60€
Class	III	
Voltage	24VDC	

Material	Structure Stainless Steel Diffuser Glass
Power	3W
Lumen Output	154lm
Light Source	COB LED 2700K
CRI	>90
Cable	0.5m

*Drivers info pag. 478



Lily 1190
Faro Lab

IP65 IK06




75622-2 Driver incl.	● Structure Black ● Diffuser Transparent	234,00€
Class	II	
Voltage	24VDC/50/60Hz	

75622-1 Driver not incl.*	● Structure Black ● Diffuser Transparent	278,10€
Class	III	
Voltage	24VDC	

Material	Structure Stainless Steel Diffuser Glass
Power	3W
Lumen Output	154lm
Light Source	COB LED 2700K
CRI	>90
Cable	0.5m

*Drivers info pag. 478





Toni
Alegre Design

IP65 IK07 SEA SIDE SUITABLE 90° 90°




71528 ● Structure Matt Black
● Diffuser Transparent 51,20€

Material	Structure PC Diffuser PC
Light Source	1 GU10 LED PAR16 max. 5W
Bulb incl.	No
Recom. Bulb	17334
Class	II
Cable	2.5m


Luca
Faro Lab

IP65 IK07




70298 ● Structure Black
● Diffuser Transparent 58,70€

Material	Structure PC Diffuser PC
Light Source	1 GU10 LED PAR16 max. 5W
Bulb incl.	No
Recom. Bulb	17334
Class	II
Cable	1.5m



Double position





Bezel

IP65

IK06



incl. CONNECTOR

Spy 145

IP65

IK05



incl. 355°

Spy 435

IP65


IK05



incl. 355°



70248 ● Structure Matt Black
● Diffuser Transparent 171,40€



70787 ● Structure Dark Grey
● Diffuser Opal 140,30€






70788 ● Structure Dark Grey
● Diffuser Opal 171,50€

Material	Structure Aluminium
	Diffuser Glass
Power	8W
Lumen Output	349lm
Light Source	COB LED 2700K
Class	I
CRI	90
Voltage	220V-240V/50/60Hz
Beam angle	118,3°
Cable	1.2m

Material	Structure Aluminium + PC
	Diffuser Glass
Power	6W
Lumen Output	395lm
Light Source	COB LED 3000K
Class	I
Voltage	220V-240V/50/60Hz
Beam angle	30°
Cable	2m

Material	Structure Aluminium + PC
	Diffuser Glass
Power	6W
Lumen Output	395lm
Light Source	COB LED 3000K
Class	I
Voltage	220V-240V/50/60Hz
Beam angle	30°
Cable	2m






Sau M Base
13W



Sau M 156
13W



Sau M 471
13W



FINISH

● **Black**

COLOR TEMPERATURE

3000K CRI90

BEAM ANGLE

10°

20°

30°

10x60°

ACCESSORIES



Visor



Tree projector




Honeycomb



Sau XS 85


IP65 IK05 no incl. SEA SIDE SUITABLE 160° 60°



71780-2 ●● Structure Black + Black 76,50€
● Diffuser Transparent

Sau XS 262

IP65 IK05 no incl. SEA SIDE SUITABLE 160° 60°



71781-2 ●● Structure Black + Black 85,60€
● Diffuser Transparent

Material	Structure Aluminium + ABS Diffuser PC
Power	2,5W
Lumen Output	144lm
Light Source	HIGH POWER LED 3000K
Class	III
CRI	90
Voltage	24VDC
Beam angle	30°


Material	Structure Aluminium + ABS Diffuser PC
Power	2,5W
Lumen Output	144lm
Light Source	HIGH POWER LED 3000K
Class	III
CRI	90
Voltage	24VDC
Beam angle	30°





Honeycomb Accessory	
71780H	● Black 2,50€
Material	Structure Aluminium



Tree Fixing Accessory	
71780F	● Black 24,00€
Material	Structure Textile




Visor Accessory	
71780V	● Black 7,00€
Material	Structure Aluminium





Sau S 90


IP65 IK06 incl. SEA SIDE SUITABLE $\uparrow 135^\circ$ $\downarrow 60^\circ$



71772 ●● Structure Black + Black 95,20€
● Diffuser Transparent

Sau S 360

IP65 IK06 incl. SEA SIDE SUITABLE $\uparrow 135^\circ$ $\downarrow 60^\circ$



71773 ●● Structure Black + Black 109,00€
● Diffuser Transparent

Material	Structure Aluminium + ABS
	Diffuser PC
Power	6W
Lumen Output	430lm
Light Source	COB LED 3000K
Class	I
CRI	>90
Voltage	220V-240V/50/60Hz
Beam angle	30°

Material	Structure Aluminium + ABS
	Diffuser PC
Power	6W
Lumen Output	430lm
Light Source	COB LED 3000K
Class	I
CRI	>90
Voltage	220V-240V/50/60Hz
Beam angle	30°





Honeycomb Accessory	
71772H	● Black 3,50€
Material	Structure Aluminium



Visor Accessory	
71772V	● Black 10,50€
Material	Structure Aluminium



Tree Fixing Accessory	
71780F	● Black 24,00€
Material	Structure Textile





Sau M 155




IP65


IK06



SEA SIDE SUITABLE




Material	Structure Aluminium + ABS
	Diffuser PC
Power	13W
Light Source	COB LED
Class	I
CRI	>90
Voltage	220V-240V/50/60Hz




Family	Finish	Color T	Beam Angle								
71785- Sau Projector 155	2 Black	3 3000K	<table border="1"> <tr><td>1</td><td>10°</td></tr> <tr><td>2</td><td>20°</td></tr> <tr><td>3</td><td>30°</td></tr> <tr><td>4</td><td>10x60°</td></tr> </table>	1	10°	2	20°	3	30°	4	10x60°
1	10°										
2	20°										
3	30°										
4	10x60°										


COB LED 13W
CRI>90 953,9lm
3000K
10°




COB LED 13W
CRI>90 906,6lm
3000K
20°



COB LED 13W
CRI>90 880,7lm
3000K
30°



COB LED 13W
CRI>90 802,3lm
3000K
10x60°



Optional accessories

Honeycomb Accessory

71785H	● Black	3,50€
Material	Structure Aluminium	

Visor Accessory

71785V	● Black	18,00€
Material	Structure Aluminium	

Tree Fixing Accessory



71785F	● Black	27,00€
Material	Structure Textile	



Sau M 156


IP65 IK06 incl. SEA SIDE SUITABLE $\pm 35^\circ$ 60°

Material	Structure Aluminium + ABS
	Diffuser PC
Power	13W
Lumen Output	1313lm
Light Source	COB LED
Class	I
CRI	>90
Voltage	220V-240V/50/60Hz




Family	Finish	Color T	Beam Angle								
71786- Sau Projector 155	2 Black	3 3000K	<table border="1"> <tr><td>1</td><td>10°</td></tr> <tr><td>2</td><td>20°</td></tr> <tr><td>3</td><td>30°</td></tr> <tr><td>4</td><td>10x60°</td></tr> </table>	1	10°	2	20°	3	30°	4	10x60°
1	10°										
2	20°										
3	30°										
4	10x60°										


COB LED 13W
CRI>90 1313lm
3000K
10°




COB LED 13W
CRI>90 1313lm
3000K
20°




COB LED 13W
CRI>90 1313lm
3000K
30°





COB LED 13W
CRI>90 1313lm
3000K
10x60°




Optional accessories

	Honeycomb Accessory	
	71785H ● Black	3,50€
	Material	Structure Aluminium



	Visor Accessory	
	71785V ● Black	18,00€
	Material	Structure Aluminium

	Tree Fixing Accessory	
	71785F ● Black	27,00€
	Material	Structure Textile

Sau M 471




Material	Structure Aluminium + ABS
	Diffuser PC
Power	13W
Lumen Output	953,9lm
Light Source	COB LED
Class	I
CRI	>90
Voltage	220V-240V/50/60Hz




Family	Finish	Color T	Beam Angle								
71787- Sau Projector 155	2 Black	3 3000K	<table border="1"> <tr><td>1</td><td>10°</td></tr> <tr><td>2</td><td>20°</td></tr> <tr><td>3</td><td>30°</td></tr> <tr><td>4</td><td>10x60°</td></tr> </table>	1	10°	2	20°	3	30°	4	10x60°
1	10°										
2	20°										
3	30°										
4	10x60°										


COB LED 13W
CRI>90 953,9lm
3000K
10°




COB LED 13W
CRI>90 906,6lm
3000K
20°



COB LED 13W
CRI>90 880,7lm
3000K
30°



COB LED 13W
CRI>90 802,3lm
3000K
10x60°



Optional accessories


	Honeycomb Accessory		
	71785H	● Black	3,50€
	Material	Structure Aluminium	

	Visor Accessory		
	71785V	● Black	18,00€
	Material	Structure Aluminium	

	Tree Fixing Accessory		
	71785F	● Black	27,00€
	Material	Structure Textile	


Sau 130 GU10

IP65 IK06 \uparrow 135° \downarrow 20°




71774 ● Structure Black
● Diffuser Transparent 67,30€

Material	Structure Aluminium
	Diffuser Glass
Light Source	1 GU10 LED max. 5W
Bulb incl.	Yes
Recom. Bulb	17334
Class	I




Sau 620 GU10

IP65 IK06 \uparrow 135° \downarrow 20°



71775 ● Structure Black
● Diffuser Transparent 91,80€


Material	Structure Aluminium
	Diffuser Glass
Light Source	1 GU10 LED max. 5W
Bulb incl.	Yes
Recom. Bulb	17334
Class	I





Seth 280

IP44 IK06 incl. \uparrow 180° \leftarrow 355°



70227 ● Structure Matt Black
● Diffuser Transparent 89,60€

Seth 600



IP44 IK06 incl. \uparrow 180° \leftarrow 355°



70226 ● Structure Matt Black
● Diffuser Transparent 99,60€

Material	Structure Aluminium
	Diffuser PMMA
Power	6W
Lumen Output	375lm
Light Source	SMD LED 2700K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	40°
Cable	2m

Material	Structure Aluminium
	Diffuser PMMA
Power	6W
Lumen Output	375lm
Light Source	SMD LED 2700K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	40°
Cable	2m



outdoor

Projectors & Spikes



Foc 210 Spike

IP65  incl.  135°



70158 **Structure** Dark Grey
 Diffuser Transparent 169,90€

Foc 520 Spike



IP65  incl.  135°



70159 **Structure** Dark Grey
 Diffuser Transparent 181,41€

Material	Structure Aluminium
	Diffuser Glass
Power	16W
Lumen Output	800lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50Hz
Beam angle	36°
Cable	0.5m

Material	Structure Aluminium
	Diffuser Glass
Power	16W
Lumen Output	800lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50Hz
Beam angle	36°
Cable	0.5m





Sobek

IP65 IK06 incl. 90° 360°



70151 ● **Structure** Dark Grey
● **Diffuser** Transparent 141,70€

Balder



IP67 incl.



70469 ● **Structure** Matt Black
● **Diffuser** Transparent 120,80€

Material	Structure Aluminium
	Diffuser Glass
Power	7W
Lumen Output	550lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	50°
Cable	0.2m

Material	Structure Aluminium
	Diffuser Glass
Power	3W
Lumen Output	212lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	36°
Cable	2m



outdoor

Projectors & Spikes



Andy

IP65



71613

Structure Satin Gold
Diffuser Transparent

101,30€

Plom

IP64

IK06



incl.



70913

Structure Dark Grey
Diffuser Transparent



147,80€

Material	Structure Steel Diffuser PC
Light Source	1 GU10 LED PAR16 max. 5W
Bulb incl.	No
Recom. Bulb	17334
Class	I
Cable	2m

Material	Structure Aluminium Diffuser PMMA
Power	8,5W
Lumen Output	635lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	18-45°
Cable	0.3m



Wall
204



Zoom 18° to 45°



Tono

IP44

Garten Lampholder

IP54/44

Garten Plug

IP44



73150 ● Structure Matt Black 52,30€
● Diffuser Transparent



73111 ● Structure Matt Black 30,30€






73100 ● Structure Matt Black 46,70€

Material	Structure Aluminium
	Diffuser Glass
Light Source	1 GU10 LED PAR16 max. 8W
Bulb incl.	No
Recom. Bulb	17334
Class	I
Cable	2m

Material	Structure ABS
Light Source	1 E27 LED PAR38 max. 15W
Bulb incl.	No
Recom. Bulb	17400
Class	II
Cable	2.5m

Material	Structure ABS
Light Source	max. 3520W
Bulb incl.	Yes
Class	I
Cable	2.5m





Cuca 500 Spike
Faro Lab

IP65 IK06



75586 ● Structure Black
Driver incl. ● Diffuser Opal **194,90€**

Class II
Voltage 220V-240V/50/60Hz

75585 ● Structure Black
Driver not incl.* ● Diffuser Opal **162,90€**

Class III
Voltage 24VDC

Material	Structure Stainless Steel
	Diffuser Glass
Power	3W
Lumen Output	154lm
Light Source	COB LED 2700K
CRI	>90
Cable	0.5m

*Drivers info pag. 478

Cuca 1000 Spike
Faro Lab

IP65 IK06



75590 ● Structure Black
Driver incl. ● Diffuser Opal **232,90€**



Class II
Voltage 220V-240V/50/60Hz

75589 ● Structure Black
Driver not incl.* ● Diffuser Opal **200,90€**

Class III
Voltage 24VDC

Material	Structure Stainless Steel
	Diffuser Glass
Power	3W
Lumen Output	154lm
Light Source	COB LED 2700K
CRI	>90
Cable	0.5m


*Drivers info pag. 478





Cuca 300
Faro Lab

IP65 IK06



75583 Driver incl.	● Structure Black ● Diffuser Opal	191,10€
Class	II	
Voltage	220V-240V/50/60Hz	

75581 Driver not incl.*	● Structure Black ● Diffuser Opal	159,10€
Class	III	
Voltage	24VDC	

Material	Structure Stainless Steel Diffuser Glass
Power	3W
Lumen Output	154lm
Light Source	COB LED 2700K
CRI	>90
Cable	0.5m

*Drivers info pag. 478

Cuca 650
Faro Lab

IP65 IK06



75565 Driver incl.	● Structure Black ● Diffuser Opal	233,90€
Class	II	
Voltage	220V-240V/50/60Hz	

75561 Driver not incl.*	● Structure Black ● Diffuser Opal	201,90€
Class	III	
Voltage	24VDC	

Material	Structure Stainless Steel Diffuser Glass
Power	3W
Lumen Output	154lm
Light Source	COB LED 2700K
CRI	>90
Cable	0.5m

*Drivers info pag. 478

Cuca 1193
Faro Lab

IP65 IK06






75566 Driver incl.	● Structure Black ● Diffuser Opal	254,50€
Class	II	
Voltage	220V-240V/50/60Hz	

75562 Driver not incl.*	● Structure Black ● Diffuser Opal	224,50€
Class	III	
Voltage	24VDC	

Material	Structure Stainless Steel Diffuser Glass
Power	3W
Lumen Output	154lm
Light Source	COB LED 2700K
CRI	>90
Cable	0.5m

*Drivers info pag. 478





Bambou 800

IP65 IK06 incl. IP68 CONNECTOR



75556 ● Structure Matt Black
● Diffuser Transparent 167,20€

Bambou 1000



IP65 IK06 incl. IP68 CONNECTOR



75557 ● Structure Matt Black
● Diffuser Transparent 180,40€

Material	Structure Aluminium
	Diffuser Glass
Power	8W
Lumen Output	410lm
Light Source	LED MODULE 2700K
Class	I
CRI	≥80
Voltage	220V-240V/50/60Hz
Beam angle	360°
Cable	0.2m

Material	Structure Aluminium
	Diffuser Glass
Power	8W
Lumen Output	606lm
Light Source	LED MODULE 2700K
Class	I
CRI	≥80
Voltage	220V-240V/50/60Hz
Beam angle	360°
Cable	0.2m





Saigon C70
Nahrang

IP65



- 71575P-09 ● Structure Dark Grey
● Shade Beige 678,20€
● Diffuser Opal
- 71575P-11 ● Structure Dark Grey
● Shade Green 678,20€
● Diffuser Opal
- 71575P-13 ● Structure Dark Grey
● Shade Ochre 663,90€
● Diffuser Opal

Material	Structure Aluminium
	Shade PP
	Diffuser PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m



Saigon W70
Nahrang

IP65



- 71575P-07 ● Structure Dark Grey
● Shade Brown 695,80€
● Diffuser Opal

Material	Structure Aluminium
	Shade Synthetic Wicker
	Diffuser PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m





Saigon T70
Nahrang

IP65



- 71575P-05 ● Structure Dark Grey
● Shade Cream 572,80€
● Diffuser Opal
- 71575P-06 ● Structure Dark Grey
● Shade Brown 572,80€
● Diffuser Opal

Material	Structure Aluminium
	Shade Textilene
	Diffuser PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m





Saigon 870 R45
Nahtrang

IP65



71576P-04 ● Structure Dark Grey
● Shade White 241,70€

Saigon 1500 R45
Nahtrang




IP65



71575P-04 ● Structure Dark Grey
● Shade White 273,90€

Material	Structure Aluminium
	Shade PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m

Material	Structure Aluminium
	Shade PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m





Saigon 1350 R55
Nahtrang


IP65



71575P-01 ● Structure Dark Grey
● Shade White 321,10€

Saigon 730 R17
Nahtrang

IP65



71576P-03 ● Structure Dark Grey
● Shade White 277,80€

Saigon 1370 R17
Nahtrang

IP65








71575P-03 ● Structure Dark Grey
● Shade White 260,00€

Material	Structure Aluminium
	Shade PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m

Material	Structure Aluminium
	Shade PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m

Material	Structure Aluminium
	Shade PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m



outdoor

Projectors & Spikes



Piccola
Faro Lab

IP65


IK08



70245	● Structure Matt Black ● Diffuser Opal	180,80€
70246	● Structure Matt White ● Diffuser Opal	180,80€



Material	Structure Aluminium Diffuser PMMA
Power	6W
Lumen Output	360lm
Light Source	SMD LED 2700K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Cable	1.5m








OUTDOOR

LIGHTING

SUSPENDED

Toba
Carrasquet

IP65



72126-164	● Structure Beige ● Diffuser Opal	212,70€
72126-165	● Structure Brown ● Diffuser Opal	212,70€
72126-166	● Structure Orange ● Diffuser Opal	212,70€
72126-167	● Structure Brown + Orange ● Diffuser Opal	212,70€

Material	Structure Silicone Diffuser PEMD
Light Source	1 E27 LED A60 max. 12W
Bulb incl.	No
Recom. Bulb	17070
Class	I
Cable	3m



Built to endure, made to charm

Each shade is made from individual silicone discs—durable, weather-resistant and easy to clean. Available in beige, terracotta, dark brown, and a striking combination of all three tones.




outdoor

Suspended



Narita
Carrasquet

IP65




72126-159	● Structure Beige ● Diffuser Opal	314,60€
72126-160	● Structure Black ● Diffuser Opal	314,60€
72126-162	● Structure Orange ● Diffuser Opal	314,60€
72126-161	● Structure Rust Brown ● Diffuser Opal	314,60€

Material	Structure Stainless Steel Diffuser PEMD
Light Source	1 E27 LED A60 max. 12W
Bulb incl.	No
Recom. Bulb	17070
Class	I
Cable	3m



Decorative design made for the outdoors

Narita distills the essence of Nara into a more compact format. Its shade, defined by an elegant linear pattern, filters the light to cast playful shadows—transforming terraces and gardens into inviting spaces full of character. Crafted from stainless steel for enhanced durability outdoors.



outdoor

Suspended



Saga
Carrasquet

IP65




72126-169	● Structure Beige ● Diffuser Opal	351,40€
72126-170	● Structure Black ● Diffuser Opal	351,40€
72126-171	● Structure Rust Brown ● Diffuser Opal	351,40€
72126-172	● Structure Orange ● Diffuser Opal	351,40€

Material	Structure Aluminium Diffuser PEMD
Light Source	1 E27 LED A60 max. 12W
Bulb incl.	No
Recom. Bulb	17070
Class	I
Cable	3m



Light that sets the mood


The metal shade casts a directional beam, ideal for lighting outdoor tables or bar areas. Inside, an opal diffuser conceals the light source, softening the glow to create warm, comfortable lighting with no glare.




Indoor


Suspended







Accessories

	Plug accessory		
	72128	● Black	19,90€
	Material	Structure PVC	

	Canopy accessory		
	72126	● Black	45,60€
	Material	Structure Aluminium	

	Tensor cable 5M accessory		
	72129	● Grey	21,20€
	Material	Structure Stainless Steel	



Saga - Toba - Narita

SYSTEM



Toba System
Carrasquet

IP65

Flexible, warm and resilient, Toba blends naturally into its surroundings. Its gentle glow enhances outdoor living, bringing colour and character to the space.

72127-164	Structure Beige Diffuser Opal	167,10€
72127-165	Structure Brown Diffuser Opal	167,10€
72127-166	Structure Orange Diffuser Opal	167,10€
72127-167	Structure Brown + Orange Diffuser Opal	167,10€

Material	Structure Silicone Diffuser PEMD
Light Source	1 E27 LED A60 max. 12W
Bulb incl.	No
Recom. Bulb	17070
Class	I
Cable	3m



outdoor

Suspended



Narita System
Carrasquet

IP65

Narita can be installed as a single pendant with a canopy, or become part of a garland system that links multiple units. Thanks to its clever clip attachment, each light can be hung, moved or removed with ease—offering full freedom to design shifting atmospheres and layered compositions at different heights.

72120	● Structure Beige ● Diffuser Opal	269,00€
72121	● Structure Black ● Diffuser Opal	269,00€
72123	● Structure Orange ● Diffuser Opal	269,00€
72122	● Structure Rust Brown ● Diffuser Opal	269,00€

Material	Structure Stainless Steel Diffuser PEMD
Light Source	1 E27 LED A60 max. 12W
Bulb incl.	No
Recom. Bulb	17070
Class	I
Cable	3m




Beige

Black

Rust Brown

Orange



outdoor

Suspended





Saga System
Carrasquet

IP65

Operating on 220V, Saga can be connected in sequence to form hanging garlands at different heights. Whether installed with a hook or canopy, it adds a sense of movement and creative freedom to any outdoor environment.

72135	● Structure Beige ● Diffuser Opal	305,80€
72136	● Structure Black ● Diffuser Opal	305,80€
72138	● Structure Orange ● Diffuser Opal	305,80€
72137	● Structure Rust Brown ● Diffuser Opal	305,80€

Material	Structure Aluminium Diffuser PEMD
Light Source	1 E27 LED A60 max. 12W
Bulb incl.	No
Recom. Bulb	17070
Class	I
Cable	3m




outdoor

Suspended



Nara Fixed S
Carrasquet

IP54



72109-155	Shade Beige Diffuser Opal	461,70€
72109-156	Shade Black Diffuser Opal	461,70€
72109-157	Shade Rust Brown Diffuser Opal	461,70€

Material	Structure Stainless Steel Shade Steel Diffuser PEMD
Light Source	1 E27 LED A60 max. 12W
Bulb incl.	No
Recom. Bulb	17070
Class	II
Cable	1.2m

Nara Fixed M
Carrasquet

IP54



72110-155	Structure Beige Diffuser Opal	481,20€
72110-156	Structure Matt Black Diffuser Opal	481,20€
72110-157	Structure Rust Brown Diffuser Opal	481,20€

Material	Structure Steel Diffuser PEMD
Light Source	1 E27 LED A60 max. 12W
Bulb incl.	No
Recom. Bulb	17070
Class	II

Nara Pendant
Carrasquet

IP65



72104-155	Structure Beige Diffuser Opal	422,90€
72104-156	Structure Matt Black Diffuser Opal	422,90€
72104-157	Structure Rust Brown Diffuser Opal	422,90€




Material	Structure Steel Diffuser PEMD
Light Source	1 E27 LED A60 max. 12W
Bulb incl.	No
Recom. Bulb	17070
Class	II
Cable	1.2m



Portable
32



Floor
32



outdoor

Suspended



Saigon Fixed S W100
Nahtrang

IP54

Saigon Fixed M W100
Nahtrang

IP54



71621-08 ● **Structure** Dark Grey
 ● **Shade** Wood
 ● **Diffuser** Opal 819,60€



71622-08 ● **Structure** Dark Grey
 ● **Shade** Wood
 ● **Diffuser** Opal 845,80€

Material	Structure Aluminium
	Shade Synthetic Wicker
	Diffuser PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II



Material	Structure Aluminium
	Shade Synthetic Wicker
	Diffuser PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II



Floor
54



Portable
288



Saigon Fixed S C100
Nahtrang

IP54



71621-10	<ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Beige ● Diffuser Opal 	771,70€
71621-12	<ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Green ● Diffuser Opal 	771,70€
71621-14	<ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Ochre ● Diffuser Opal 	771,70€

Material	Structure Aluminium
	Shade Textilene
	Diffuser PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II

Saigon Fixed M C100
Nahtrang

IP54



71622-10	<ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Beige ● Diffuser Opal 	797,90€
71622-12	<ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Green ● Diffuser Opal 	797,90€
71622-14	<ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Ochre ● Diffuser Opal 	797,90€



Material	Structure Aluminium
	Shade Textilene
	Diffuser PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II



Floor
52




Portable
286



Saigon Fixed S C70
Nahtrang

IP54



71621-09	● Structure Dark Grey ● Shade Beige ● Diffuser Opal	652,80€
71621-11	● Structure Dark Grey ● Shade Green ● Diffuser Opal	652,80€
71621-13	● Structure Dark Grey ● Shade Ochre ● Diffuser Opal	652,80€

Material	Structure Aluminium
	Shade PP
	Diffuser PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II

Saigon Fixed M C70
Nahtrang

IP54



71622-09	● Structure Dark Grey ● Shade Beige ● Diffuser Opal	679,00€
71622-11	● Structure Dark Grey ● Shade Green ● Diffuser Opal	679,00€
71622-13	● Structure Dark Grey ● Shade Ochre ● Diffuser Opal	679,00€

Material	Structure Aluminium
	Shade PP
	Diffuser PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II




Saigon C70
Nahtrang

IP65



71579C-09	● Structure Dark Grey ● Shade Beige ● Diffuser Opal	663,70€
71579C-11	● Structure Dark Grey ● Shade Green ● Diffuser Opal	663,70€
71579C-13	● Structure Dark Grey ● Shade Ochre ● Diffuser Opal	663,70€

Material	Structure Aluminium
	Shade PP
	Diffuser PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.2m




outdoor

Suspended



Saigon Fixed S W70
Nahtrang


IP54



71621-07
 ● Structure Dark Grey
 ● Shade Wood
 ● Diffuser Opal
 670,40€

Saigon Fixed M W70
Nahtrang

IP54



71622-07
 ● Structure Dark Grey
 ● Shade Wood
 ● Diffuser Opal
 696,60€

Saigon W70
Nahtrang

IP65







71579C-07
 ● Structure Dark Grey
 ● Shade Brown
 ● Diffuser Opal
 681,30€

Material	Structure Aluminium
	Shade Synthetic Wicker
	Diffuser PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II

Material	Structure Aluminium
	Shade Synthetic Wicker
	Diffuser PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II

Material	Structure Aluminium
	Shade Synthetic Wicker
	Diffuser PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.2m




outdoor

Suspended



Saigon Fixed S T70
Nahtrang

IP54



- 71621-05 ● Structure Dark Grey
● Shade Cream ● Diffuser Opal 547,40€
- 71621-06 ● Structure Dark Grey
● Shade Brown ● Diffuser Opal 547,40€

Saigon Fixed M T70
Nahtrang

IP54



- 71622-05 ● Structure Dark Grey
● Shade Cream ● Diffuser Opal 573,60€
- 71622-06 ● Structure Dark Grey
● Shade Brown ● Diffuser Opal 573,60€

Saigon T70
Nahtrang

IP65






- 71579C-05 ● Structure Dark Grey
● Shade Cream ● Diffuser Opal 558,30€
- 71579C-06 ● Structure Dark Grey
● Shade Brown ● Diffuser Opal 558,30€

Material	Structure Aluminium
	Shade Textilene
	Diffuser PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II

Material	Structure Aluminium
	Shade Textilene
	Diffuser PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II

Material	Structure Aluminium
	Shade Textilene
	Diffuser PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.2m



outdoor

Suspended



Saigon R55
Nahtrang

IP65



71579-02 ● Structure Dark Grey
● Shade White 261,20€

Saigon R45
Nahtrang

IP65 IK06



71579C-04 ● Structure Dark Grey
● Shade White 259,40€

Saigon R17
Nahtrang

IP65









71579C-03 ● Structure Dark Grey
● Shade White 245,50€

Material	Structure Aluminium
	Shade PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.2m

Material	Structure Aluminium
	Shade PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.2m

Material	Structure Aluminium
	Shade PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.2m



outdoor

Suspended



Saigon C100 Portable
Nahtrang

IP65 



71584-10	<ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Beige ● Diffuser Opal 	771,50€
71584-12	<ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Green ● Diffuser Opal 	771,50€
71584-14	<ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Ochre ● Diffuser Opal 	771,50€

Material	Structure Aluminium
	Shade PP
	Diffuser PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	3m




Saigon C70 Portable
Nahtrang

IP65 



71584-09	<ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Beige ● Diffuser Opal 	652,60€
71584-11	<ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Green ● Diffuser Opal 	652,60€
71584-13	<ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Ochre ● Diffuser Opal	652,60€

Material	Structure Aluminium
	Shade PP
	Diffuser PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	3m




outdoor

Suspended




Saigon W100 Portable
Nahrang



71584-08 ● **Structure** Dark Grey
● **Shade** Brown
● **Diffuser** Opal **819,40€**

Saigon W70 Portable
Nahrang



71584-07 ● **Structure** Dark Grey
● **Shade** Brown
● **Diffuser** Opal **670,20€**

Saigon T70 Portable
Nahrang








71584-05 ● **Structure** Dark Grey
● **Shade** Cream
● **Diffuser** Opal **547,20€**
71584-06 ● **Structure** Dark Grey
● **Shade** Brown
● **Diffuser** Opal **547,20€**

Material	Structure Aluminium
	Shade Synthetic Wicker
	Diffuser PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	3m

Material	Structure Aluminium
	Shade Synthetic Wicker
	Diffuser PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	3m

Material	Structure Aluminium
	Shade Textilene
	Diffuser PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	3m




Saigon R55 Portable
Nahtrang

IP65 



71584-01 ● Structure Dark Grey
● Shade White 308,90€

Saigon R45 Portable
Nahtrang

IP65 



71584-04 ● Structure Dark Grey
● Shade White 248,20€

Saigon R17 Portable
Nahtrang

IP65 








71584-03 ● Structure Dark Grey
● Shade White 234,40€

Material	Structure Aluminium
	Shade PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	3m

Material	Structure Aluminium
	Shade PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	3m

Material	Structure Aluminium
	Shade PEMD
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	3m



Blubs
Estudi Ribaudí

IP44



74427C-03 ● Structure Dark Grey
● Diffuser Opal 113,70€

Material	Structure Aluminium
	Diffuser PMMA
Light Source	1 E27 LED T45 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I




Muffin
Àlex & Manel Llusca

IP44



74427C-04 ● Structure Dark Grey
● Diffuser Opal 104,80€

Material	Structure Aluminium
	Diffuser PMMA
Light Source	1 E27 LED T45 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I



Mistu
Faro Lab

IP44



74427C-02 ● **Structure** Dark Grey
● **Diffuser** Opal 91,10€

Moon
Faro Lab



IP44



74427C-01 ● **Structure** Dark Grey
● **Diffuser** Opal 105,70€

Material	Structure Aluminium
	Diffuser PMMA
Light Source	1 E27 LED T45 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I

Material	Structure Aluminium
	Diffuser PMMA
Light Source	1 E27 LED T45 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I



Nautica 260

IP33



71106	● Structure Matt White + Matt Copper ● Diffuser Transparent	98,40€
71138	● Structure Rust Brown ● Diffuser Transparent	98,70€

Material	Structure Steel Diffuser Glass
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I
Cable	1m




Nautica 340

IP33



71139	● Structure Rust Brown ● Diffuser Transparent	138,30€
-------	--	---------

Material	Structure Steel Diffuser Glass
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I
Cable	1m




outdoor

Suspended



Clap
6W



FINISH

White

● Black

● Rust
Brown

COLOR TEMPERATURE

2700K CRI80

3000K CRI80


BEAM ANGLE

15°


24°

38°

ACCESSORIES




Suspended



Canopy





Visor



24V Power Supply

With pure design and minimal structures, this family offers both direct and indirect lighting in its various versions, transforming every corner of the outdoor spaces. This lighting system offers great flexibility for project design thanks to its diverse categories: from stakes to beacons, pendant lights, or wall sconces, all with a distinctive and refined aesthetic. The indirect lighting of some versions provides high visual comfort and prevents glare, while eliminating light pollution and highlighting the surrounding vegetation.




CLAP
Faro Lab

CLAP Projector


IP65 no incl. DIM 360° 360°

Material	Structure Aluminium
Power	6W
Light Source	COB LED 2700K
Class	III
CRI	>80
Voltage	24VDC
Cable	2m




Family	Finish	Color T	Beam Angle
75702- Clap Projector	2 Black	2 2700K	1 15°
	3 White	3 3000K	2 24°
	4 Rust Brown		3 38°


15° COB LED 6W CRI>80 481lm 2700K
COB LED 6W CRI>80 496lm 3000K




24° COB LED 6W CRI>80 553lm 2700K
COB LED 6W CRI>80 570lm 3000K



38° COB LED 6W CRI>80 508lm 2700K
COB LED 6W CRI>80 524lm 3000K




Visor Accessory



75714-2	● Structure Black	5,50€
75714-4	● Structure Rust Brown	5,50€

Optional drivers *Remote drivers

24VDC	6W	220/240V	1-5 units	on/off	IP67	98324026
			1-15 units	on/off	IP67	98324099



CLAP

Suspended accessory



Example: 75702-223 x3 + 75714-2 + 75711-2 + 75713-2
Clap projector black 2700K 38° + visor + suspended + canopy


Suspended *Use with x3 projectors max.




Example: 75702-223 x3 + 75714-2 + 75711-2 + 75713-2
Clap projector black 2700K 38° + visor + suspended + canopy

Canopy *Use with x3 projectors max.


IP65  incl.



- 75711-1 ● White **90,00€**
- 75711-2 ● Black **90,00€**




- 75713-1 ● White **90,00€**
- 75713-2 ● Black **69,60€**





Scuba Louver 1200

IP65 IK10  incl.



75758-01 **Structure** Black 326,00€
 Diffuser Transparent

Material	Structure Aluminium
	Diffuser PC
Power	36W
Lumen Output	1575lm
Light Source	SMD LED 2700K
Class	I
CRI	>90
Voltage	220V-240V/50/60Hz
Beam angle	80x130°
Cable	3m



outdoor



Suspended



Scuba 600


IP66 IK10  incl.





75753  **Structure** Chrome
 **Diffuser** Opal 211,10€

Scuba 1200

IP66 IK10  incl.






75754  **Structure** Chrome
 **Diffuser** Opal 294,20€

Material	Structure Stainless Steel 316L
	Diffuser PC
Power	20W
Lumen Output	3200lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	120°
Cable	3m

Material	Structure Stainless Steel 316L
	Diffuser PC
Power	36W
Lumen Output	5760lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	120°
Cable	3m




Scuba Canopy Accessory
 75755  **Matt Black** 26,90€
Material **Structure** Aluminium



outdoor

Suspended





302

OUTDOOR

LIGHTING

CEILING

Puk
4.5W

Puk
7W



ø58



ø76

FINISH

White

Black

COLOR TEMPERATURE

2700K CRI90

3000K CRI90

BEAM ANGLE

15°

30°

50°

outdoor


Ceiling



Puk 58

IP65 IK06 incl. SEA SIDE SUITABLE

Material	Structure Aluminium
	Diffuser Glass
Power	4,5W
Light Source	COB LED
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz




Family	Finish	Color T	Beam Angle
75304- Puk Ceiling $\varnothing 58$ 4.5W	1 White	2 2700K	1 15°
	2 Black	3 3000K	2 30°
			3 50°

<p>15° COB LED 4,5W CRI>80 297lm 2700K</p>	<p>30° COB LED 4,5W CRI>80 341lm 2700K</p>	<p>50° COB LED 4,5W CRI>80 350lm 2700K</p>
<p>COB LED 4,5W CRI>80 307lm 3000K</p>	<p>COB LED 4,5W CRI>80 352lm 3000K</p>	<p>COB LED 4,5W CRI>80 361lm 3000K</p>


Puk 76


IP65 IK06 incl. SEA SIDE SUITABLE


Material	Structure Aluminium
	Diffuser Glass
Power	7W
Light Source	COB LED
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz





Family	Finish	Color T	Beam Angle
75305- Puk Ceiling $\varnothing 76$ 7W	1 White	2 2700K	1 15°
	2 Black	3 3000K	2 30°
			3 50°


 COB LED 7W CRI>80
 573lm 2700K
15° COB LED 7W CRI>80
 591lm 3000K



 COB LED 7W CRI>80
 610lm 2700K
30° COB LED 7W CRI>80
 629lm 3000K



 COB LED 7W CRI>80
 620lm 2700K
50° COB LED 7W CRI>80
 640lm 3000K



Tami

IP54  incl.



70799 **Structure** Dark Grey
 Diffuser Transparent 147,70€

Goz



IP65  incl.



70575 **Structure** Dark Grey
 Diffuser Transparent 114,60€

Material	Structure Aluminium
	Diffuser Glass
Power	9W
Lumen Output	600lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	40°

Material	Structure Aluminium
	Diffuser Glass
Power	9W
Lumen Output	646lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	18°






Olot

IP44



71372	● Structure Matt White ● Diffuser Transparent	32,90€
71374	● Structure Dark Grey ● Diffuser Transparent	32,90€

Material	Structure Aluminium Diffuser Glass
Light Source	1 GU10 LED PAR16 max. 8W
Bulb incl.	No
Recom. Bulb	17333
Class	I




Tasa

IP44 IK06




70806	● Structure Dark Grey ● Diffuser Transparent	58,30€
70821	● Structure Matt White ● Diffuser Transparent	57,20€

Material	Structure Aluminium Diffuser Glass
Light Source	1 E27 LED PAR30 max. 15W
Bulb incl.	No
Recom. Bulb	97687127
Class	I





Kila 200

IP65



71740	● Structure Dark Grey ● Diffuser Transparent	115,00€
71741	● Structure Dark Grey ● Diffuser Smoked	133,40€
71742	● Structure Dark Grey ● Diffuser Amber	133,40€

Material	Structure Aluminium Diffuser Glass
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I



outdoor

Ceiling



Scuba Louver 1200

IP65 IK10  incl.



75758  **Structure** Black 295,40€
 **Diffuser** Transparent

Material	Structure Aluminium
	Diffuser PC
Power	36W
Lumen Output	2888lm
Light Source	SMD LED 2700K
Class	I
CRI	>90
Voltage	220V-240V/50/60Hz
Beam angle	80x130°
Cable	3m



outdoor

Ceiling




Anga 240

IP44 IK03 incl.



72353 ● Structure Dark Grey
● Diffuser Opal 139,40€

Material	Structure Concrete
	Diffuser PMMA
Power	18W
Lumen Output	1174lm
Light Source	SMD LED 2700K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz




Anga 295

IP44 IK03 incl.



72354 ● Structure White
● Diffuser Opal 166,70€
72355 ● Structure Dark Grey
● Diffuser Opal 166,70€

Material	Structure Concrete
	Diffuser PMMA
Power	24W
Lumen Output	1355lm
Light Source	SMD LED 2700K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz




Dakron

IP65 IK10 SEA SIDE SUITABLE



70722 ● Structure Matt White
● Diffuser Opal 51,70€

Material	Structure ABS Diffuser PC
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II




Yen

IP54 IK10



70690 ● Structure Grey
● Diffuser Opal 68,40€

Material	Structure Aluminium Diffuser PC
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I






OUTDOOR

LIGHTING

WALL


Grot 160 Wall
Faro Lab

IP55 IK06 incl. SEA SIDE CONNECTOR IP68 SUITABLE



75630 2700K 122lm	● Structure Grey	193,70€
75633 3000K 173lm	● Structure Grey	193,70€

Material	Structure Concrete
Power	6,5W
Light Source	SMD LED
Class	II
CRI	≥80
Voltage	100V-277V/50/60Hz




outdoor

Surface



Clap
6W



FINISH

White

● Black

● Rust
Brown

COLOR TEMPERATURE

2700K CRI80

3000K CRI80

BEAM ANGLE

15°

24°

38°

ACCESSORIES



Wall/Projector




Lineal Wall/Ceiling



Indirect Light Plate
ø310




Indirect Light Plate
ø400



Canopy



Visor



24V Power Supply

With pure design and minimal structures, this family offers both direct and indirect lighting in its various versions, transforming every corner of the outdoor spaces. This lighting system offers great flexibility for project design thanks to its diverse categories: from stakes to beacons, pendant lights, or wall sconces, all with a distinctive and refined aesthetic. The indirect lighting of some versions provides high visual comfort and prevents glare, while eliminating light pollution and highlighting the surrounding vegetation.




CLAP Faro Lab

CLAP Projector


IP65 no incl. DIM 360° 360°

Material	Structure Aluminium
Power	6W
Light Source	COB LED 2700K
Class	III
CRI	>80
Voltage	24VDC
Cable	2m




Family	Finish	Color T	Beam Angle
75702- Clap Projector	2 Black	2 2700K	1 15°
	3 White	3 3000K	2 24°
	4 Rust Brown		3 38°


15° COB LED 6W CRI>80 481lm 2700K
COB LED 6W CRI>80 496lm 3000K




24° COB LED 6W CRI>80 553lm 2700K
COB LED 6W CRI>80 570lm 3000K



38° COB LED 6W CRI>80 508lm 2700K
COB LED 6W CRI>80 524lm 3000K




Visor Accessory



75714-2	● Structure Black	5,50€
75714-4	● Structure Rust Brown	5,50€

Optional drivers *Remote drivers

24VDC	6W	220/240V	1-5 units	on/off	IP67	98324026
			1-15 units	on/off	IP67	98324099



CLAP

Wall/Projector accessory



Example: 75702-223 + 75710-2
Clap projector black 2700K 38° + wall/projector black

Example: 75702-223 + 75707-2 + 75710-2
Clap projector black 2700K 38° + wall/projector black + shade 310

Wall/Projector *Use with 1 projector max.



75710-1 ● White 75,00€
75710-2 ● Black 75,00€



75707-2 ● Black 88,70€




W. ø310 mm



75706-2 ● Black 91,10€

W. ø400 mm

IP65




CLAP

Projector


IP65 no incl. DIM 360° 360°

Material	Structure Aluminium
Power	6W
Light Source	COB LED 2700K
Class	III
CRI	>80
Voltage	24VDC
Cable	2m




Family	Finish	Color T	Beam Angle
75702- Clap Projector	2 Black	2 2700K	1 15°
	3 White	3 3000K	2 24°
	4 Rust Brown		3 38°


15° COB LED 6W CRI>80 481lm 2700K
COB LED 6W CRI>80 496lm 3000K



24° COB LED 6W CRI>80 553lm 2700K
COB LED 6W CRI>80 570lm 3000K



38° COB LED 6W CRI>80 508lm 2700K
COB LED 6W CRI>80 524lm 3000K




Visor Accessory



75714-2	● Structure Black	5,50€
75714-4	● Structure Rust Brown	5,50€

Optional drivers *Remote drivers

24VDC	6W	220/240V	1-5 units	on/off	IP67	98324026
			1-15 units	on/off	IP67	98324099



CLAP

Linear Wall/Ceiling accessory



Example: 75702-223 x3 + 75712-2 + 75713-2
Clap projector black 2700K 38° + lineal wall/ceiling black + canopy

Linear Wall/Ceiling *Use with x3 projectors max.




Example: 75702-223 x3 + 75712-2 + 75713-2
Clap projector black 2700K 38° + lineal wall/ceiling black + canopy

Canopy *Use with x3 projectors max.


IP65  incl.



- 75712-1 ● White **84,10€**
- 75712-2 ● Black **84,10€**



- 75713-1 ● White **90,00€**
- 75713-2 ● Black **69,60€**




Lime 600



71800 ● Structure Black
● Diffuser Translucent 167,50€

Material	Structure Aluminium
	Diffuser PMMA
Power	6W
Lumen Output	479/500/531lm
Light Source	SMD LED 2700/ 3000/ 4000K
Class	I
CRI	90
Voltage	220V-240V/50/60Hz




Lime 900



71803 ● Structure Black
● Diffuser Translucent 215,50€

Material	Structure Aluminium
	Diffuser PMMA
Power	10W
Lumen Output	730/772/816lm
Light Source	SMD LED 2700/ 3000/ 4000K
Class	I
CRI	90
Voltage	220V-240V/50/60Hz



outdoor

Surface



Scuba Louver 600

IP65 IK10 incl.



75756 ● Structure Black
● Diffuser Transparent 200,50€

Scuba Louver 1200

IP65 IK10 incl.



75757 ● Structure Black
● Diffuser Transparent 279,80€

Material	Structure Aluminium
	Diffuser PC
Power	12W
Lumen Output	772lm
Light Source	SMD LED 2700K
Class	I
CRI	>90
Voltage	220V-240V/50/60Hz
Beam angle	60°
Cable	1.5m



Material	Structure Aluminium
	Diffuser PC
Power	20W
Lumen Output	1353lm
Light Source	SMD LED 2700K
Class	I
CRI	>90
Voltage	220V-240V/50/60Hz
Beam angle	60°
Cable	1.5m



Suspended
298



Ceiling
312







Scuba 600

IP65 IK10  incl.





75750  **Structure Chrome**
 **Diffuser Opal** 191,10€

Scuba 1200

IP65 IK10  incl.




75751  **Structure Chrome**
 **Diffuser Opal** 274,20€

Material	Structure Stainless Steel 316L
	Diffuser PC
Power	12W
Lumen Output	1575lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	120°
Cable	3m


Material	Structure Stainless Steel 316L
	Diffuser PC
Power	20W
Lumen Output	2787lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	120°
Cable	3m



Suspended
300







FINISH

- White Black

COLOR TEMPERATURE

2700K CRI80

3000K CRI80

BEAM ANGLE



outdoor


Surface



Kov R 1L

IP65 IK05 incl. SEA SIDE SUITABLE


Material	Structure Aluminium
Power	6W
Light Source	COB LED
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz



Family	Finish	Color T	Beam Angle
71790- Kov Rounded 1 light	1 White	2 2700K	1 14°
	2 Black	3 3000K	2 22°
			3 30°


COB LED 6W CRI>80
747lm 2700K

14° COB LED 6W CRI>80
791lm 3000K




COB LED 6W CRI>80
785lm 2700K

22° COB LED 6W CRI>80
831lm 3000K



COB LED 6W CRI>80
835lm 2700K


30° COB LED 6W CRI>80
884lm 3000K



Kov R 2L

IP65 IK05 incl. SEA SIDE SUITABLE


Material	Structure Aluminium
Power	2x6W
Light Source	COB LED
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz



Family	Finish	Color T	Beam Angle*
71791- Kov Rounded 2 lights	1 White	2 2700K	1 14°/14°
	2 Black	3 3000K	2 14°/22°
			3 22°/22°
			4 22°/30°
			5 30°/30°
			6 30°/14°


*NOTE: You can choose the same or different beam angle for each side of the product

14° COB LED 2x6W CRI>80
1214lm 2700K




22° COB LED 2x6W CRI>80
1291lm 3000K

22° COB LED 2x6W CRI>80
1304lm 2700K



30° COB LED 2x6W CRI>80
1386lm 3000K

30° COB LED 2x6W CRI>80
1387lm 2700K




30° COB LED 2x6W CRI>80
1474lm 3000K

Kov SQ 1L


IP65 IK05 incl. SEA SIDE SUITABLE

Material	Structure Aluminium
Power	6W
Light Source	COB LED
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz




Family	Finish	Color T	Beam Angle						
71792- Kov Squared 1 light	1 White	2 2700K	<table border="1"> <tr> <td>1</td> <td>14°</td> </tr> <tr> <td>2</td> <td>22°</td> </tr> <tr> <td>3</td> <td>30°</td> </tr> </table>	1	14°	2	22°	3	30°
	1	14°							
2	22°								
3	30°								
2 Black	3 3000K								


14° COB LED W CRI>80
747lm 2700K
COB LED 6W CRI>80
791lm 3000K



22° COB LED W CRI>80
785lm 2700K
COB LED 6W CRI>80
831lm 3000K




30° COB LED 6W CRI>80
835lm 2700K
COB LED 6W CRI>80
884lm 3000K



Kov R 1L

IP65 IK05 incl. SEA SIDE SUITABLE


Material	Structure Aluminium
Power	2x6W
Light Source	COB LED
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz



Family	Finish	Color T	Beam Angle
71793- Kov Squared 2 lights	1 White	2 2700K	1 14°/14°
	2 Black	3 3000K	2 14°/22°
			3 22°/22°
			4 22°/30°
			5 30°/30°
			6 30°/14°


*NOTE: You can choose the same or different beam angle for each side of the product

M COB LED 2x6W CRI>80
1259lm 2700K




14° COB LED 2x6W CRI>80
1291lm 3000K

M COB LED 2x6W CRI>80
1304lm 2700K



22° COB LED 2x6W CRI>80
1386lm 3000K

M COB LED 2x6W CRI>80
1387lm 2700K



30° COB LED 2x6W CRI>80
1474lm 3000K

Thon 1L

IP55 IK06  incl.



70283 **Structure** Dark Grey
 Diffuser Opal 277,20€

Thon 2L



IP55 IK06  incl.



70284 **Structure** Dark Grey
 Diffuser Opal 327,20€

Material	Structure Aluminium
	Diffuser Glass
Power	15W
Lumen Output	825lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	18°

Material	Structure Aluminium
	Diffuser Glass
Power	2x15W
Lumen Output	2x859lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	18°




Tond 1L

IP54 IK06 incl.



71915 2700K 220lm	● Structure Dark Grey ● Diffuser Transparent	107,10€
71916 3000K 234,9lm	● Structure Dark Grey ● Diffuser Transparent	107,10€

Material	Structure Aluminium Diffuser Glass
Power	6W
Light Source	COB LED
Class	I
CRI	≥80
Voltage	220V-240V/50/60Hz
Beam angle	50°




Tond 2L

IP54 IK06 incl. SEA SIDE SUITABLE




71918	● Structure Dark Grey ● Diffuser Transparent	125,20€
--------------	---	---------

Material	Structure Aluminium Diffuser Glass
Power	2x6W
Lumen Output	422lm
Light Source	COB LED 3000K
Class	I
CRI	≥80
Voltage	220V-240V/50/60Hz
Beam angle	50°




Estela 1L

IP65




70322	● Structure Black ● Diffuser Transparent	79,90€
70324	● Structure Rust Brown ● Diffuser Transparent	79,90€
70323	● Structure White ● Diffuser Transparent	79,90€

Material	Structure Aluminium Diffuser Glass
Light Source	1 GU10 LED max. 5W
Bulb incl.	No
Recom. Bulb	17334
Class	I




Estela 2L

IP65



70327	● Structure Black ● Diffuser Transparent	91,50€
70329	● Structure Rust Brown ● Diffuser Transparent	91,50€
70328	● Structure White ● Diffuser Transparent	91,50€

Material	Structure Aluminium Diffuser Glass
Light Source	2 GU10 LED max. 5W
Bulb incl.	No
Recom. Bulb	17334
Class	I





Bronx


Àlex & Manel Llusçà

IP44



71194	● Structure Brown ● Diffuser Transparent	51,50€
71195	● Structure White ● Diffuser Transparent	51,50€
71196	● Structure Dark Grey ● Diffuser Transparent	51,50€

Material	Structure Aluminium Diffuser Glass
Light Source	1 GU10 LED PAR16 max. 5W
Bulb incl.	No
Recom. Bulb	17334
Class	I



Pals


Faro Lab

IP65 IK06



70290	● Structure Matt White ● Diffuser Opal	145,10€
70291	● Structure Dark Grey ● Diffuser Opal	145,10€

Material	Structure Aluminium Diffuser Glass
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I



outdoor

Surface




Steps 2L
Estudi Ribaudí

IP44 IK06



75500	● Structure Matt White ● Diffuser Transparent	69,50€
75501	● Structure Dark Grey ● Diffuser Transparent	69,50€

Material	Structure Aluminium Diffuser Glass
Light Source	2 GU10 LED PAR16 max. 8W
Bulb incl.	No
Recom. Bulb	17333
Class	I



Blind Cap included


Steps 4L
Estudi Ribaudí

IP44



75502	● Structure Matt White ● Diffuser Transparent	110,20€
75503	● Structure Dark Grey ● Diffuser Transparent	110,20€

Material	Structure Aluminium Diffuser Glass
Light Source	4 GU10 LED PAR16 max. 8W
Bulb incl.	No
Recom. Bulb	17333
Class	I



Blind Cap included

outdoor

Surface




Proa
Àlex & Manel Llusçà

IP44



74400 ● **Structure** Dark Grey
● **Diffuser** Transparent 56,10€

Material	Structure Aluminium Diffuser Glass
Light Source	1 GU10 LED PAR16 max. 8W
Bulb incl.	No
Recom. Bulb	17334
Class	I




Klamp 2L
Àlex & Manel Llusçà

IP44



74408 ● **Structure** Dark Grey
● **Diffuser** Transparent 76,60€

Material	Structure Aluminium Diffuser Glass
Light Source	2 GU10 LED PAR16 max. 8W
Bulb incl.	No
Recom. Bulb	17334
Class	I





Tinia

IP44



71353 ● **Structure** Dark Grey
● **Diffuser** Opal 56,20€

Material	Structure Aluminium Diffuser PC
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I



Gina

IP44



71363 ● **Structure** Dark Grey
● **Diffuser** Transparent 50,60€
71367 ● **Structure** Matt Black
● **Diffuser** Transparent 50,60€
71366 ● **Structure** Matt White
● **Diffuser** Transparent 50,60€

Material	Structure Aluminium Diffuser Glass
Light Source	1 GU10 LED PAR16 max. 8W
Bulb incl.	No
Recom. Bulb	17334
Class	I



outdoor

Surface



Doro 220


IP65

IK07



71900	● Structure Matt White ● Diffuser Prism	111,40€
71901	● Structure Dark Grey ● Diffuser Prism	111,40€
71902	● Structure Rust Brown ● Diffuser Prism	111,40€
71899	● Structure Teak + Dark Grey ● Diffuser Prism	153,30€

Material	Structure Aluminium
	Diffuser Glass
Power	2x6,5W
Lumen Output	2x349lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz



Doro 380


IP65

IK07



71903	● Structure Matt White ● Diffuser Prism	163,40€
71904	● Structure Dark Grey ● Diffuser Prism	163,40€
71905	● Structure Rust Brown ● Diffuser Prism	163,40€

Material	Structure Aluminium
	Diffuser Glass
Power	2x10W
Lumen Output	2x599lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz



Doro 500


IP65

IK07



71906	● Structure Matt White ● Diffuser Prism	223,10€
71907	● Structure Dark Grey ● Diffuser Prism	223,10€
71908	● Structure Rust Brown ● Diffuser Prism	223,10€

Material	Structure Aluminium
	Diffuser Glass
Power	2x14W
Lumen Output	2x744lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz



outdoor

Surface



Lako

IP65

IK07



Toluca

IP65

IK08



Tacana

IP65

IK08



71909	● Structure Matt White ● Diffuser Prism	105,40€
71910	● Structure Dark Grey ● Diffuser Prism	105,40€
71911	● Structure Rust Brown ● Diffuser Prism	105,40€
71898	● Structure Teak + Dark Grey ● Diffuser Prism	157,80€



71052	● Structure Satin Aluminium ● Diffuser Opal	108,10€
-------	--	---------






71049	● Structure Satin Aluminium ● Diffuser Opal	147,60€
-------	--	---------

Material	Structure Aluminium
	Diffuser Glass
Power	8W
Lumen Output	246lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	90°

Material	Structure Aluminium
	Diffuser Glass
Power	2x8W
Lumen Output	2x827lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz

Material	Structure Aluminium
	Diffuser Glass
Power	12W
Lumen Output	2x850lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz





Aday 113

IP54

IK10



70644	● Structure Matt White ● Diffuser Opal	97,70€
70645	● Structure Dark Grey ● Diffuser Opal	97,70€

Aday 175

IP54

IK10



70646	● Structure Matt White ● Diffuser Opal	129,00€
70647	● Structure Dark Grey ● Diffuser Opal	129,00€

Kaula 100

IP44






70405	● Structure Satin Stainless ● Diffuser Opal	116,10€
-------	--	---------

Material	Structure Aluminium
	Diffuser Glass
Power	2x3W
Lumen Output	2x279lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz

Material	Structure Aluminium
	Diffuser Glass
Power	2x6,5W
Lumen Output	2x508lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz

Material	Structure Stainless Steel 316L
	Diffuser PMMA
Power	2x4,5W
Lumen Output	2x400lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz



outdoor

Surface




Balic Wall
Yembarastudio

IP65 IK06 incl. DIM



70294 ● Structure Black 152,50€
○ Diffuser Prism

Material	Structure Aluminium
	Diffuser Glass
Power	8W
Lumen Output	813/870/896lm
Light Source	SMD LED 2700/ 3000/ 4000K
Class	I
CRI	≥80
Voltage	220V-240V/50/60Hz



outdoor

Surface

2018



Bu-Oh Wall
Estudi Ribaudí

IP65  incl.



71212	● Structure Dark Grey ● Diffuser Opal	163,50€
71215	● Structure Matt White ● Diffuser Opal	160,40€

Material	Structure Aluminium Diffuser PC
Power	12W
Lumen Output	390lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz



Future
Estudi Ribaudí

IP44 IK08 **SEA SIDE SUITABLE**



71516	● Structure Matt White ● Diffuser Opal	68,40€
71517	● Structure Dark Grey ● Diffuser Opal	68,40€

Material	Structure PC Diffuser PC
Power	15W
Light Source	E27 LED
Class	II
Voltage	100V-240V/50/60Hz



outdoor

Surface



Lotus Wall
Estudi Ribaudí

IP65 IK08 incl.



71222	● Structure Matt White ● Diffuser Opal	172,00€
71223	● Structure Dark Grey ● Diffuser Opal	172,00€

Material	Structure Aluminium Diffuser PC
Power	18W
Lumen Output	1700lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz



View
Estudi Ribaudí

IP54 SEA SIDE SUITABLE



71519	● Structure Dark Grey ● Diffuser Opal	68,30€
-------	--	--------

Material	Structure ABS + PC Diffuser PP
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II





Sticker
Lucid Product Design

IP65 IK10  incl.



75540 ● **Structure** Dark Grey
● **Diffuser** Opal 191,10€

Material	Structure Aluminium
	Diffuser PMMA
Power	13W
Lumen Output	770lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz

Ancora
Àlex & Manel Llusçà

IP44





74401 ● **Structure** Dark Grey
● **Diffuser** Opal 72,10€

Material	Structure Aluminium
	Diffuser PC
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I




Beacon
112





Alp 130

IP54  incl.



74450 ● Structure Dark Grey
● Diffuser Opal 141,90€

Axel

IP65  incl.



71273 ● Structure Dark Grey
● Diffuser Transparent 93,50€

Takua

IP65  incl.



71277 ● Structure Dark Grey
● Diffuser Opal 127,50€

71308 ● Structure Matt White
● Diffuser Opal 127,50€

71309 ● Structure Rust Brown
● Diffuser Opal 127,50€




Material	Structure Aluminium
	Diffuser PC
Power	8W
Lumen Output	389lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz

Material	Structure Aluminium
	Diffuser Glass
Power	6W
Lumen Output	428lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz

Material	Structure Aluminium
	Diffuser Glass
Power	10W
Lumen Output	522lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz



Beacon
108




outdoor

Surface




West 1

IP54 IK06



70888 ● Structure Dark Grey
● Diffuser Opal 102,90€

Material	Structure Aluminium
	Diffuser Glass
Light Source	1 E27 LED T45 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I




West 2

IP54 IK06



70899 ● Structure Dark Grey
● Diffuser Opal 82,50€

Material	Structure Aluminium
	Diffuser Glass
Light Source	1 E27 LED T45 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I



outdoor

Surface



Lace

IP54

IK06



70811 ● Structure Dark Grey
● Diffuser Transparent 126,80€

Bruc

IP54

IK10



70828 ● Structure Dark Grey
● Diffuser Opal 175,60€

Ling

IP54

IK06





70812 ● Structure Dark Grey
● Diffuser Transparent 126,80€

70813 ● Structure Matt White
● Diffuser Transparent 126,80€

Material	Structure Aluminium
	Diffuser Glass
Power	2x3W
Lumen Output	2x158lm
Light Source	COB LED 4000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	110°

Material	Structure Aluminium
	Diffuser Glass
Power	13W
Lumen Output	830lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	73°

Material	Structure Aluminium
	Diffuser Glass
Power	2x3W
Lumen Output	2x198lm
Light Source	COB LED 4000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	110°



outdoor

Surface




Tane

IP44  incl.




72269 ● Structure Dark Grey
● Diffuser Opal 88,40€

Material	Structure Aluminium
	Diffuser Glass
Power	2x3,5W
Lumen Output	2x140lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	100°




Lacre

IP54 IK06



70802 ● Structure Dark Grey
● Diffuser Transparent 79,60€

Material	Structure Aluminium
	Diffuser Glass
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I



Canon


IP44  incl.



70566N ● Structure Dark Grey
● Diffuser Transparent 82,10€

70567N ● Structure Matt White
● Diffuser Transparent 85,10€

Material	Structure Aluminium
	Diffuser Glass
Power	4W
Lumen Output	130lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	120°



outdoor

Surface



Log

IP54

IK05



Blind

IP65

IK06



Olan

IP65

IK06



70264 ● **Structure** Dark Grey
● **Diffuser** Opal 125,20€



70267 ● **Structure** Matt White
● **Diffuser** Transparent 133,20€

70268 ● **Structure** Rust Brown
● **Diffuser** Transparent 133,20€

70634 ● **Structure** Dark Grey
● **Diffuser** Transparent 133,20€



70269 ● **Structure** Matt White
● **Diffuser** Transparent 128,60€




70270 ● **Structure** Rust Brown
● **Diffuser** Transparent 128,60€

70637 ● **Structure** Dark Grey
● **Diffuser** Transparent 128,60€

Material	Structure Aluminium Diffuser PC
Power	9W
Lumen Output	467lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz

Material	Structure Aluminium Diffuser Glass
Power	2x3W
Lumen Output	2x161lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz

Material	Structure Aluminium Diffuser Glass
Power	2x3W
Lumen Output	2x127lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz






Nairobi

IP54 IK06 incl.



70832 ● **Structure** Rust Brown 112,90€
● **Diffuser** Transparent

Material	Structure Aluminium
	Diffuser Glass
Power	6W
Lumen Output	380lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz



Sunset


IP54 incl.



70686 ● **Structure** Matt White 105,10€
● **Diffuser** Opal

70687 ● **Structure** Dark Grey 105,10€
● **Diffuser** Opal

Material	Structure Aluminium
	Diffuser Glass
Power	2x3W
Lumen Output	2x208lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz







outdoor

Surface





Luma Wall
Faro Lab

IP65 IK06 SEA SIDE SUITABLE PIR   



74456  **Structure** Dark Grey 197,00€
 **Diffuser** Transparent

Material	Structure Aluminium
	Diffuser PC
Power	5W
Lumen Output	525,5lm
Light Source	LED MODULE 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	120°
Battery	4/6 Charge



A sustainable savings option

Luma optimizes every resource: solar energy to reduce consumption, advanced optics to maximize performance, and a wireless operation that simplifies installation. Technology, design, and sustainability—all in service of efficiency.



Smart motion sensor

Luma's motion sensor offers three modes: permanent on, total off, or 20% light that ramps up to 100% when motion is detected. An intelligent system that enhances comfort, reduces consumption, and extends battery life.

outdoor

Surface




Ele

IP54  incl.



74419 ● Structure Dark Grey
● Diffuser Opal 143,70€

Kerala

IP54  incl.



74453 ● Structure Dark Grey
● Diffuser Transparent 206,00€

Kela

IP54 IK05  incl.






70850 ● Structure Black 167,20€

Material	Structure Aluminium
	Diffuser PC
Power	6W
Lumen Output	450lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	95°

Material	Structure Aluminium
	Diffuser Glass
Power	13W
Lumen Output	824lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz

Material	Structure Aluminium
Power	7W
Lumen Output	265lm
Light Source	SMD LED 2700K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz



outdoor

Surface




Nala

IP54



70773 ● **Structure** Dark Grey
● **Diffuser** Transparent 134,60€

Material	Structure Aluminium
	Diffuser Glass
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I




Tamashi

IP65



71303 ● **Structure** Dark Grey
● **Diffuser** Transparent 90,70€

Material	Structure Aluminium
	Diffuser Glass
Light Source	1 E27 LED ST64 max. 15W
Bulb incl.	No
Recom. Bulb	17428
Class	I




Pomo

IP65 IK06



71306 ● **Structure** Dark Grey
● **Diffuser** Transparent 105,70€

Material	Structure Aluminium
	Diffuser Glass
Light Source	2 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17426
Class	I




Pivot

IP65 IK06 incl.



71305 ● **Structure** Dark Grey
● **Diffuser** Opal 122,90€

Material	Structure Aluminium
	Diffuser Glass
Power	10W
Lumen Output	500lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz



Block 135
Àlex & Manel Lluscà

IP65 IK06 SEA SIDE SUITABLE



74139 ● Structure Grey
● Diffuser Opal 165,40€

Material	Structure Concrete
	Diffuser Glass
Light Source	1 E27 LED G45 max. 15W
Bulb incl.	No
Recom. Bulb	17462
Class	I




Twist Wall
Estudi Ribaudí

IP65 incl.



71285 ● Structure Dark Grey
● Diffuser Opal 194,80€

Material	Structure Aluminium
	Diffuser PC
Power	10W
Lumen Output	500lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz





Mask
Lucid Product Design

IP65 IK06 incl. SEA SIDE SUITABLE



71279 ● Structure Dark Grey
● Diffuser Opal 259,30€

Half
Nahrang



IP65 incl.



71537 ● Structure Dark Grey
● Diffuser Opal 163,00€

Material	Structure Aluminium
	Diffuser Glass
Power	15W
Lumen Output	550lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz

Material	Structure Aluminium
	Diffuser Glass
Power	20W
Lumen Output	1350lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz



outdoor

Surface




Tom 190

IP65 IK10 incl. SEA SIDE SUITABLE



70665 ● Structure Matt White
● Diffuser Opal 47,50€

Material	Structure ABS Diffuser PC
Power	7W
Lumen Output	400lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz




Tom 220

IP65 IK10 incl. SEA SIDE SUITABLE



70682 ● Structure Dark Grey
● Diffuser Opal 64,80€
70683 ● Structure Matt White
● Diffuser Opal 64,80€

Material	Structure ABS Diffuser PC
Power	11W
Lumen Output	600lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz




Kubick

IP44 IK06



70689	● Structure Dark Grey ● Diffuser Opal	104,90€
70715	● Structure Grey ● Diffuser Opal	104,90€

Material	Structure Aluminium Diffuser PC
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I




Hikari

IP65 IK10  incl.



71274	● Structure Dark Grey ● Diffuser Opal	134,70€
-------	--	---------

Material	Structure Aluminium Diffuser PC
Power	10W
Lumen Output	510lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz




Negos

IP54 IK10



70696 ● **Structure** Grey
● **Diffuser** Opal 59,30€

Material	Structure Aluminium Diffuser PC
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I




Bonn

IP44 IK06



70697 ● **Structure** Dark Grey
● **Diffuser** Opal 79,60€

Material	Structure Aluminium Diffuser PC
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I




Natron

IP54 IK06



70887 ● Structure Dark Grey
● Diffuser Opal 104,00€

Material	Structure Aluminium Diffuser Glass
Light Source	1 E27 LED T45 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I




Tejo

IP54



70573 ● Structure Dark Grey
● Diffuser Opal 78,80€
70573B ● Structure Matt White
● Diffuser Opal 78,80€

Material	Structure Aluminium Diffuser PC
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I



Fred 200

IP65 IK10 incl. SEA SIDE SUITABLE



70663	● Structure Dark Grey ● Diffuser Opal	37,40€
70664	● Structure Matt White ● Diffuser Opal	37,40€

Material	Structure ABS Diffuser PC
Power	7W
Lumen Output	546lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz




Fred 245

IP65 IK10 incl. SEA SIDE SUITABLE



70667	● Structure Dark Grey ● Diffuser Opal	58,50€
70668	● Structure Matt White ● Diffuser Opal	58,50€

Material	Structure ABS Diffuser PC
Power	11W
Lumen Output	873lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz



Pol

IP54  incl.



70829 ● Structure Dark Grey
● Diffuser Opal 125,00€

Mol



IP44



70720 ● Structure Dark Grey
● Diffuser Opal 64,50€

Material	Structure Aluminium
	Diffuser PMMA
Power	8W
Lumen Output	550lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz

Material	Structure Aluminium
	Diffuser PC
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I




Kila Wall

IP65



71743	● Structure Dark Grey ● Diffuser Transparent	146,00€
71744	● Structure Dark Grey ● Diffuser Smoked	164,50€
71745	● Structure Dark Grey ● Diffuser Amber	164,50€

Material	Structure Aluminium Diffuser Glass
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I





Tram Wall Estudi Ribaudí

IP44



75533	● Structure Matt White ● Diffuser Opal	85,80€
-------	---	--------

Material	Structure Aluminium Diffuser PMMA
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I



outdoor

Surface



Blubs Wall
Estudi Ribaudí

IP44



74432A-03 ● Structure Dark Grey
● Diffuser Opal 114,40€

Muffin Wall
Àlex & Manel Llusca





IP44



74432A-04 ● Structure Dark Grey
● Diffuser Opal 105,50€

Material	Structure Aluminium
	Diffuser PMMA
Light Source	1 E27 LED T45 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I

Material	Structure Aluminium
	Diffuser PMMA
Light Source	1 E27 LED T45 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I



outdoor

Surface





Mistu Wall
Faro Lab

IP44




74432A-02 ● Structure Dark Grey
● Diffuser Opal 91,80€

Material	Structure Aluminium
	Diffuser PMMA
Light Source	1 E27 LED T45 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I





Moon Wall
Faro Lab

IP44



74432A-01 ● Structure Dark Grey
● Diffuser Opal 106,40€

Material	Structure Aluminium
	Diffuser PMMA
Light Source	1 E27 LED T45 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I





Nautica 370

IP33



71110 **Structure** Rust Brown
 Diffuser Transparent 98,40€

Material	Structure Steel
	Diffuser Glass
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I

Nautica 280

IP33



71128 **Structure** Rust Brown
 Diffuser Transparent 90,40€



Material	Structure Steel
	Diffuser Glass
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I



Pole
168



Suspended
292




Nautica 350

IP33



71129 **Structure** Rust Brown
 Diffuser Transparent 131,70€

Material	Structure Steel
	Diffuser Glass
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I




Wally

IP44



74261 **Structure** Rust Brown
 Diffuser Transparent 90,70€

Material	Structure Steel
	Diffuser Glass
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I




Cabo

IP44 IK05



70998 ● Structure Brass ● Diffuser Transparent 122,00€

Material	Structure Brass
	Diffuser Glass
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I




Borda

IP44




70997 ● Structure Brass ● Diffuser Transparent 119,90€

Material	Structure Brass
	Diffuser Glass
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I




Nahir

IP44



70992 ● Structure Brass ● Diffuser Transparent 171,80€

Material	Structure Brass
	Diffuser Glass
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I



outdoor

Surface




Timon

IP44



70996 Structure Brass
 Diffuser Transparent 143,70€

Material	Structure Brass
	Diffuser Glass
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I




Noray

IP44 IK03



70999 Structure Brass
 Diffuser Transparent 122,00€

Material	Structure Brass
	Diffuser Glass
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I



outdoor

Surface



Pill

IP54

IK06



Drak

IP44

IK08




SEA SIDE
SUITABLE

Brow


IP44



70824	● Structure Matt White ● Diffuser Opal	82,80€
70825	● Structure Dark Grey ● Diffuser Opal	82,80€
70826	● Structure Rust Brown ● Diffuser Opal	82,80€



72330	● Structure Brass ● Diffuser Transparent	91,90€
-------	---	--------






70408	● Structure Matt White ● Diffuser Opal	41,20€
70409	● Structure Dark Grey ● Diffuser Opal	41,20€

Material	Structure Aluminium Diffuser Glass
Power	3,5W
Lumen Output	156lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz

Material	Structure Aluminium Diffuser PMMA
Power	4,5W
Lumen Output	160lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz

Material	Structure PC Diffuser PMMA
Power	3W
Lumen Output	145lm
Light Source	COB LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50Hz



outdoor

Surface



Brow 70409

405

Dune R

IP65

IK07



SEA SIDE
SUITABLE



Dune SQ

IP65

IK07



SEA SIDE
SUITABLE




Dune RCT

IP65

IK07




SEA SIDE
SUITABLE




NEW

71960	● Structure Dark Grey ● Diffuser Transparent	84,00€
71961	● Structure Matt White ● Diffuser Transparent	84,00€
71962	● Structure Rust Brown ● Diffuser Transparent	84,00€



NEW

71963	● Structure Dark Grey ● Diffuser Transparent	84,00€
71964	● Structure Matt White ● Diffuser Transparent	84,00€
71965	● Structure Rust Brown ● Diffuser Transparent	84,00€






NEW

71966	● Structure Dark Grey ● Diffuser Transparent	104,00€
71967	● Structure Matt White ● Diffuser Transparent	104,00€
71968	● Structure Rust Brown ● Diffuser Transparent	104,00€

Material	Structure Aluminium Diffuser PC
Power	3W
Lumen Output	91/100/105/115lm
Light Source	SMD LED 2200/ 2700/ 3200/ 4000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	120°

Material	Structure Aluminium Diffuser PC
Power	3W
Lumen Output	91/98/103/112lm
Light Source	SMD LED 2200/ 2700/ 3200/ 4000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	120°

Material	Structure Aluminium Diffuser PC
Power	6W
Lumen Output	111/121/127/139lm
Light Source	SMD LED 2200/ 2700/ 3200/ 4000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	120°



outdoor

Surface



Grant R

IP65

IK10




SEA SIDE
SUITABLE



70656 ● Structure Dark Grey 45,50€
● Diffuser Transparent

Material	Structure ABS
	Diffuser PC
Power	1W
Lumen Output	65lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	120°



Grant SQ

IP65

IK10




SEA SIDE
SUITABLE



70655 ● Structure Dark Grey 45,50€
● Diffuser Transparent

Material	Structure ABS
	Diffuser PC
Power	1W
Lumen Output	65lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	120°



Path

IP44


IK06



70501 ● Structure Matt White 100,00€
● Diffuser Transparent

70508 ● Structure Dark Grey 100,00€
● Diffuser Transparent

Material	Structure Aluminium
	Diffuser PC
Power	9W
Lumen Output	590lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz





Grada 157

IP54

IK10



70906	● Structure Dark Grey ● Diffuser Opal	92,90€
70907	● Structure Rust Brown ● Diffuser Opal	94,60€

Grada 250

IP54

IK10



70908	● Structure Dark Grey ● Diffuser Opal	120,10€
70909	● Structure Rust Brown ● Diffuser Opal	122,40€

Grada 600

IP54

IK10






70910	● Structure Dark Grey ● Diffuser Opal	199,70€
-------	--	---------

Material	Structure Aluminium
	Diffuser Glass
Power	3W
Lumen Output	43lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz

Material	Structure Aluminium
	Diffuser Glass
Power	6W
Lumen Output	97lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz

Material	Structure Aluminium
	Diffuser Glass
Power	12W
Lumen Output	230lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz





Must 96

IP65

IK10



SEA SIDE
SUITABLE



70657 ● Structure Dark Grey
● Diffuser Transparent 44,90€

Must 158

IP65

IK10



SEA SIDE
SUITABLE



70658 ● Structure Dark Grey
● Diffuser Transparent 51,10€

Must 217

IP65

IK10



SEA SIDE
SUITABLE






70659 ● Structure Dark Grey
● Diffuser Transparent 53,80€

Material	Structure ABS
	Diffuser PC
Power	2W
Lumen Output	101lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz

Material	Structure ABS
	Diffuser PC
Power	3W
Lumen Output	161lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz

Material	Structure ABS
	Diffuser PC
Power	4W
Lumen Output	276lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz







OUTDOOR

LIGHTING

RECESSED

Falls 500


IP67 IK09 no incl. incl.



71736 2700K 352lm	● Structure Satin Stainless ● Diffuser Opal	330,00€
71737 3000K 363lm	● Structure Satin Stainless ● Diffuser Opal	330,00€


Material	Structure Stainless Steel 316L
	Diffuser Glass
Power	12W
Light Source	SMD LED
Class	III
CRI	≥90
Voltage	24VDC
Cut out	520x53x100mm
Resistance	1000Kg

*Drivers info pag. 478



Falls 500 Orientable


IP67 IK09 no incl. incl.



71733	● Structure Satin Stainless ● Diffuser Transparent	410,00€
--------------	---	----------------

Material	Structure Stainless Steel 316L
	Diffuser Glass
Power	16W
Lumen Output	1413lm
Light Source	SMD LED 3000K
Class	III
CRI	≥90
Voltage	24VDC
Beam angle	30x60°
Cut out	520x53x100mm
Resistance	1000Kg

*Drivers info pag. 478



30x60° 1413lm


outdoor

Recessed



Geiser 130 Wallwasher

IP67 IK08 incl. SEA SIDE SUITABLE incl.



70311 ● Structure Satin Stainless 168,00€

Geiser 180 Wallwasher



IP67 IK08 incl. SEA SIDE SUITABLE incl.



70312 ● Structure Satin Stainless 241,30€

Material	Structure Stainless Steel 316L + Aluminium
Power	7,5W
Lumen Output	283lm
Light Source	COB LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Cut out	ø120x130mm
Resistance	1000Kg

Material	Structure Stainless Steel 316L + Aluminium
Power	12,5W
Lumen Output	464lm
Light Source	COB LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Cut out	ø164x190mm
Resistance	1000Kg




outdoor

Recessed




Geiser 130



70302 10° 370lm	● Structure Satin Stainless + Matt Black ● Diffuser Transparent	185,30€
70303 38° 393lm	● Structure Satin Stainless + Matt Black ● Diffuser Transparent	185,30€





Material	Structure Stainless Steel 316L + Aluminium Diffuser Glass
Power	6,5W
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz
Cut out (mm)	ø90x135mm
Resistance	2000Kg

Geiser 180



70308 10° 1066lm	● Structure Satin Stainless ● Diffuser Transparent	270,80€
70309 38° 968lm	● Structure Satin Stainless ● Diffuser Transparent	270,80€

Material	Structure Stainless Steel 316L + Aluminium Diffuser Glass
Power	12,5W
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Cut out (mm)	ø165x190mm
Resistance	2000Kg



outdoor

Recessed



Geiser 130 GU10

IP67 IK08 SEA SIDE SUITABLE 25° 20° incl.



70310 ● Structure Satin Stainless 131,40€
● Diffuser Transparent

Material	Structure Stainless Steel 316L + Aluminium Diffuser Glass
Light Source	1 GU10 LED PAR16 max. 8W
Bulb incl.	No
Recom. Bulb	17334
Class	I
Cut out	ø125x135mm
Resistance	2000Kg

Geiser 260




IP67 IK08 incl. SEA SIDE SUITABLE 20° incl.



70306 ● Structure Satin Stainless + Matt Black 484,60€
● Diffuser Transparent 10° 1997lm

70307 ● Structure Satin Stainless + Matt Black 484,60€
● Diffuser Transparent 38° 1800lm

Material	Structure Stainless Steel 316L + Aluminium Diffuser Glass
Power	29W
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Cut out (mm)	ø200x265mm
Resistance	2000Kg




outdoor

Recessed



Geiser 130 Ceiling


IP67 IK08 incl. SEA SIDE SUITABLE no incl.



70305 ● Structure Satin Stainless + Matt Black
● Diffuser Transparent 183,20€

Geiser 130 GU10 Ceiling




IP67 IK08 SEA SIDE SUITABLE 40° no incl.



70304 ● Structure Satin Stainless + Matt Black
● Diffuser Transparent 131,40€

Material	Structure Stainless Steel 316L + Aluminium
	Diffuser Glass
Power	6,5W
Lumen Output	242lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	38°
Cut out	ø80x120mm

Material	Structure Stainless Steel 316L + Aluminium
	Diffuser Glass
Light Source	1 GU10 LED PAR16 max. 8W
Bulb incl.	No
Recom. Bulb	17324
Class	I
Cut out	ø80x120mm




outdoor

Recessed





Suria 120

IP67 IK08 incl. SEA SIDE SUITABLE incl.



70588 24° 319lm	●● Structure Satin Stainless + Matt Black ● Diffuser Transparent	121,10€
70592N 60° 272lm	●● Structure Satin Stainless + Matt Black ● Diffuser Transparent	121,10€

Material	Structure Stainless Steel 316L + Aluminium
	Diffuser Glass
Power	3W
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Cut out (mm)	ø100x95mm
Resistance	1000Kg





Suria 180

IP67 IK08 incl. SEA SIDE SUITABLE incl.



70589 24° 981lm	●● Structure Satin Stainless + Matt Black ● Diffuser Transparent	233,90€
70593N 60° 1144lm	●● Structure Satin Stainless + Matt Black ● Diffuser Transparent	233,90€

Material	Structure Stainless Steel 316L + Aluminium
	Diffuser Glass
Power	12W
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Cut out (mm)	ø165x125mm
Resistance	1000Kg



outdoor

Recessed




Suria 220

IP67 IK08 incl. SEA SIDE SUITABLE incl.



70586 24° 2200lm	●● Structure Satin Stainless + Matt Black ● Diffuser Transparent	306,80€
70587 60° 1270lm	●● Structure Satin Stainless + Matt Black ● Diffuser Transparent	306,80€

Material	Structure Stainless Steel 316L + Aluminium Diffuser Glass
Power	24W
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Cut out (mm)	ø200x130mm
Resistance	1000Kg





outdoor

Recessed


Grund 21

IP67

IK07





SEA SIDE
SUITABLE



70851 2700K 37lm	● Structure Brushed Stainless Steel ● Diffuser Transparent	53,20€
70852 2700K 38,4lm	● Structure Black ● Diffuser Transparent	53,20€
70853 3000K 37lm	● Structure Brushed Stainless Steel ● Diffuser Transparent	53,20€
70854 3000K 38,4lm	● Structure Black ● Diffuser Transparent	53,20€

Material	Structure Stainless Steel
	Diffuser Glass
Power	1W
Light Source	LED MODULE
Class	III
CRI	92
Voltage	24VDC
Voltage	220
Beam angle	36°
Cut out	16mm
Resistance	1000Kg

*Drivers info pag. 478




Grund 37

IP67





SEA SIDE
SUITABLE



70726 3000K 110lm	● Structure Satin Stainless + Matt Black ● Diffuser Transparent	84,40€
70730 3000K 110lm	● Structure Anodized Black + Matt Black ● Diffuser Transparent	84,40€
70733 2700K 77lm	● Structure Satin Stainless ● Diffuser Transparent	84,40€
70735 2700K 77lm	● Structure Anodized Black ● Diffuser Transparent	84,40€

Material	Structure Stainless Steel 316L + Aluminium
	Diffuser Glass
Power	2W
Light Source	SMD LED
Class	III
CRI	>90
Beam angle	15°
Cut out	ø32mm
Resistance	1000Kg

*Drivers info pag. 478





Grund 80



IP67 no incl. SEA SIDE SUITABLE incl.



70731 3000K 420lm	●● Structure Anodized Black + Anodized Black ● Diffuser Transparent	146,00€
70736 2700K 191lm	●● Structure Anodized Black ● Diffuser Transparent	146,00€
70728 3000K 272lm	●● Structure Satin Stainless + Matt Black ● Diffuser Transparent	146,00€
70734 2700K 191lm	●● Structure Satin Stainless ● Diffuser Transparent	146,00€


Material	Structure Stainless Steel 316L + Aluminium
	Diffuser Glass
Power	7W
Light Source	COB LED
Class	III
CRI	>90
Beam angle	36°
Cut out	ø60mm
Resistance	1000Kg

*Drivers info pag. 478



Grund 92



IP67 no incl. SEA SIDE SUITABLE incl.



70732 3000K 640lm	●● Structure Anodized Black + Matt Black ● Diffuser Transparent	177,60€
70729 3000K 640lm	●● Structure Satin Stainless + Matt Black ● Diffuser Transparent	177,60€

Material	Structure Stainless Steel 316L + Aluminium
	Diffuser Glass
Power	13W
Light Source	COB LED
Class	III
CRI	>90
Beam angle	36°
Cut out	ø68mm
Resistance	1000Kg

*Drivers info pag. 478



outdoor

Recessed




Grund 80 Wallwasher

IP67

IK07




SEA SIDE
SUITABLE



70856 2700K 221lm	● Structure Black ● Diffuser Transparent	149,20€
70858 3000K 411lm	● Structure Black ● Diffuser Transparent	188,80€
70855 2700K 214lm	● Structure Brushed Stainless Steel ● Diffuser Transparent	149,20€
70857 3000K 400lm	● Structure Brushed Stainless Steel ● Diffuser Transparent	188,80€

Material	Structure Aluminium Diffuser Glass
Power	7W
Light Source	LED MODULE
Class	III
CRI	92
Voltage	24VDC
Cut out	60mm
Resistance	1000Kg

*Drivers info pag. 478




Grund 92 Wallwasher

IP67

IK07




SEA SIDE
SUITABLE



70860 2700K 221lm	● Structure Black ● Diffuser Transparent	149,20€
70862 3000K 411lm	● Structure Black ● Diffuser Transparent	188,80€
70859 2700K 214lm	● Structure Brushed Stainless Steel ● Diffuser Transparent	149,20€
70861 3000K 400lm	● Structure Brushed Stainless Steel ● Diffuser Transparent	188,80€

Material	Structure Aluminium Diffuser Glass
Power	13W
Light Source	LED MODULE
Class	III
CRI	92
Voltage	24VDC
Cut out	68mm
Resistance	1000Kg

*Drivers info pag. 478




outdoor

Recessed



Grund Trimless

IP67 IK07  




70740 **Structure** Black
 Diffuser Transparent 135,00€

Material	Structure Aluminium
	Diffuser Glass
Power	3W
Lumen Output	164,7lm
Light Source	COB LED 2700K
Class	III
CRI	>90
Voltage	24VDC
Beam angle	36°
Cut out	50mm
Resistance	1000Kg

Grund GU10

IP67 IK08 SEA SIDE SUITABLE 





70870 **Structure** Satin Aluminium
 Diffuser Transparent 99,80€

70871 **Structure** Anodized Black
 Diffuser Transparent 99,80€

Material	Structure Stainless Steel
	Diffuser Glass
Light Source	1 GU10 LED max. 5W
Bulb incl.	No
Recom. Bulb	17334
Class	II
Cut out	76mm
Resistance	1000Kg

*Drivers info pag. 478






outdoor

Recessed





Tras 2L Orientable


IP67 IK08  no incl.
 60° no incl.



71701 ● Structure Matt Black 139,50€
 ● Diffuser Transparent



Tras 4L


IP67 IK09  no incl.  no incl.



71702 ● Structure Matt Black 130,80€
 ● Diffuser Transparent

Tras 25L

IP67 IK10  no incl.  incl.



71716 ● Structure Matt Black 363,60€
 13° 2580lm ● Diffuser Transparent

71717 ● Structure Matt Black 356,50€
 40° 2580lm ● Diffuser Transparent

Material	Structure Aluminium
	Diffuser Glass
Power	4W
Lumen Output	270lm
Light Source	SMD LED 3000K
Class	III
CRI	≥90
Voltage	24VDC
Beam angle	13°
Cut out	175x195x127mm

Material	Structure Aluminium
	Diffuser Glass
Power	8W
Lumen Output	639lm
Light Source	SMD LED 3000K
Class	III
CRI	≥90
Voltage	24VDC
Beam angle	13°
Cut out	175x195x127mm

Material	Structure Aluminium + ABS
	Diffuser Glass
Power	25W
Lumen Output	2580lm
Light Source	SMD LED 3000K
Class	III
CRI	≥90
Voltage	24VDC
Cut out	250x235x105mm

*Drivers info pag. 478

*Drivers info pag. 478








*Drivers info pag. 478



Tras Housing

71703 ● Black 36,60€

Material Structure ABS




outdoor

Recessed

Kane 1



IP67 no incl. SEA SIDE SUITABLE
incl.



70660 3000K 18,7lm	● Structure Satin Stainless ● Diffuser Opal	39,60€
70660W 2700K 18,7lm	● Structure Satin Stainless ● Diffuser Transparent	39,60€


Material	Structure Stainless Steel 316L
	Diffuser Glass
Power	3W
Light Source	COB LED
Class	III
CRI	>80
Voltage	24VDC
Beam angle	120°
Cut out	ø40mm
Resistance	1000Kg

*Drivers info pag. 478



Kane 2



IP67 no incl. SEA SIDE SUITABLE
incl.



70661 3000K 20,7lm	● Structure Satin Stainless ● Diffuser Opal	40,90€
70661W 2700K 20,7lm	● Structure Satin Stainless ● Diffuser Transparent	40,90€


Material	Structure Stainless Steel 316L
	Diffuser Glass
Power	3W
Light Source	COB LED
Class	III
CRI	>80
Voltage	24VDC
Beam angle	120°
Cut out	ø40mm
Resistance	1000Kg

*Drivers info pag. 478



Kane 3



IP67 no incl. SEA SIDE SUITABLE
incl.



70662 3000K 17,6lm	● Structure Satin Stainless ● Diffuser Opal	42,90€
70662W 2700K 17,6lm	● Structure Satin Stainless ● Diffuser Transparent	42,90€

Material	Structure Stainless Steel 316L
	Diffuser Glass
Power	3W
Light Source	COB LED
Class	III
CRI	>80
Voltage	24VDC
Beam angle	120°
Cut out	ø40mm
Resistance	1000Kg


*Drivers info pag. 478





Crosby 24V


IP67 no incl. SEA SIDE SUITABLE incl.



70453 ● Structure Satin Stainless + Matt Black
● Diffuser Opal 121,50€

Crosby

IP67 incl. SEA SIDE SUITABLE incl.







70459N ● Structure Satin Stainless + Matt Black
● Diffuser Opal 119,90€

Material	Structure Stainless Steel 316L + Aluminium
	Diffuser Glass
Power	0,7W
Lumen Output	12lm
Light Source	SMD LED 3000K
Class	III
CRI	>80
Voltage	24VDC
Beam angle	120°
Cut out	ø90x156mm

Material	Structure Stainless Steel 316L + Aluminium
	Diffuser Glass
Power	1W
Lumen Output	12lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	120°
Cut out	ø80x100mm

*Drivers info pag. 478



Led18 R


IP67 IK08 incl. SEA SIDE SUITABLE incl.



71498N ● Structure Satin Stainless
● Diffuser Opal 104,90€

Led18 SQ



IP67 IK08 incl. SEA SIDE SUITABLE incl.



71499N ● Structure Satin Stainless
● Diffuser Opal 121,90€


Material	Structure Stainless Steel 316L + Aluminium
	Diffuser Glass
Power	3W
Lumen Output	51lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz
Cut out	ø90x65mm
Resistance	1000Kg

Material	Structure Stainless Steel 316L + Aluminium
	Diffuser Glass
Power	3W
Lumen Output	192lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz
Cut out	80x70x80mm
Resistance	1000Kg




Taro

IP67  incl. SEA SIDE SUITABLE  incl.



70449  **Structure** Satin Stainless 182,50€
 **Diffuser** Transparent

Tecno




IP67 IK08  SEA SIDE SUITABLE  incl.



71489N  **Structure** Satin Stainless 83,10€
 **Diffuser** Transparent

Material	Structure Stainless Steel 316L + Aluminium
	Diffuser Glass
Power	7W
Lumen Output	280lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	30°
Cut out	ø90x135mm
Resistance	600Kg

Material	Structure Stainless Steel 316L + Aluminium
	Diffuser Glass
Power	8W
Light Source	GU10 LED
Class	I
Voltage	100V-240V/50/60Hz
Cut out	ø100x125mm
Resistance	2000Kg



outdoor

Recessed




Salt Asymm

IP67

IK08



SEA SIDE
SUITABLE



70591

● Structure Satin Stainless + Matt Black
● Diffuser Transparent

253,60€

Curtis Asymm

IP67



SEA SIDE
SUITABLE





70462N

● Structure Satin Stainless + Matt Black
● Diffuser Transparent

128,30€

Material	Structure Stainless Steel 316L + Aluminium
	Diffuser Glass
Power	9W
Lumen Output	961lm
Light Source	COB LED 3000K
Class	I
CRI	≥80
Voltage	100V-240V/50/60Hz
Beam angle	45°
Cut out	ø180x122mm
Resistance	2000Kg

Material	Structure Aluminium
	Diffuser Glass
Power	2W
Lumen Output	180lm
Light Source	COB LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Cut out	ø80x100mm




outdoor

Recessed



Nok 44

IP68 IK06 no incl. incl. sub



70443 ● Structure Satin Stainless 195,10€
● Diffuser Transparent

Nok 68

IP68 IK08 no incl. incl. sub



70444 ● Structure Satin Stainless 280,40€
● Diffuser Transparent

Edel

IP68 no incl. incl. sub



70455 ● Structure Satin Stainless 408,90€
● Diffuser Opal

Material	Structure Stainless Steel 316L
	Diffuser Glass
Power	3W
Lumen Output	196lm
Light Source	SMD LED 4000K
Class	III
CRI	>80
Voltage	24VDC
Voltage	3V
Beam angle	30°
Cut out	ø234mm







Material	Structure Stainless Steel 316L
	Diffuser Glass
Power	5W
Lumen Output	348lm
Light Source	SMD LED 4000K
Class	III
CRI	>80
Voltage	24VDC
Voltage	3V
Beam angle	30°
Cut out	ø230mm

Material	Structure Stainless Steel 316L + ABS
	Diffuser Glass
Power	18W
Lumen Output	600lm
Light Source	SMD LED 4000K
Class	III
CRI	85
Voltage	24VDC
Beam angle	25°
Cut out	ø156mm

*Drivers info pag. 478

*Drivers info pag. 478

*Drivers info pag. 478



outdoor

Recessed



Dart SQ

IP65

IK06




70272 2700K 86lm	● Structure Matt White ● Diffuser Transparent	82,00€
70273 2700K 86lm	● Structure Matt Black ● Diffuser Transparent	82,00€
70272N 3000K 83lm	● Structure Matt White ● Diffuser Transparent	82,00€
70273N 3000K 83lm	● Structure Matt Black ● Diffuser Transparent	82,00€



Material	Structure PC
	Diffuser Glass
Power	2W
Light Source	SMD LED
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	100°
Cut out	ø68mm



Dart Box SQ		
70274	● White	24,20€
Material	Structure PC	



Dart Box SQ Recessed		
70276	● Black	15,80€
Material	Structure PC	



Dart RCT

IP65

IK06




70277 2700K 199lm	● Structure Matt White ● Diffuser Transparent	111,40€
70278 2700K 199lm	● Structure Matt Black ● Diffuser Transparent	111,40€
70277N 3000K 207lm	● Structure Matt White ● Diffuser Transparent	111,40€
70278N 3000K 207lm	● Structure Matt Black ● Diffuser Transparent	111,40€



Material	Structure PC
	Diffuser Glass
Power	5W
Light Source	SMD LED
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	100°
Cut out	160x68mm



Dart Box RCT		
70280	● Black	31,40€
70279	● White	31,40€
Material	Structure PC	



Dart Box RCT Recessed		
70281	● Black	16,90€
Material	Structure PC	




outdoor

Recessed




Poma

IP65 IK07 incl. SEA SIDE SUITABLE DIM incl.



71969 **Structure** Dark Grey 89,00€
 Diffuser Transparent

Material	Structure Aluminium Diffuser PC
Power	3W
Lumen Output	85/89/92/95lm
Light Source	SMD LED 2200/ 2700/ 3200/ 4000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	120°
Cut out	114mm




Mani

IP65 IK07 incl. DIM



70288 **Structure** White 104,00€
 Diffuser Transparent
 70289 **Structure** Dark Grey 104,00€
 Diffuser Transparent

Material	Structure Aluminium Diffuser PC
Power	5W
Lumen Output	722lm
Light Source	SMD LED 2200/ 2700/ 3200/ 4000K
Class	I
CRI	≥80
Voltage	220V-240V/50/60Hz
Cut out	66x140mm
Cable	0.3m





outdoor

Recessed




Nat

IP65 IK06  






70271	● Structure Matt White ● Diffuser Transparent	102,00€
70638	● Structure Dark Grey ● Diffuser Transparent	102,00€

Material	Structure Aluminium Diffuser PC
Power	8W
Lumen Output	496lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz
Cut out	215x65x70mm




Spark

IP65 IK10  



70162	● Structure Dark Grey ● Diffuser Opal	82,10€
70163	● Structure Matt White ● Diffuser Opal	82,10€

Material	Structure Aluminium Diffuser PC
Power	5W
Lumen Output	277lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Cut out	95x55x60mm



Nase SQ

IP44  



70395	● Structure Matt White ● Diffuser Transparent	53,50€
70398	● Structure Dark Grey ● Diffuser Transparent	53,50€

Nase RCT





IP44  



70396	● Structure Matt White ● Diffuser Transparent	56,60€
70399	● Structure Dark Grey ● Diffuser Transparent	56,60€

Material	Structure Aluminium Diffuser PC
Power	3W
Lumen Output	109lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	120°
Cut out	92x87x80mm

Material	Structure Aluminium Diffuser PC
Power	3W
Lumen Output	84lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	120°
Cut out	132x90x80mm



Racing

IP44



70403 ● **Structure** Dark Grey
● **Diffuser** Transparent 40,20€

Carter





IP44



70402 ● **Structure** Dark Grey
● **Diffuser** Transparent 40,20€

Material	Structure Aluminium
	Diffuser PC
Power	1W
Lumen Output	18lm
Light Source	SMD LED 4000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	45°
Cut out	ø76mm

Material	Structure Aluminium
	Diffuser PC
Power	1W
Lumen Output	18lm
Light Source	SMD LED 4000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	45°
Cut out	ø76mm



outdoor

Recessed



Soun 105

IP65

IK06



70833	● Structure Dark Grey ● Diffuser Transparent	106,20€
70834	● Structure Matt White ● Diffuser Transparent	106,20€

Soun 193

IP65

IK06




70900	● Structure Dark Grey ● Diffuser Transparent	140,30€
70901	● Structure Matt White ● Diffuser Transparent	140,30€

Til

IP65

IK01








70928	● Structure Black ● Diffuser Transparent	69,50€
70929	● Structure Rust Brown ● Diffuser Transparent	69,50€
70927	● Structure White ● Diffuser Transparent	69,50€

Material	Structure Aluminium
	Diffuser Glass
Power	4,5W
Lumen Output	200lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	120°
Cut out	220x950x655mm

Material	Structure Aluminium
	Diffuser Glass
Power	8W
Lumen Output	630lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	120°
Cut out	183x225x70mm

Material	Structure Aluminium
	Diffuser Glass
Power	3W
Lumen Output	77lm
Light Source	COB LED 2700K
Class	III
CRI	>90
Voltage	24VDC
Cut out	37x96mm



outdoor

Recessed



Sedna SQ 90

IP65

IK06



incl.

incl.



70146

● Structure Dark Grey
● Diffuser Opal

60,20€

Sedna RCT

IP65

IK06



incl.

incl.



70147

● Structure Dark Grey
● Diffuser Opal

74,90€

Sedna SQ 140

IP65

IK06



incl.

incl.



70148







● Structure Dark Grey
● Diffuser Opal

89,10€

Material	Structure Aluminium
	Diffuser PC
Power	1W
Lumen Output	38lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	70°
Cut out	80x75mm

Material	Structure Aluminium
	Diffuser PC
Power	3W
Lumen Output	90lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	70°
Cut out	125x58mm

Material	Structure Aluminium
	Diffuser PC
Power	3W
Lumen Output	90lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	70°
Cut out	128x112mm



outdoor

Recessed



Dang


IP67 no incl. SEA SIDE SUITABLE incl.



70446 ● Structure Satin Stainless
● Diffuser Transparent 120,50€

Uve

IP44 incl. incl.







70397 ● Structure Dark Grey
● Diffuser Transparent 42,20€

Material	Structure Stainless Steel 316L + Glass
	Diffuser Glass
Power	3W
Lumen Output	48lm
Light Source	COB LED 3000K
Class	III
CRI	>80
Voltage	24VDC
Beam angle	40°
Cut out	ø63x115mm

Material	Structure Aluminium
	Diffuser PC
Power	2W
Lumen Output	20lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	120°
Cut out	ø78mm

*Drivers info pag. 478






outdoor

Recessed

Frol

IP65



70135

● Structure Satin Nickel
● Diffuser Opal

35,70€

Gron

IP65





70134

● Structure Satin Nickel
● Diffuser Opal

39,90€

Material	Structure Stainless Steel 304
	Diffuser PC
Power	1W
Lumen Output	113lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Cut out	92x92x50mm

Material	Structure Stainless Steel 304
	Diffuser PC
Power	1W
Lumen Output	114lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Cut out	105x66x50mm



outdoor

Recessed




Stripe Grid

IP54 IK07  incl.





72094	● Structure Matt White ● Diffuser Opal	52,30€
72095	● Structure Dark Grey ● Diffuser Opal	52,30€

Material	Structure Aluminium Diffuser PC
Power	5W
Lumen Output	70lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Cut out	230x89mm




Stripe

IP54 IK07  incl.  incl.



72092	● Structure Dark Grey ● Diffuser Opal	51,30€
72093	● Structure Matt White ● Diffuser Opal	50,30€

Material	Structure Aluminium Diffuser PC
Power	5W
Lumen Output	89lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Cut out	230x89mm

























outdoor

Recessed





BULBS





GU10 LED

Ref.		Power	Flux	Color T	CRI	Beam Angle	Dimm	Useful life	Width	Height	IEE	
		(W)	(Lm)	(K)				(H)	(mm/in)	(mm/in)		
17330		7W	500lm	3000K	≥80	38°		15.000h	ø50/2"	55/2.2"	E	8,50€
17333		5W	440lm	2700K	≥80	60°		15.000h	ø50/2"	50/2"	F	8,20€
17309		7W	545lm	3000K	≥90	40°		25.000h	ø50/2"	54/2.1"	G	11,70€
17320		7,5W	604lm	2700K	≥80	60°		25.000h	ø50/2"	54/2.1"	G	11,40€
17318		8W	563lm	2700K	≥80	38°		25.000h	ø50/2"	54/2.1"	G	13,40€
17316		7W	632lm	2700K	≥80	38°		25.000h	ø50/2"	54/2.1"	F	11,40€
17319		8W	560lm	4000K	≥80	38°		25.000h	ø50/2"	54/2.1"	G	13,40€
17321		8W	662lm	4000K	≥80	60°		25.000h	ø50/2"	54/2.1"	F	11,40€
17335 NEW		5W	504lm	2700K	≥90	38°		15.000h	ø50/2"	54/2.1"	E	8,20€
17334		5W	440lm	2700K	≥80	60°		15.000h	ø50/2"	50/2"	F	8,20€
17337 NEW		5W	493lm	3000K	≥90	38°		15.000h	ø50/2"	54/2.1"	E	8,20€
17336 NEW		5W	493lm	3000K	≥90	60°		15.000h	ø50/2"	54/2.1"	E	8,20€
17331		8W	560lm	2700K	≥80	60°		25.000h	ø50/2"	54/2.1"	G	13,40€
17324		8W	629lm	2700K	≥80	60°		25.000h	ø50/2"	54/2.1"	F	11,40€
17332		8,7W	671lm	4000K	≥80	60°		25.000h	ø50/2"	54/2.1"	G	13,40€
17325		7W	610lm	4000K	≥80	25°		25.000h	ø50/2"	54/2.1"	F	11,40€
17328		7W	560lm	2700K	≥80	120°		15.000h	ø50/2"	55/2.2"	F	6,20€
17329		7W	560lm	4000K	≥80	120°		15.000h	ø50/2"	55/2.2"	F	6,20€











MR11 GU10

Ref.		Power	Flux	Color T	CRI	Beam Angle	Dimm	Useful life	Width	Height	IEE	
		(W)	(Lm)	(K)				(H)	(mm/in)	(mm/in)		
17537 NEW		MR11	3W	220lm	2700K	≥80	38°	15.000h	ø35/1.4"	47/1.9"	F	6,00€
17538 NEW		MR11	3W	230lm	3000K	≥80	38°	15.000h	ø35/1.4"	47/1.9"	F	6,00€


















G9 LED

Ref.		Power	Flux	Color T	CRI	Beam Angle	Dimm	Useful life	Diffuser	Width	Height	IEE	
		(W)	(Lm)	(K)				(H)		(mm/in)	(mm/in)		
17443		3,5W	350lm	2700K	≥80	360°		15.000h	Transparent Glass	ø16/0.6"	50/2"	F	9,40€
17468		3,5W	350lm	2700K	≥80	360°		15.000h	Transparent Glass	ø16/0.6"	50/2"	F	10,30€
17444		3,5W	350lm	4000K	≥80	360°		15.000h	Transparent Glass	ø16/0.6"	50/2"	F	9,40€
17495		4W	470lm	3000K	≥80	360°		15.000h	Transparent Glass	ø14/0.6"	65/2.6"	E	9,80€
17466		4,5W	450lm	2700K	≥80	360°		15.000h	Transparent Glass	ø16/0.6"	60/2.4"	F	10,00€


























E14

Ref.		Power	Flux	Color T	CRI	Beam Angle	Dimm	Useful life	Diffuser	Width	Height	IEE	
		(W)	(Lm)	(K)				(H)		(mm/in)	(mm/in)		
17427		C35	2W	160lm	2200K	≥80	360°	15.000h	Transparent Glass	ø36/1.4"	100/3.9"	G	6,20€
17533		C35	4W	300lm	2200K	>90	360°	15.000h	Opal Glass	ø35/1.4"	100/3.9"	G	6,50€
17460		C35	4W	400lm	2700K	≥80	360°	15.000h	Opal Glass	ø35/1.4"	100/3.9"	F	6,50€
17534		C35	4W	400lm	3000K	≥90	360°	15.000h	Opal Glass	ø35/1.4"	100/3.9"	F	6,50€
17413		G45	2W	160lm	2200K	≥80	360°	15.000h	Amber Glass	ø45/1.8"	78/3.1"	G	6,20€
17526		G45	4W	300lm	2200K	≥90	360°	15.000h	Opal Glass	ø45/1.8"	78/3.1"	G	6,50€
17461		G45	4W	390lm	2700K	≥80	360°	15.000h	Opal Glass	ø45/1.8"	78/3.1"	F	6,50€
17527		G45	4W	400lm	3000K	≥90	360°	15.000h	Opal Glass	ø45/1.8"	78/3.1"	F	6,50€
17519		G45	4,5W	400lm	2700K	≥80	360°	15.000h	Opal Glass	ø45/1.8"	78/3.1"	F	8,60€
17446		T26	1W	120lm	2700K	≥80	360°	15.000h	Transparent Glass	ø25/1"	58/2.3"	E	5,20€















E27 LED

Ref.		Power	Flux	Color T	CRI	Beam Angle	Dimm	Useful life	Diffuser	Width	Height	IEE	
		(W)	(Lm)	(K)				(H)		(mm/in)	(mm/in)		
17420		A60	4W	470lm	2700K	≥80	360°	15.000h	Transparent Glass	ø60/2.4"	102/4"	E	8,10€
17498		A60	7W	806lm	2700K	≥80	360°	25.000h	Transparent Glass	ø60/2.4"	102/4"	F	24,20€
17528		A60	8W	650lm	2200K	≥90	360°	15.000h	Opal Glass	ø60/2.4"	102/4"	G	9,00€
17463		A60	8W	800lm	2700K	≥90	360°	15.000h	Opal Glass	ø60/2.4"	102/4"	F	9,00€
17485		A60	8W	850lm	2700K	≥80	360°	15.000h	Opal Glass	ø60/2.4"	102/4"	F	15,40€
17529		A60	8W	810lm	3000K	≥90	360°	15.000h	Opal Glass	ø60/2.4"	102/4"	F	9,00€
17530		A60	8W	820lm	4000K	≥90	360°	15.000h	Opal Glass	ø60/2.4"	102/4"	F	9,00€
17067		A60	9W	850lm	2700K	≥80	270°	15.000h	Opal PC	ø60/2.4"	120/4.7"	F	7,20€
17070		A60	9W	820lm	2700K	≥80	270°	15.000h	Opal PC	ø60/2.4"	110/4.3"	F	6,90€
17074		A60	9W	820lm	4000K	≥80	270°	15.000h	Opal PC	ø60/2.4"	110/4.3"	F	6,90€
17426		A60	4W	400lm	2200K	≥80	360°	15.000h	Amber Glass	ø56/2.2"	102/4"	F	8,10€
17432		A60	5W	440lm	2200K	≥80	360°	15.000h	Amber Glass	ø60/2.4"	102/4"	F	12,90€
17496		A60	4W	450lm	2700K	≥80	360°	15.000h	Gloss Gold Glass	ø60/2.4"	102/4"	E	9,90€
17071		A60	4W	400lm	2700K	≥80	360°	15.000h	Matt Black Glass	ø60/2.4"	102/4"	F	11,60€
17073		A60	4W	400lm	2700K	≥80	360°	15.000h	Mirror Glass	ø60/2.4"	102/4"	F	9,20€
17417		G45	2W	220lm	2700K	≥80	360°	15.000h	Transparent Glass	ø45/1.8"	75/3"	E	6,20€
17524		G45	4W	300lm	2200K	≥90	360°	15.000h	Opal Glass	ø45/1.8"	75/3"	G	6,50€
17541 NEW		G45	4W	280lm	2200K	≥90	360°	15.000h	Opal White Glass	ø45/1.8"	75/3"	G	8,60€




E27 LED

Ref.		Power	Flux	Color T	CRI	Beam Angle	Dimm	Useful life	Diffuser	Width	Height	IEE	
		(W)	(Lm)	(K)				(H)		(mm/in)	(mm/in)		
17462		G45	4W	400lm	2700K	≥80	360°	15.000h	Opal Glass	ø45/1.8"	75/3"	F	6,50€
17525		G45	4W	400lm	3000K	≥90	360°	15.000h	Opal Glass	ø45/1.8"	75/3"	F	6,50€
17518		G45	4,5W	400lm	2700K	≥80	360°	 15.000h	Opal Glass	ø45/1.8"	75/3"	F	8,60€
17414		G45	2W	160lm	2200K	≥80	360°	15.000h	Amber Glass	ø45/1.8"	75/3"	G	6,20€
17493		G45	4W	300lm	2200K	≥80	360°	 15.000h	Amber Glass	ø45/1.8"	75/3"	G	9,20€
17415		G95	4W	470lm	2700K	≥80	360°	15.000h	Transparent Glass	ø95/3.7"	125/4.9"	E	13,90€
17531		G95	8W	650lm	2200K	≥90	360°	15.000h	Opal Glass	ø95/3.7"	141/5.6"	G	12,10€
17464		G95	8W	800lm	2700K	≥80	360°	15.000h	Opal Glass	ø95/3.7"	141/5.6"	F	12,10€
17482		G95	8W	900lm	2700K	≥80	360°	 25.000h	Opal Glass	ø95/3.7"	130/5.1"	F	17,80€
17532		G95	8W	810lm	3000K	≥90	360°	15.000h	Opal Glass	ø95/3.7"	141/5.6"	F	12,10€
17542 NEW		G95	12W	1200lm	2200K	≥90	360°	 15.000h	Opal White Glass	ø95/3.7"	125/4.9"	F	19,50€
17543 NEW		G95	12W	1500lm	2700K	≥90	360°	 15.000h	Opal White Glass	ø95/3.7"	141/5.6"	E	19,50€
17429		G95	4W	400lm	2200K	≥80	360°	15.000h	Amber Glass	ø95/3.7"	125/4.9"	F	13,90€
17072		G95	4W	400lm	2700K	≥80	360°	 15.000h	Matt Black Glass	ø95/3.7"	125/4.9"	F	15,90€
17271		G95	4W	450lm	2700K	≥80	360°	15.000h	Mirror Glass	ø95/3.7"	125/4.9"	E	15,90€
17478		G120	18W	1850lm	2700K	≥80	270°	15.000h	Opal Glass	ø120/4.7"	158/6.2"	F	15,60€
17479		G120	18W	1600lm	2700K	≥80	215°	 25.000h	Opal Glass	ø120/4.7"	158/6.2"	F	20,90€
17423		G125	4W	470lm	2700K	≥80	360°	15.000h	Transparent Glass	ø125/4.9"	175/6.9"	E	17,10€



E27 LED

Ref.		Power	Flux	Color T	CRI	Beam Angle	Dimm	Useful life	Diffuser	Width	Height	IEE			
													(W)	(Lm)	(K)
17425		G125	4W	400lm	2200K	≥80	360°	15.000h	Amber Glass	ø125/4.9"	175/6.9"	F	17,10€		
17434		G125	5W	440lm	2200K	≥80	360°	 15.000h	Amber Glass	ø125/4.9"	175/6.9"	F	18,40€		
17422		ST64	4W	470lm	2700K	≥80	360°	15.000h	Transparent Glass	ø64/2.5"	146/5.7"	E	11,80€		
17428		ST64	4W	400lm	2200K	≥80	360°	15.000h	Amber Glass	ø64/2.5"	146/5.7"	F	11,80€		
17433		ST64	5W	440lm	2200K	≥80	360°	 15.000h	Amber Glass	ø64/2.5"	146/5.7"	F	15,50€		
17424		ST64	5W	612lm	2700K	≥90	360°	15.000h	Amber Glass	ø64/2.5"	146/5.7"	E	11,80€		
17409		SP64	5W	380lm	2000K	≥80	360°	 15.000h	Amber Glass	ø64/2.5"	146/5.7"	G	16,50€		
17400		PAR38	10W	850lm	4000K	≥80	60°	30.000h	Opal Glass	ø120/4.7"	134/5.3"	F	31,60€		
17398		PAR38	11W	1052lm	3000K	≥80	23°	25.000h	Transparent Glass	ø120/4.7"	134/5.3"	F	31,60€		
17477		R80	12W	1050lm	2700K	≥80	120°	15.000h	Opal PC	ø80/3.1"	110/4.3"	E	7,20€		
17437		T45	5W	550lm	3000K	≥80	360°	15.000h	Opal Glass	ø45/1.8"	112/4.4"	E	11,70€		






E27 LED SPECIALS

Ref.		Power	Flux	Color T	CRI	Beam Angle	Dimm	Useful life	Diffuser	Width	Height	IEE			
													(W)	(Lm)	(K)
17445		T30	6W	550lm	2200K	≥80	360°	15.000h	Amber Glass	ø28/1.1"	300/11.8"	F	18,50€		
17447		A160	5W	280lm	2000K	≥80	360°	 25.000h	Amber Glass	ø160/6.3"	300/11.8"	G	70,30€		
17449		BT180	8W	400lm	2000K	≥80	360°	 25.000h	Amber Glass	ø160/6.3"	390/15.4"	G	80,40€		



G4

Ref.		Power	Flux	Color T	CRI	Beam Angle	Dimm	Useful life	Diffuser	Width	Height	IEE
		(W)	(Lm)	(K)				(H)		(mm/in)	(mm/in)	
17487		1,5W	155lm	3000K	≥80	360°		15.000h	Transparent Glass	ø11/0.4"	41/1.6"	F 6,00€
17494		1,5W	90lm	3000K	≥80	360°		25.000h	Transparent Glass	ø11/0.4"	33/1.3"	G 3,90€


R7s LED

Ref.		Power	Flux	Color T	CRI	Beam Angle	Dimm	Useful life	Diffuser	Width	Height	IEE
		(W)	(Lm)	(K)				(H)		(mm/in)	(mm/in)	
17499		4W	500lm	2700K	≥80	360°		15.000h	Transparent Glass	ø45/1.8"	45/1.8"	F 10,60€
17503		4W	500lm	4000K	≥80	360°		15.000h	Transparent Glass	ø16/0.6"	78/3.1"	E 10,60€
17488		5,5W	550lm	2700K	≥80	360°		15.000h	Transparent PC	ø23/0.9"	23/0.9"	F 8,80€
17497		8W	850lm	2700K	≥80	360°		15.000h	Transparent Glass	ø16/0.6"	16/0.6"	F 13,80€
17502		8W	850lm	4000K	≥80	360°		15.000h	Transparent Glass	ø16/0.6"	16/0.6"	F 14,20€


LINESTRA


Ref.		Power	Flux	Color T	CRI	Beam Angle	Dimm	Useful life	Diffuser	Width	Height	IEE
		(W)	(Lm)	(K)				(H)		(mm/in)	(mm/in)	
17535		L300	5W	430lm	2700K	≥80	270°	15.000h	Opal Glass	ø29/1.1"	29/1.1"	F 16,00€
17536		L500	7W	608lm	2700K	≥80	270°	15.000h	Opal Glass	ø29/1.1"	29/1.1"	F 21,50€


GX53


Ref.		Power	Flux	Color T	CRI	Beam Angle	Dimm	Useful life	Diffuser	Width	Height	IEE
		(W)	(Lm)	(K)				(H)		(mm/in)	(mm/in)	
17340		6W	540lm	3000K	>80	120°		25.000h	Opal PC	ø30/1.2"	76/3"	F 16,40€

**Items with special discount conditions*

LED Bulb GU5.3		Socket	Power	CRI	Useful life	DIM	Beam	Flux	Color T	
PARATHOM MR16										
	97686230	GU5.3	8W	92	40.000h	✓	24°	500lm	3000K	24,00€
	97686327		8W	92	40.000h	✓	36°	485lm	2700K	23,20€
	97686330		8W	92	40.000h	✓	36°	500lm	3000K	25,20€

LED bulb GU10			Power	CRI	Useful life	DIM	Beam	Flux	Color T	
MASTER LED Spot MV										
	97685327	SOCKET GU10	4W	80	15.000h	✓	36°	345lm	2700K	7,00€
	97685330		5W	80	25.000h	✓	36°	365lm	3000K	7,00€
	97264		4W	80		✓	60°	355lm	2700K	8,80€
	97404		5W	90		✓			3000K	9,00€
	97273		5W	97	40.000h	✓	36°	355lm	2700K	15,80€
	97402		5,5W	97	40.000h	✓	36°	375lm	3000K	15,80€

LED bulb GU10			Power	CRI	Useful life	DIM	Beam	Flux	Color T	
PARATHOM GU10										
	97166	SOCKET GU10	6W	≥80	15.000h		36°	575lm	2700K	6,00€
	97291		6W	≥80	15.000h		36°	575lm	3000K	6,00€
	97292		6W	≥80	15.000h		60°	575lm	3000K	6,00€
	97403		6W	≥80	15.000h		60°	575lm	2700K	6,00€

QR111			Power	CRI	Useful life	DIM	Beam	Flux	Color T	
PARATHOM QR111										
	97411	SOCKET G53	15W	97	40.000h	✓	24°	800lm	2700K	33,80€
	97412		15W	97	40.000h	✓	24°	800lm	3000K	33,20€
	97413		15W	97	40.000h	✓	40°	800lm	2700K	33,20€
	97414		15W	97	40.000h	✓	40°	800lm	3000K	33,20€

PAR30			Power	CRI	Useful life	DIM	Beam	Flux	Color T	
PARATHOM PAR30										
	97687127	E27	10W	≥80	25.000h	✓	36°	633lm	2700K	15,80€

Drivers

		mA	P	V	System	Driver	units	IP
GRUND 2W	70726 70730 70733 70735	700mA	2W	220/240V	on/off	98310235	1-15 units	IP20
					triac	98310210	2-4 units	IP20
					dali	98310235D	1-15 units	IP20
					casambi	98310538	4-15 units	IP20
GRUND 7W	70728 70731 70734 70736	350mA	7W	220/240V	on/off	98310136	1-2 units	IP20
					triac	98310110LC	1 units	IP20
					dali	98310136D	1-2 units	IP20
					casambi	98310538	2 units	IP20
GRUND 13W	70729 70732	350mA	13W	220/240V	on/off	98310136	only 1 unit	IP20
					triac	98310118LC	only 1 unit	IP20
					dali	98310136D	only 1 unit	IP20
					casambi	98310538	only 1 unit	IP20
GRUND 1W	70851 70852 70853 70854	24V	1W	220/240V	on/off	98324031	1-29 units	IP67
					on/off	98324099	1-90 units	IP67
					dali	98324101	1-90 units	IP67
					casambi	98324599	1-90 units	IP20
GRUND 7W	70855 70856 70857 70858	24V	7W	220/240V	on/off	98324031	1-4 units	IP67
					on/off	98324099	1-13 units	IP67
					dali	98324101	1-13 units	IP67
					casambi	98324599	1-15 units	IP20
GRUND 13W	70859 70860 70861 70862	24V	13W	220/240V	on/off	98324031	1-2 units	IP67
					on/off	98324099	1-6 units	IP67
					dali	98324151	1-6 units	IP67
					casambi	98324599	1-6 units	IP20
GRUND 3W	70740	24V	3W	220/240V	on/off	98324031	1-10 units	IP67
					on/off	98324099	1-30 units	IP67
					dali	98324101	1-30 units	IP67
					casambi	98324599	1-30 units	IP20
KANE 3W	70660 / 70660W 70661 / 70661W 70662 / 70662W	24VDC	3W	220/240V	on/off	98324031	1-10 units	IP67
					on/off	98324099	1-30 units	IP67
					dali	98324101	1-30 units	IP67
					casambi	98324599	1-30 units	IP20
CROSBY 2W	70453	24VDC	2W	220/240V	on/off	98324031	1-16 units	IP67
					on/off	98324099	1-45 units	IP67
					dali	98324101	1-45 units	IP67
					casambi	98324599	1-45 units	IP20

		mA	P	V	System	Driver	units	IP
TRAS 4W	71701	24V DC	4W	220/240V	on/off	98324031	1-8 units	IP67
					on/off	98324099	1-22 units	IP67
TRAS 8W	71702	24V DC	8W	220/240V	on/off	98324031	1-4 units	IP67
					on/off	98324099	1-10 units	IP67
TRAS 25W	71716 71717	24V DC	25W	220/240V	on/off	98324031	1 unit	IP67
					on/off	98324151	1-5 units	IP67
DANG 3W	70446	24V DC	3W	220/240V	on/off	98324031	1-10 units	IP67
					on/off	98324099	1-30 units	IP67
					dali	98324101	1-25 units	IP67
					casambi	98324599	1-30 units	IP20
FALLS 12W	71736 71737	24V DC	12W	220/240V	on/off	98324031	1-2 units	IP67
					on/off	98324099	1-7 units	IP67
				220/240V	dali	98324101	1-7 units	IP67
					casambi	98324599	1-7 units	IP20
FALLS ORIENTABLE 16W	71733	24V DC	16W	220/240V	on/off	98324031	1-2 units	IP67
					on/off	98324099	1-5 units	IP67
				220/240V	dali	98324101	1-5 units	IP67
					casambi	98324599	1-5 units	IP20
CUCA		24V DC	3W	220/240V	on/off	98324031	1-10 units	IP67
					on/off	98324099	1-30 units	IP67
					dali	98324101	1-30 units	IP67
					casambi	98324599	1-30 units	IP20
CLAP		24V DC	6W	220/240V	on/off	98324026	1-5 units	IP67
					on/off	98324099	1-15 units	IP67
LILY 300	75620 75620-1 75621 75621-1 75622 75622-1	24V DC	3W	220/240V	on/off	98324031	1-10 units	IP67
					on/off	98324099	1-30 units	IP67
					dali	98324101	1-30 units	IP67
					casambi	98324599	1-30 units	IP20
PUK	75300-	24V DC	3W	220/240V	on/off	98324031	1-7 units	IP67
					on/off	98324099	1-22 units	IP67
SAU		24V DC	3W	220/240V	on/off	98324031	1-13 units	IP67
					on/off	98324099	1-36 units	IP67
TIL		24V DC	3W	220/240V	on/off	98324031	1-10 units	IP67
					on/off	98324099	1-30 units	IP67
				220/240V	dali	98324101	1-25 units	IP67
					casambi	98324599	1-30 units	IP20

General terms of sale

EN	ES	FR	ITA
<p>The technical information detailed in our catalogue can be modified in order to improve the features or design of our products.</p> <p>Faro Barcelona keeps the right to cancel or modify any model without prior notice and without any cause for complaints.</p> <p>The conditions, technical characteristics and prices of the products that appear in this catalogue are the effective ones in the date of impression of the catalogue except for typographical error and are subject to possible changes.</p> <p>The catalogue prices are public prices.</p> <p>RATES DO NOT INCLUDE VAT.</p> <p>Returned goods shall only be accepted, after prior notice being given to LOREFAR, on the grounds of being defective and never on the basis of broken glass or missing parts. In such cases, please contact us so that we can send you the required parts as a matter of urgency.</p> <p>Exchanges or returns of goods in good condition will not be accepted. In the event of express acceptance by LOREFAR, a 20% charge shall be incurred, on receipt and checking, for depreciation and classification of the goods.</p>	<p>La información referente a nuestros productos puede ser modificada con el fin de mejorar las características técnicas o de diseño.</p> <p>Faro Barcelona se reserva el derecho de anular o modificar cualquier modelo sin previo aviso y sin que sea motivo de reclamaciones.</p> <p>Las condiciones, características y precios de los productos que aparecen en este catálogo son los vigentes en la fecha de impresión del catálogo salvo error tipográfico y están sujetos a posibles modificaciones, la versión digital siempre prevalece.</p> <p>Los precios mostrados son precios de venta al público (PVP).</p> <p>IVA NO INCLUIDO EN TARIFA</p> <p>Previa comunicación a Lorefar sólo se aceptará la mercancía devuelta por defectuosa, nunca por cristales rotos o falta de algún componente. En estos casos rogamos se pongan en contacto con nosotros para enviarles urgentemente las piezas requeridas.</p> <p>No se admitirán cambios ni devoluciones de mercancía en buen estado. En caso de aceptación explícita por parte de Lorefar, a su recepción y comprobación se emitirá un cargo del 20% en concepto de depreciación y clasificación de la mercancía.</p>	<p>L'information qui se réfère à nos produits peut être modifiée afin d'améliorer les caractéristiques technique ou de design.</p> <p>Faro Barcelona se réserve le droit d'annuler ou de modifier n'importe quel modèle sans préavis et sans que cela soit motif de réclamations.</p> <p>Les conditions, caractéristiques et prix des produits qui apparaissent dans ce catalogue sont celles en vigueur à la date d'impression du catalogue sauf erreur typographique et sont susceptible d'être modifiées ultérieurement.</p> <p>Les prix du catalogue son les prix de vente public .</p> <p>IVA NON COMPRISE DANS LE TARIF.</p> <p>Seule sera acceptée en retour la marchandise défectueuse, et ce après communication à LOREFAR. LOREFAR n'acceptera jamais de retour pour du verre brisé ou pour l'absence d'un composant quelconque. Dans ces derniers cas, nous vous prions de vous mettre en contact avec nous afin que nous vous fassions parvenir dans les plus brefs délais les pièces nécessaires. La marchandise en bon état ne sera ni reprise ni échangée. En cas d'acceptation explicite de sa part, LOREFAR retiendra 20% au titre de la dépréciation et de la classification du produit.</p>	<p>La informazione che si riferisce ai nostri articoli può essere soggetta a modifiche con il fine di migliorare le caratteristiche, tecniche o di design, dei nostri prodotti. Faro Barcelona si riserva il diritto di annullare o modificare qualsiasi modello senza previo avviso e senza che sia motivo di reclami.</p> <p>Le condizioni, caratteristiche e prezzi dei prodotti che compaiono in questo catalogo sono quelli vigenti alla data della verifica del catalogo ad eccezione di errori tipografici e sono soggetti a possibili modificazioni.</p> <p>I prezzi indicati sono prezzi di vendita al pubblico.</p> <p>IVA NON INCLUSA IN LISTINO.</p> <p>LOREFAR accetta previa comunicazione, solo la merce restituita perché difettosa; in nessun caso accetterà la merce restituita per presenza di vetri rotti o per mancanza di qualche componente. In questi casi vi preghiamo di contattarci per potervi mandare al più presto i pezzi richiesti.</p> <p>Non si effettuano cambi né si ammettono restituzioni di merci in buono stato. In caso di accettazione esplicita da parte di LOREFAR, al momento del ricevimento e della verifica della merce si emetterà un addebito del 20% a titolo di deprezzamento e classificazione.</p>
PT	GER	NL	GRK
<p>A informação referente aos nossos produtos pode ser modificada com o fim de melhorar as características técnicas ou de desenho.</p> <p>A Faro Barcelona reserva-se o direito de anular ou modificar qualquer modelo sem aviso prévio e sem que seja motivo de reclamações.</p> <p>As condições, características e preços dos produtos que aparecem neste catálogo são os vigentes na data de impressão do catálogo salvo erro tipográfico e estão sujeitos a possíveis modificações. Os preços mostrados são preços de venda ao público (PVP).</p> <p>IVA NÃO INCLUIDO NA LISTA DE PREÇOS</p> <p>Mediante comunicação prévia à Lorefar, apenas se aceitará a mercadoria devolvida por defeito, nunca por vidros partidos ou falta de algum componente. Nestes casos pedimos que entrem em contacto conosco para lhes enviarmos urgentemente as peças requeridas.</p> <p>Não serão admitidas alterações nem devoluções de mercadoria em bom estado. Em caso de aceitação explícita por parte da Lorefar, na sua recepção e comprovação emitir-se-á um débito de 20% a título de depreciação e classificação da mercadoria.</p>	<p>Die Information über unsere Produkte kann im Zusammenhang mit den Verbesserungen ihrer technischen Eigenschaften und ihres Designs jederzeit geändert werden.</p> <p>Faro Barcelona behält sich das Recht vor, seine Modelle jederzeit und ohne vorherige Ankündigung vom Markt zu nehmen, ohne dass sich daraus ein Anrecht auf Beschwerden ableiten könnte.</p> <p>Die Bedingungen, Eigenschaften und Preise der Produkte in diesem Katalog gelten zum Datum der Drucklegung des Katalogs vorbehaltlich Druckfehler und können jederzeit geändert werden. Diese Preise gelten für den Direktverkauf an den Kunden.</p> <p>DIE MEHRWERTSTEUER IST NICHT IN DEN PREISEN EINGESCHLOSSEN</p> <p>Nach vorheriger Kommunikation kann Lorefar die Rücklieferung von schadhafter Ware akzeptieren, jedoch niemals wegen beschädigten Glasteilen oder fehlenden Komponenten. In letzteren Fällen setzen Sie sich bitte zwecks schneller Zusage der notwendigen Teile in Verbindung.</p> <p>Wir tauschen keine Waren in gutem Zustand um oder nehmen sie zurück. Bei ausdrücklicher Annahme durch Lorefar nach Erhalt und Überprüfung stellen wir Ihnen 20% des Preises für Wertverminderung und Handhabung der Ware in Rechnung.</p>	<p>De informatie over onze producten kan gewijzigd worden met als doel de technische eigenschappen of het design te verbeteren.</p> <p>Faro Barcelona behoudt zich het recht voor onaangekondigd modellen te schrappen of te wijzigen en zonder dat dit aanleiding tot een klacht vormt.</p> <p>De voorwaarden, eigenschappen en prijzen van de producten in deze catalogus zijn geldig op het moment van druk van de catalogus tenzij sprake is van een drukfout. Zij zijn onderhevig aan mogelijke wijzigingen. De getoonde prijzen betreffen verkoopprijzen.</p> <p>Btw NIET BIJ DE PRIJS INBEGREPEN</p> <p>Lorefar aanvaardt uitsluitend defecte teruggezonden goederen nadat zij hierover van tevoren op de hoogte is gesteld. Dit geldt niet voor gebroken glas of het ontbreken van onderdelen. In deze gevallen wordt u verzocht met ons contact op te nemen zodat wij u zo snel mogelijk de gewenste onderdelen kunnen toezenden.</p> <p>Ruilen of terugsturen van goederen in correcte staat is niet toegestaan. In geval van uitdrukkelijke aanvaarding door Lorefar wordt bij ontvangst en controle een heffing van 20% voor waardevermindering en classificatie van de goederen toegepast.</p>	<p>Οι πληροφορίες σχετικά με τα προϊόντα μας ενδέχεται να τροποποιηθούν με στόχο τη βελτίωση των τεχνικών χαρακτηριστικών ή του σχεδίου.</p> <p>Η Faro Barcelona διατηρεί το δικαίωμα ακύρωσης ή τροποποίησης οποιασδήποτε μοντέλου χωρίς προηγούμενη προειδοποίηση και χωρίς αυτό να αποτελεί αιτία απαίτησης επιστροφής χρημάτων.</p> <p>Οι όροι, τα χαρακτηριστικά και οι τιμές των προϊόντων που παρουσιάζονται σε αυτόν τον κατάλογο είναι αυτά που ισχύουν κατά την ημερομηνία της εκτύπωσης του καταλόγου, εκτός τυπογραφικών λαθών, και υπόκεινται σε αλλαγές.</p> <p>Ο ΦΠΑ ΔΕΝ ΣΥΜΠΕΡΙΛΑΜΒΑΝΕΤΑΙ ΣΤΗΝ ΤΙΜΗ</p> <p>Μετά από συνεννόηση με τη Lorefar, γίνονται αποδεκτές επιστροφές μόνο αν πρόκειται για ελαττωματικά εμπορεύματα και όχι για θραύση κρυστάλλων ή απουσία κάποιου στοιχείου. Στις περιπτώσεις αυτές, παρακαλούμε να έρθετε σε επαφή μαζί μας για να σας στείλουμε επείγοντως τα απαιτούμενα μέρη.</p>
RUS	CZ	BL	PL
<p>Информация относящаяся к нашей продукции может быть модифицирована с целью улучшить технические или внешние характеристики.</p> <p>Faro Barcelona сохраняет за собой право аннулировать или модифицировать любую модель без предупреждения и без того что это послужит причиной для жалоб.</p> <p>Условия, характеристики и цены на изделия, указанные в данном каталоге, действительны на дату его выпуска, за исключением опечаток в каталоге, и могут быть изменены. В каталоге указаны розничные цены.</p> <p>БЕЗ УЧЕТА НДС</p> <p>В соответствии с правилами, компания Lorefar принимает возврат изделий только при наличии дефектов, но ни в коем случае не при разбитии стекла или отсутствии какой-либо детали. В таком случае, пожалуйста, свяжитесь с нами, чтобы мы отправили вам необходимые детали. Товар в рабочем состоянии не подлежит обмену или возврату. В случае подтверждения компанией Lorefar наличия дефектов, после возврата и проверки, начисляется 20% стоимости с учетом амортизации и классификации товаров.</p>	<p>Technické informace uvedené v katalogu mohou být modifikovány za účelem zdokonalování vlastností svítidel nebo jejich designu.</p> <p>Producent Faro Barcelona si vyhrazuje právo konstrukčních změn nabízených modelů bez předcházejícího oznámení a tato skutečnost nemůže být předmětem jakékoliv stížnosti či reklamace.</p> <p>Podmínky, technické specifikace a ceny produktů uvedené v katalogu jsou platné ke dni vydání katalogu. Producent si vyhrazuje právo konstrukčních změn nabízených modelů, pokud tyto nepovedou k zásadním změnám charakteru výrobků. Informace z tohoto katalogu postrádají platnosti v den vydání katalogu nového.</p> <p>VŠECHNY CENY JSOU UVEDENY BEZ DPH., Zboží může být vráceno pouze po předchozím souhlasu od společnosti PAXI, na základě poruchy nebo vady ovšem nikdy na základě poškozeného skla nebo chybějícího dílu. V takových případech nás, prosím, kontaktujte, abychom Vám mohli požadované části svítidel urgentně zaslat. Výměny nebo vrácení zboží v dobrém technickém stavu je nepřijatelné.</p>	<p>Техническая информация, представленная в нашiat каталог, может да бъде променяна с цел да подобри представянето или дизайна на продуктите.</p> <p>Фаро Барселона си запазва правото да отменя или променя всеки модел без предварително осведомяване и без това да се счита причина за оплаквания.</p> <p>Условията, техническите характеристики и цените на продуктите показани в този каталог са ефективни към датата на отпечатването на каталога, с изключение на грешки при отпечатване и са обект на възможни промени.</p> <p>Цените в каталога са публичните цени.</p> <p>ЦЕНИТЕ НЕ ВКЛЮЧВАТ ДДС.</p> <p>Връщане на закупена стока ще да бъдат приета единствено след писмено осведомяване на LOREFAR на основание дефекти и в никакъв случай на основание счупено стъкло или липсващи части. В такива случаи моля свържете се с нас, за да ви изпратим липсващите части по спешност.</p> <p>Размяна или връщане на стока в добро състояние няма да бъде извършвана. В случай на спешно приемане от LOREFAR 20 % такса ще бъде наложена за приемане и проверка, за обезценяване и класификация на продуктите.</p>	<p>Informacje techniczne wyszczególnione w naszym katalogu mogą być modyfikowane w celu poprawienia właściwości lub wzornictwa produktów.</p> <p>Faro Barcelona ma prawo do anulowania i modyfikowania każdego z modeli bez uprzedniego informowania i nie przyjmuje skarg z tego tytułu.</p> <p>Warunki, opis techniczny oraz ceny artykułów, które pojawiają się w katalogu są aktualne do czasu przedruku katalogu za wyjątkiem pomyłek w druku, które podlegają ewentualnej zmianie. Ceny w katalogu są cenami publicznymi.</p> <p>CENY NIE ZAWIERAJĄ STAWKI VAT.</p> <p>Ewentualne zwroty mogą być zaakceptowane po uprzedniej zgodzie przez Lorefar na podstawie stwierdzenia, że są wadliwe, nigdy nie przyjmowane są zwroty artykułów, z powodu stłuczenia szkła czy brakujących części, w tym przypadku prosimy o kontakt w celu wysłania potrzebnych części w trybie natychmiastowym.</p> <p>Wymiany lub zwroty artykułów w dobrym stanie nie będą zaakceptowane. W przypadku wyraźnej akceptacji przez Lorefar, 20% opłaty może być poniesione na otrzymanie i sprawdzenie, w celu sklasyfikowania uszkodzenia artykułu.</p>

References index

Ref	Pag.	Ref	Pag.	Ref	Pag.	Ref	Pag.
17067	473	17460	472	70147	460	70304	424
17070	473	17461	472	70148	460	70305	424
17071	473	17462	474	70151	238	70306	422
17072	474	17463	473	70156	202	70307	422
17073	473	17464	474	70157	202	70308	420
17074	473	17466	471	70158	236	70309	420
17271	474	17468	471	70159	236	70310	422
17309	470	17477	475	70161	204	70311	418
17316	470	17478	474	70162	454	70312	418
17318	470	17479	474	70163	454	70322	340
17319	470	17482	474	70226	234	70323	340
17320	470	17485	473	70227	234	70324	340
17321	470	17487	476	70245	256	70327	340
17324	470	17488	476	70246	256	70328	340
17325	470	17493	474	70247	80	70329	340
17328	470	17494	476	70248	220	70395	455
17329	470	17495	471	70260	202	70396	455
17330	470	17496	473	70264	372	70397	462
17331	470	17497	476	70267	372	70398	455
17332	470	17498	473	70268	372	70399	455
17333	470	17499	476	70269	372	70402	456
17334	470	17502	476	70270	372	70403	456
17335	470	17503	476	70271	454	70405	354
17336	470	17518	474	70272	450	70408	404
17337	470	17519	472	70272N	450	70409	404
17340	476	17524	473	70273	450	70443	448
17398	475	17525	474	70273N	450	70444	448
17400	475	17526	472	70274	450	70446	462
17409	475	17527	472	70276	450	70449	444
17413	472	17528	473	70277	450	70453	442
17414	474	17529	473	70277N	450	70455	448
17415	474	17530	473	70278	450	70459N	442
17417	473	17531	474	70278N	450	70462N	446
17420	473	17532	474	70279	450	70469	238
17422	475	17533	472	70280	450	70501	408
17423	474	17534	472	70281	450	70508	408
17424	475	17535	476	70283	338	70546	158
17425	475	17536	476	70284	338	70564	158
17426	473	17537	471	70285	156	70566N	370
17427	472	17538	471	70286	156	70567N	370
17428	475	17541	473	70287	156	70573	389
17429	474	17542	474	70288	452	70573B	389
17432	473	17543	474	70289	452	70575	308
17433	475	70025	200	70290	342	70576	154
17434	475	70035	206	70291	342	70586	428
17437	475	70036	206	70292	80	70587	428
17443	471	70037	208	70293	80	70588	426
17444	471	70038	208	70294	356	70589	426
17445	475	70039	206	70295	80	70591	446
17446	472	70134	464	70298	218	70592N	426
17447	475	70135	464	70302	420	70593N	426
17449	475	70146	460	70303	420	70634	372

Ref	Pag.	Ref	Pag.	Ref	Pag.	Ref	Pag.
70637	372	70775	46	70912	204	71286	136
70638	454	70776	46	70913	240	71287	136
70644	354	70777	46	70914	38	71299	142
70645	354	70782	102	70927	458	71300	142
70646	354	70783	102	70928	458	71301	142
70647	354	70784	46	70929	458	71303	380
70655	408	70785	92	70938	78	71305	381
70656	408	70787	220	70939	78	71306	381
70657	412	70788	220	70992	400	71308	364
70658	412	70790	42	70993	152	71309	364
70659	412	70799	308	70996	402	71352	84
70660	440	70802	370	70997	400	71353	348
70660W	440	70806	310	70998	400	71363	348
70661	440	70811	368	70999	402	71366	348
70661W	440	70812	368	71049	352	71367	348
70662	440	70813	368	71052	352	71372	310
70662W	440	70821	310	71106	292	71374	310
70663	390	70824	404	71110	398	71489N	444
70664	390	70825	404	71116	168	71498N	443
70665	386	70826	404	71117	168	71499N	443
70667	390	70828	368	71118	168	71516	358
70668	390	70829	391	71128	398	71517	358
70682	386	70832	374	71129	399	71519	360
70683	386	70833	458	71138	292	71528	218
70686	374	70834	458	71139	292	71537	384
70687	374	70837	154	71194	342	71546	204
70689	387	70840	116	71195	342	71548	204
70690	315	70841	116	71196	342	71565	46
70696	388	70842	116	71198	120	71569-01	58
70697	388	70843	116	71199	120	71569-04	59
70715	387	70850	378	71209	162	71569-05	56
70720	391	70851	430	71212	358	71569-06	56
70722	315	70852	430	71213	122	71569-07	54
70726	430	70853	430	71214	122	71569-08	54
70728	432	70854	430	71215	358	71569-09	52
70729	432	70855	434	71216	112	71569-10	52
70730	430	70856	434	71217	112	71569-11	52
70731	432	70857	434	71222	360	71569-12	52
70732	432	70858	434	71223	360	71569-13	52
70733	430	70859	434	71224	82	71569-14	52
70734	432	70860	434	71225	82	71575-01	58
70735	430	70861	434	71242	66	71575-04	59
70736	432	70862	434	71243	66	71575-05	56
70740	436	70870	436	71244	66	71575-06	56
70753	116	70871	436	71253	60	71575-07	54
70754	116	70887	389	71254	60	71575-09	52
70755	116	70888	366	71256	62	71575-11	52
70756	116	70899	366	71257	62	71575-13	52
70761	138	70900	458	71262	34	71575P-01	254
70767	145	70901	458	71263	34	71575P-03	254
70768	145	70906	410	71273	364	71575P-04	252
70771	150	70907	410	71274	387	71575P-05	250
70772	150	70908	410	71277	364	71575P-06	250
70773	380	70909	410	71279	384	71575P-07	250
70774	118	70910	410	71285	382	71575P-09	250

Ref	Pag.	Ref	Pag.	Ref	Pag.	Ref	Pag.
71575P-11	250	71733	416	71928	44	72126-171	264
71575P-13	250	71736	416	71929	44	72126-172	264
71576-01	58	71737	416	71931	44	72127-164	268
71576-04	59	71740	310	71940	78	72127-165	268
71576P-03	254	71741	310	71941	78	72127-166	268
71576P-04	252	71742	310	71942	78	72127-167	268
71579-02	284	71743	392	71943	78	72128	266
71579C-03	284	71744	392	71946	124	72129	266
71579C-04	284	71745	392	71947	124	72135	272
71579C-05	282	71746	140	71948	124	72136	272
71579C-06	282	71747	140	71949	124	72137	272
71579C-07	280	71748	140	71960	406	72138	272
71579C-09	278	71749	140	71961	406	72150	30
71579C-11	278	71750	140	71962	406	72151	30
71579C-13	278	71751	140	71963	406	72269	370
71584-01	289	71771	200	71964	406	72298	84
71584-02	36	71771V	200	71965	406	72310	152
71584-03	289	71772	226	71966	406	72311	134
71584-04	289	71772H	226	71967	406	72312	134
71584-05	288	71772V	226	71968	406	72330	404
71584-06	288	71773	226	71969	452	72353	314
71584-07	288	71774	232	72092	466	72354	314
71584-08	288	71775	232	72093	466	72355	314
71584-09	286	71780-2	224	72094	466	73100	242
71584-10	286	71780F	224	72095	466	73111	242
71584-11	286	71780H	224	72102-155	32	73150	242
71584-12	286	71780V	224	72102-156	32	74139	382
71584-13	286	71781-2	224	72102-157	32	74141	126
71584-14	286	71785-231	229	72103-155	50	74142	126
71613	240	71800	326	72103-156	50	74144	126
71621-05	282	71803	326	72103-157	50	74146	126
71621-06	282	71898	352	72104-155	274	74155	94
71621-07	280	71899	350	72104-156	274	74156	94
71621-08	276	71900	350	72104-157	274	74261	399
71621-09	278	71901	350	72109-155	274	74400	346
71621-10	277	71902	350	72109-156	274	74401	362
71621-11	278	71903	350	72109-157	274	74408	346
71621-12	277	71904	350	72110-155	274	74411	92
71621-13	278	71905	350	72110-156	274	74419	378
71621-14	277	71906	350	72110-157	274	74427C-01	291
71622-05	282	71907	350	72120	270	74427C-02	291
71622-06	282	71908	350	72121	270	74427C-03	290
71622-07	280	71909	352	72122	270	74427C-04	290
71622-08	276	71910	352	72123	270	74432A-01	396
71622-09	278	71911	352	72126	266	74432A-02	396
71622-10	277	71912	40	72126-159	262	74432A-03	394
71622-11	278	71913	41	72126-160	262	74432A-04	394
71622-12	277	71913	40	72126-161	262	74433S-01	149
71622-13	278	71914	40	72126-162	262	74433S-02	148
71622-14	277	71915	339	72126-164	260	74433S-03	149
71701	438	71916	339	72126-165	260	74433S-04	148
71702	438	71918	339	72126-166	260	74434B-01	147
71703	438	71920	44	72126-167	260	74434B-02	146
71716	438	71921	44	72126-169	264	74434B-03	147
71717	438	71923	44	72126-170	264	74434B-04	146

Ref	Pag.	Ref	Pag.	Ref	Pag.	Ref	Pag.
74435F2-02	166	750110D	174	750311	178	751111C	182
74435F2-03	164	750111	174	750311C	178	751111D	182
74435F2-04	167	750111C	174	750311D	178	751112	182
74436F3-02	166	750111D	174	750312	178	751112C	182
74436F3-03	164	750112	174	750312C	178	751112D	182
74436F3-04	167	750112C	174	750312D	178	751120	182
74441	139	750112D	174	750320	178	751120C	182
74442	139	750120	174	750320C	178	751120D	182
74450	364	750120C	174	750320D	178	751121	182
74451	108	750120D	174	750321	178	751121C	182
74452	108	750121	174	750321C	178	751121D	182
74453	378	750121C	174	750321D	178	751122	182
74456	376	750121D	174	750322	178	751122C	182
74457	90	750122	174	750322C	178	751122D	182
74458	90	750122C	174	750322D	178	751200	184
74500	38	750122D	174	751000	180	751200C	184
74501	38	750200	176	751000C	180	751200D	184
750000	172	750200C	176	751000D	180	751201	184
750000C	172	750200D	176	751001	180	751201C	184
750000D	172	750201	176	751001C	180	751201D	184
750001	172	750201C	176	751001D	180	751202	184
750001C	172	750201D	176	751002	180	751202C	184
750001D	172	750202	176	751002C	180	751202D	184
750002	172	750202C	176	751002D	180	751210	184
750002C	172	750202D	176	751010	180	751210C	184
750002D	172	750210	176	751010C	180	751210D	184
750010	172	750210C	176	751010D	180	751211	184
750010C	172	750210D	176	751011	180	751211C	184
750010D	172	750211	176	751011C	180	751211D	184
750011	172	750211C	176	751011D	180	751212	184
750011C	172	750211D	176	751012	180	751212C	184
750011D	172	750212	176	751012C	180	751212D	184
750012	172	750212C	176	751012D	180	751220	184
750012C	172	750212D	176	751020	180	751220C	184
750012D	172	750220	176	751020C	180	751220D	184
750020	172	750220C	176	751020D	180	751221	184
750020C	172	750220D	176	751021	180	751221C	184
750020D	172	750221	176	751021C	180	751221D	184
750021	172	750221C	176	751021D	180	751222	184
750021C	172	750221D	176	751022	180	751222C	184
750021D	172	750222	176	751022C	180	751222D	184
750022	172	750222C	176	751022D	180	751300	186
750022C	172	750222D	176	751100	182	751300C	186
750022D	172	750300	178	751100C	182	751300D	186
750100	174	750300C	178	751100D	182	751301	186
750100C	174	750300D	178	751101	182	751301C	186
750100D	174	750301	178	751101C	182	751301D	186
750101	174	750301C	178	751101D	182	751302	186
750101C	174	750301D	178	751102	182	751302C	186
750101D	174	750302	178	751102C	182	751302D	186
750102	174	750302C	178	751102D	182	751310	186
750102C	174	750302D	178	751110	182	751310C	186
750102D	174	750310	178	751110C	182	751310D	186
750110	174	750310C	178	751110D	182	751311	186
750110C	174	750310D	178	751111	182	751311C	186

Ref	Pag.	Ref	Pag.	Ref	Pag.
751311D	186	75563	68	75709-2	213
751312	186	75564	68	75709-4	213
751312C	186	75565	246	75710-1	323
751312D	186	75566	246	75710-2	323
751320	186	75570	214	75711-1	297
751320C	186	75571	214	75711-2	297
751320D	186	75572	96	75712-1	325
751321	186	75573	96	75712-2	325
751321C	186	75580	72	75713-1	297
751321D	186	75581	246	75713-2	297
751322	186	75583	246	75714-2	100
751322C	186	75584	70	75714-4	100
751322D	186	75585	244	75750	330
75300F	192	75586	244	75751	330
75300H	192	75588	70	75753	300
75300S	192	75589	244	75754	300
75300V	192	75590	244	75755	300
75302F	194	75595	114	75756	328
75302H	194	75596	114	75757	328
75302S	194	75605	144	75758	312
75302V	194	75606	144	75758-01	298
75303F	195	75607	162	97166	477
75303H	195	75608	36	97264	477
75303V	195	75620	74	97273	477
75304-123	305	75620-1	216	97291	477
75500	344	75620-2	216	97292	477
75501	344	75621	74	97402	477
75502	344	75621-1	216	97403	477
75503	344	75621-2	216	97404	477
75519	110	75622	74	97411	477
75520	110	75622-1	216	97412	477
75521	152	75622-2	216	97413	477
75522	130	75630	318	97414	477
75523	130	75631	76	97685327	477
75524	162	75632	76	97685330	477
75531	138	75633	318	97686230	477
75532	160	75634	76	97686327	477
75533	392	75635	76	97686330	477
75537	132	75636	104	97687127	477
75538	132	75637	104	97692327	477
75540	362	75638	104	97692330	477
75541	112	75639	104	97692427	477
75545	128	75640	104	97692430	477
75546	128	75641	104		
75547	160	75650	64		
75550	106	75701	392		
75551	106	75703-2	199		
75552	106	75704-2	101		
75553	106	75705-2	101		
75556	248	75706-2	101		
75557	248	75706-4	213		
75558	72	75707-2	101		
75559	72	75707-4	213		
75561	246	75708-2	213		
75562	246	75708-4	213		

Alphabetical index

Aday	<i>Wall</i>	354	Cadaques	<i>Floor</i>	66	Giza	<i>Beacon</i>	145	Luma	<i>Beacon</i>	90
Agra	<i>Beacon</i>	116	Cage	<i>Portable</i>	36	Giza	<i>Post</i>	145	Mani	<i>Recessed</i>	452
Agra	<i>Post</i>	116	Cairo	<i>Portable</i>	38	Glint	<i>Beacon</i>	104	Mask	<i>Wall</i>	384
Akane	<i>Portable</i>	34	Candela	<i>Portable</i>	42	Goz	<i>Ceiling</i>	308	Mauren	<i>Post</i>	152
Alfa	<i>Projector</i>	200	Canon	<i>Wall</i>	370	Grada	<i>Wall</i>	410	Mavis	<i>Portable</i>	44
Alp	<i>Wall</i>	364	Carter	<i>Recessed</i>	456	Grant	<i>Wall</i>	408	Mila	<i>Post</i>	150
Alp	<i>Beacon</i>	108	Cast	<i>Beacon</i>	94	Gron	<i>Recessed</i>	464	Mistu	<i>Suspended</i>	291
Ancora	<i>Wall</i>	362	Cerler	<i>Beacon</i>	78	Grot	<i>Wall</i>	318	Mistu	<i>Wall</i>	396
Andy	<i>Spike</i>	240	Chandra	<i>Beacon</i>	84	Grot	<i>Beacon</i>	76	Mistu	<i>Post</i>	148
Anga	<i>Ceiling</i>	314	Clap	<i>Beacon</i>	101	Grund	<i>Recessed</i>	430	Mistu	<i>Beacon</i>	146
Argus	<i>Portable</i>	46	Clap	<i>Spike</i>	213	Half	<i>Wall</i>	384	Mistu	<i>Pole</i>	166
Axel	<i>Wall</i>	364	Clap	<i>Wall</i>	325	Hikari	<i>Wall</i>	387	Mol	<i>Wall</i>	391
Balder	<i>Projector</i>	238	Clap	<i>Suspended</i>	297	Iglu	<i>Beacon</i>	64	Moon	<i>Suspended</i>	291
Balic	<i>Wall</i>	356	Crosby	<i>Recessed</i>	442	Kane	<i>Recessed</i>	440	Moon	<i>Wall</i>	396
Balic	<i>Beacon</i>	80	Cuca	<i>Spike</i>	246	Kasp	<i>Portable</i>	40	Moon	<i>Post</i>	149
Bambou	<i>Spike</i>	248	Cuca	<i>Beacon</i>	70	Kaula	<i>Wall</i>	354	Moon	<i>Beacon</i>	147
Bast	<i>Post</i>	80	Curtis	<i>Recessed</i>	446	Keenan	<i>Wall</i>	158	Muffin	<i>Suspended</i>	290
Beret	<i>Beacon</i>	130	Dakron	<i>Ceiling</i>	315	Kela	<i>Wall</i>	378	Muffin	<i>Wall</i>	394
Beret	<i>Pole</i>	162	Dang	<i>Recessed</i>	462	Kerala	<i>Wall</i>	378	Muffin	<i>Post</i>	148
Bezel	<i>Beacon</i>	80	Dart	<i>Recessed</i>	450	Kila	<i>Ceiling</i>	310	Muffin	<i>Beacon</i>	146
Bezel	<i>Spike</i>	220	Das	<i>Beacon</i>	110	Kila	<i>Wall</i>	392	Muffin	<i>Pole</i>	167
Blind	<i>Wall</i>	372	Datna	<i>Beacon</i>	139	Kila	<i>Beacon</i>	140	Muna	<i>Portable</i>	30
Block	<i>Beacon</i>	126	Datna	<i>Post</i>	139	Klamp	<i>Wall</i>	346	Must	<i>Wall</i>	412
Blubs	<i>Suspended</i>	290	Doro	<i>Wall</i>	350	Klamp	<i>Beacon</i>	92	Muur	<i>Projector</i>	200
Blubs	<i>Wall</i>	394	Drak	<i>Wall</i>	404	Kov	<i>Wall</i>	333	Nahir	<i>Wall</i>	400
Blubs	<i>Post</i>	149	Dune	<i>Wall</i>	406	Kubick	<i>Wall</i>	387	Nairobi	<i>Wall</i>	374
Blubs	<i>Beacon</i>	147	Edel	<i>Recessed</i>	448	Lace	<i>Wall</i>	368	Nala	<i>Post</i>	150
Blubs	<i>Pole</i>	164	Ele	<i>Wall</i>	378	Lacre	<i>Wall</i>	370	Nala	<i>Wall</i>	380
Bonn	<i>Wall</i>	388	Espot	<i>Beacon</i>	124	Lako	<i>Wall</i>	352	Nanda	<i>Beacon</i>	112
Borda	<i>Wall</i>	400	Estela	<i>Wall</i>	340	Led 18	<i>Recessed</i>	443	Nara	<i>Portable</i>	32
Bronx	<i>Wall</i>	342	Falls	<i>Recessed</i>	416	Lily	<i>Beacon</i>	74	Nara	<i>Floor</i>	50
Brot	<i>Beacon</i>	60	Flow	<i>Projector</i>	204	Lily	<i>Spike</i>	216	Nara	<i>Suspended</i>	274
Brot	<i>Portable</i>	62	Foc	<i>Projector</i>	202	Lime	<i>Wall</i>	326	Narita	<i>Suspended</i>	262
Brot	<i>Spike</i>	214	Foc	<i>Spike</i>	236	Ling	<i>Wall</i>	368	Narita	<i>Suspended</i>	270
Brot	<i>Beacon</i>	96	Fred	<i>Wall</i>	390	Lit	<i>Projector</i>	202	Narita	<i>Suspended</i>	266
Brow	<i>Wall</i>	404	Frol	<i>Recessed</i>	464	Log	<i>Wall</i>	372	Nase	<i>Recessed</i>	455
Bruc	<i>Wall</i>	368	Future	<i>Wall</i>	358	Logar	<i>Beacon</i>	144	Nat	<i>Recessed</i>	454
Bu-Oh	<i>Pole</i>	162	Gaia	<i>Beacon</i>	68	Loth	<i>Wall</i>	156	Natron	<i>Wall</i>	389
Bu-Oh	<i>Wall</i>	358	Garten	<i>Spike</i>	242	Lotus	<i>Wall</i>	360	Nautica	<i>Suspended</i>	292
Bu-Oh	<i>Post</i>	122	Geiser	<i>Recessed</i>	420	Lotus	<i>Beacon</i>	82	Nautica	<i>Wall</i>	398
Bu-Oh	<i>Beacon</i>	122	Gina	<i>Beacon</i>	84	Luca	<i>Spike</i>	218	Nautica	<i>Pole</i>	168
Cabo	<i>Wall</i>	400	Gina	<i>Wall</i>	348	Luma	<i>Wall</i>	376	Nautica	<i>Wall</i>	399

Naya	Post	120	Saigon	Spike	250	Sticker	Wall	362	Voila	Portable	46
Naya	Beacon	120	Saigon	Suspended	284	Sticker	Beacon	112	Wally	Wall	399
Negus	Wall	388	Saigon	Suspended	282	Stripe 2	Recessed	466	West	Wall	366
Noboru	Beacon	154	Saigon	Suspended	280	Sunset	Wall	374	Yen	Ceiling	315
Nok	Recessed	448	Saigon	Suspended	289	Surat	Beacon	152			
Noray	Wall	402	Saigon	Portable	36	Suria	Recessed	428			
Oko	Projector	204	Saigon	Suspended	288	Suria	Recessed	426			
Olan	Wall	372	Saigon	Floor	52	Tacana	Wall	352			
Olot	Ceiling	310	Saigon	Suspended	286	Takua	Wall	364			
Onze	Beacon	138	Saigon	Suspended	278	Tamashi	Wall	380			
Orwell	Wall	392	Saigon	Suspended	276	Tami	Ceiling	308			
Pals	Wall	342	Saigon	Suspended	277	Tane	Wall	370			
Path	Wall	408	Salt	Recessed	446	Taro	Recessed	444			
Piccola	Spike	256	Sau	Spike & Projector	224	Tasa	Ceiling	310			
Pill	Wall	404	Sau	Spike & Projector	228	Task	Portable	38			
Pilo	Beacon	114	Sau	Spike & Projector	226	Tecno	Recessed	444			
Pivot	Wall	381	Sau	Spike & Projector	232	Tejo	Wall	389			
Plaza	Pole	162	Sau	Spike & Projector	229	Thon	Wall	338			
Plim	Beacon	142	Saura	Beacon	118	Til	Recessed	458			
Plom	Projector	204	Screen	Post	180	Til	Beacon	78			
Plom	Spike	240	Screen	Beacon	182	Timon	Wall	402			
Pol	Wall	391	Screen	Pole	184	Tinia	Wall	348			
Poma	Recessed	452	Screen	Pole	186	Toba	Suspended	260			
Pomo	Wall	381	Scuba	Suspended	298	Toba	Suspended	268			
Proa	Wall	346	Scuba	Wall	328	Toc	Portable	46			
Puk	Projector	192	Scuba	Ceiling	312	Toluca	Wall	352			
Puk	Projector	194	Scuba	Wall	330	Tom	Wall	386			
Puk	Projector	195	Scuba	Suspended	300	Tond	Wall	339			
Puk	Ceiling	305	Sedna	Recessed	460	Toni	Projector	218			
Racing	Recessed	456	Sete	Post	152	Tono	Spike	242			
Rush	Post	172	Seth	Spike	234	Totem	Beacon	106			
Rush	Beacon	174	Shadow	Beacon	134	Tram	Beacon	138			
Rush	Pole	176	Shelby	Beacon	132	Tram	Pole	160			
Rush	Pole	178	Slot	Projector	206	Tram	Wall	392			
Saga	Suspended	264	Slot	Spike	208	Tras	Recessed	438			
Saga	Suspended	272	Sobek	Projector	238	Tura	Beacon	128			
Saigon	Floor	58	Soleil	Beacon	92	Tura	Pole	160			
Saigon	Floor	59	Soun	Recessed	458	Twist	Wall	382			
Saigon	Floor	56	Spark	Recessed	454	Twist	Beacon	136			
Saigon	Floor	54	Spy	Beacon	102	Twist	Post	136			
Saigon	Spike	254	Spy	Spike	220	Uve	Recessed	462			
Saigon	Spike	252	Steps	Wall	344	View	Wall	360			

**Showroom Barcelona**

Princesa 52
08003 Barcelona
Spain
Tel +34932387373
showroom.barcelona@faro.es

Showroom Madrid

Velázquez 35 4ºD
28001 Madrid
Spain
Tel +34689583571
showroom.madrid@faro.es

Showroom Paris

7 Rue d'Uzès
75002 Paris
France
Tel +33745061553
showroom.paris@faro.es

Showroom Buenos Aires

Ven Street Center Local 30
Av. Italia 4950
1622 Dique Luján
Buenos Aires Argentina
Tel +5491171390813
showroom.argentina@faro.es

Logistics Headquarters


Dinámica 1 Pol. Ind. Santa Rita
08755 Castellbisbal
Spain
Tel +34937723949
info@faro.es

Logistics China

Room 1706-05, Glory International
Finance Center
25 Guicheng Road, Nanhai District
Foshan, Guangdong Province

Logistics USA

135 West 41nd Street Suite 1002
10036 New York
USA



Request visit

Be present.
Let light guide you
to a more conscious
way of living